

WEEKLY PROGRESS REPORT – TRC SOLUTIONS

**Gowanus Canal Turning Basin 4 Dredging and Capping Pilot Study
Brooklyn, New York**

Project number: 283126

Period: January 3 to 5, 2018

Date of Report: January 17, 2018

Rev: 0

Prepared For: Gowanus Environmental Remediation Trust



On-Site Activities Conducted During Week:

Sevenson Environmental Services (SES)

Sheet Pile Installation

- Installation of 5 pairs of sheet pile to approximate Station 5+81.
- Limited work due to inclement weather on 01/04 and 01/05/18.

Water Treatment and Monitoring

- No discharge of treated water during the week.

Turbidity Monitoring

- Turbid water not observed migrating from the 4th Street Turning Basin.

Vibration Monitoring (subcontractor – Vibra-Tech)

- Operated and maintained five (5) stationary vibration monitors. Two (2) stationary monitors located on the south side of the canal, one (1) stationary monitor located on the north side of the canal, two (2) stationary monitors located on the 3rd Avenue Bridge abutments. Additionally, employed two (2), at a minimum, portable vibration monitors to measure vibration levels within 15 feet of the sheet pile installation work.
- Performed daily crack gauge inspections at 386 3rd Avenue during sheet pile installation.
- No exceedances of the peak particle velocity level specified in the Contract Documents (0.40 inches per second) or acceleration level specified in the Contract Documents (0.1 g) during the week.

Quality Assurance and Control – Geosyntec

On January 3rd the sentinel buoy detected a one-time spike in turbidity of 33.1 NTU at 11:15. This one-time spike met the criteria to be considered an outlier and did not result in an exceedance. During this time sheet piles were being set in place for driving. There is no indication that this activity would have caused the observed spike in turbidity. There were no exceedances of the trigger criterion of the rolling average of the sentinel buoy over a one-hour period exceeding the rolling average of the ambient buoy by 20 nephelometric turbidity units (NTUs).

- Measurements for 12/18/17:
 - Daily average for ambient buoy – 9.5 NTU
 - Daily average for sentinel buoy – 8.6 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 5.6 NTU at 1145
- Measurements for 12/19/17:
 - Daily average for ambient buoy – 9.8 NTU
 - Daily average for sentinel buoy – 9.1 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 16.6 NTU at 0845.
- Measurements for 12/20/17:
 - Daily average for ambient buoy – 9.7 NTU
 - Daily average for sentinel buoy – 8.5 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 0.5 NTU at 1630.
- Measurements for 12/21/17:
 - Daily average for ambient buoy – 9.8 NTU
 - Daily average for sentinel buoy – 8.2 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 0.3 NTU at 1200.



- Measurements for 12/22/17:
 - Daily average for ambient buoy – 9.5 NTU
 - Daily average for sentinel buoy – 8.2 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 1.2 NTU at 1245.
- Measurements for 01/01/18:
 - Daily average for ambient buoy – 12.4 NTU
 - Daily average for sentinel buoy – 10. NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 2.1 NTU at 1500

Measurements for 01/02/18:

- Daily average for ambient buoy – 12.3 NTU
 - Daily average for sentinel buoy – 10.3 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 3.3 NTU at 0945.
- Measurements for 01/03/18:
 - Daily average for ambient buoy – 13.3 NTU
 - Daily average for sentinel buoy – 12.1 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 21 NTU at 1115.
 - Measurements for 01/04/18:
 - Daily average for ambient buoy – 15.2 NTU
 - Daily average for sentinel buoy – 10.3 NTU
 - No measurement at sentinel buoy greater than ambient buoy at any time during the day.

Measurements for 01/05/18:

- Daily average for ambient buoy – 18.1 NTU
- Daily average for sentinel buoy – 13.5 NTU
- Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 0.5 NTU at 1445.

Community Air Monitoring Program – TRC CAMP

- Operated and maintained two (2) air monitoring stations at the upland staging area and five (5) monitoring station at the 4th Street Turning Basin Area.
- No exceedances of particulate matter of 10 microns in diameter or smaller (PM₁₀) or total volatile organic compounds (TVOC) of the action level of 150 micrograms per cubic meter or 1,000 parts per billion, respectively. Measurements collected only on 01/03/18 due to weather and lack of activity on 01/04/18 and 01/05/18.
- Maximum measurements of PM₁₀ in $\mu\text{g}/\text{m}^3$ recorded on 01/03/18
 - Station 1 – 18 $\mu\text{g}/\text{m}^3$
 - Station 2 – 19 $\mu\text{g}/\text{m}^3$
 - Station 3 – <1 $\mu\text{g}/\text{m}^3$
 - Station 4 – 17 $\mu\text{g}/\text{m}^3$
 - Station 5 – 19 $\mu\text{g}/\text{m}^3$
 - Station 6 – 17 $\mu\text{g}/\text{m}^3$
 - Station 7 – <1 $\mu\text{g}/\text{m}^3$
- Maximum measurements of TVOC in ppb recorded on 01/03/18
 - Station 1 – 33 ppb
 - Station 2 – 25 ppb
 - Station 3 – 27 ppb
 - Station 4 – <1 ppb
 - Station 5 – 20 ppb
 - Station 6 – 50 ppb
 - Station 7 – 98 ppb
- All real-time readings of hydrogen sulfide, ammonia, or formaldehyde less than instrument reporting limit.
- No 24-hour sample collected during the week due to inclement weather.
- Tabulated laboratory analytical results for 24-hour sample collected at ST-5 on 12/04 through 12/05 and ST-3 on 12/05 through 12/06 presented in weekly CAMP report.

Noise and Vibration Monitoring – Wilson Ihrig

- Operated and maintained three (3) noise monitors: NM-1 (north side of canal on Whole Foods promenade), NM-2 (south side of canal on southeast corner of 386 3rd Avenue), and NM-3 (southeast corner of Whole Foods at 3rd Avenue Bridge).
- Exceedances of the hourly Leq noise limit of 80 dBA during sheet pile installation measured at monitor NM-2 and NM-3. Mitigating measures being evaluated and implemented.
- Greatest hourly Leq noise measurements
 - Northern monitor (NM-1) – 79 dBA during 1300-1400 on 01/03/18
 - Southern monitor (NM-2) – 87.5 dBA during 1300-1400 on 01/03/18
 - 3rd Avenue Bridge monitor (NM-3) – 91 dBA during 1300-1400 on 01/03/18
- No exceedances of the commercial and industrial structures vibration criterion of 2.0 inches per second peak particle velocity.



- Greatest peak particle velocity measurements
 - Northern monitor (VM-1) – 0.0475 in/sec event between 1300 and 1400 on 01/05/18
 - Southern monitor (VM-2) – 0.0434 in/sec event between 1300 and 1400 on 01/03/18

Cultural Natural Resource Monitoring – Archeology and Historic Resource Services (AHRS)

- No inspections conducted during week and expected prior to commencing Phase 1 dredging.

Two-Week Look Ahead:

Sevenson:

- Continue installation of steel sheet pile bulkhead supports.
- Perform vibration, benchmark, and optical monitoring of bulkheads and surrounding structures.

Geosyntec – Perform construction quality assurance responsibilities.

TRC CAMP Monitoring – Perform community air monitoring.

Wilson Ihrig – Perform noise and vibration monitoring,

AHRS – No activities planned.

Project Milestones: Key project milestones either established or completed this period include the following:

- None during this period.

Attachments:

1. Geosyntec In-Canal Water Quality Monitoring Weekly Data Summary (weeks ending 12/22/17 and 01/05/18 included)
2. TRC Weekly CAMP Report
3. Wilson Ihrig Weekly Noise and Vibration Monitoring Report
4. AHRS Weekly Report (no activities during current week)
5. Water Treatment System Monitoring Analytical Laboratory Data (no activities during current week)
6. Cumulative Dredged Material Chart (no activities during current week)



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 001	Date 01-03-2018
-------------------------	---------------------------

Description
Photo showing accumulated ice in turning basin.



Photo No. 002	Date 01-03-2018
-------------------------	---------------------------

Description
Driving sheet piles as singles as required by EPA directive.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 003	Date 01-03-2018
-------------------------	---------------------------

Description
Threading sheet, preparing to drive.



Photo No. 004	Date 01-03-2018
-------------------------	---------------------------

Description
Driving installed sheets to grade on the low tide.



**GEOSYNTEC IN-CANAL WATER QUALITY MONITORING WEEKLY DATA SUMMARY
(DATA FOR WEEKS ENDING 12/22/17 AND 01/05/18 INCLUDED)**



Prepared for
**Gowanus Canal
Remedial Design
Group**

GOWANUS CANAL SUPERFUND SITE DREDGING AND CAPPING PILOT STUDY Water Quality Monitoring Weekly Data Summary

Week of December 18th, 2017

Report Contents

- Scope of Monitoring
- Turbidity Buoy Data
- Handheld Measurements
- Summary of Visual Observations
 - Report of Exceedances

Prepared by

Geosyntec  **Beech and Bonaparte** 
consultants engineering p.c.

engineers | scientists | innovators

an affiliate of Geosyntec Consultants

7 Graphics Drive, Suite 106
Ewing, NJ 08628
Project Number HPH106A (52)

1. SCOPE OF MONITORING

The following report summarizes water quality monitoring data collected during the week of December 18th, 2017. Two turbidity buoys were deployed to monitor turbidity during the pilot study. One turbidity buoy was deployed just outside of the 4th Street Turning Basin and is referred to as the sentinel buoy. A second turbidity buoy was deployed further upstream in RTA1 in order to monitor background turbidity unaffected by on-water construction activities. This turbidity buoy is referred to as the ambient buoy. A map indicating the approximate locations of the turbidity buoys is provided in Figure 1. Each turbidity buoy was equipped with a YSI 600 OMS water quality meter with optical turbidity sensor. The buoys were programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a FTP site via telemetry. This report provides the turbidity data collected every 15 minutes from both the ambient and sentinel buoys during each day between 7 AM and 5 PM during the week of December 18th. Average and maximum turbidity are also presented. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4. The data provided in this summary report have not yet been validated and should be considered preliminary.



2. TURBIDITY BUOY DATA

The following section provides turbidity data for the sentinel and ambient turbidity buoys from 7 AM to 5 PM from December 18th to December 22nd, 2017. Background data prior to the start of dredging is provided in Appendix A. No exceedances to the rolling average threshold criteria were observed during the reporting period.

2.1 Monday, December 18th, 2017

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
12/18/2017 7:00	10.4	9.9	N	12/18/2017 12:15	7.6	7.7	Y
12/18/2017 7:15	9.8	8.4	N	12/18/2017 12:30	8.1	8.3	Y
12/18/2017 7:30	10.2	9.0	N	12/18/2017 12:45	7.7	7.7	N
12/18/2017 7:45	10.1	7.0	N	12/18/2017 13:00	8.8	7.7	N
12/18/2017 8:00	12.2	8.5	N	12/18/2017 13:15	8.5	7.3	N
12/18/2017 8:15	10.4	9.9	N	12/18/2017 13:30	8.4	7.0	N
12/18/2017 8:30	11.7	9.0	N	12/18/2017 13:45	9.1	7.7	N
12/18/2017 8:45	10.7	10.0	N	12/18/2017 14:00	8.8	7.8	N
12/18/2017 9:00	11.5	8.6	N	12/18/2017 14:15	9.4	8.3	N
12/18/2017 9:15	11.8	9.3	N	12/18/2017 14:30	9.7	8.8	N
12/18/2017 9:30	11.2	9.4	N	12/18/2017 14:45	8.7	7.1	N
12/18/2017 9:45	10.0	9.2	N	12/18/2017 15:00	8.0	8.8	Y
12/18/2017 10:00	12.3	9.9	N	12/18/2017 15:15	8.7	7.5	N
12/18/2017 10:15	11.9	9.7	N	12/18/2017 15:30	7.6	8.3	Y
12/18/2017 10:30	10.7	9.5	N	12/18/2017 15:45	8.0	7.1	N
12/18/2017 10:45	10.6	10.2	N	12/18/2017 16:00	7.9	6.9	N
12/18/2017 11:00	9.5	9.9	Y	12/18/2017 16:15	8.8	7.3	N
12/18/2017 11:15	9.1	9.5	Y	12/18/2017 16:30	8.9	7.2	N
12/18/2017 11:30	8.4	10.4	Y	12/18/2017 16:45	8.7	7.5	N
12/18/2017 11:45	8.3	14.0	Y	12/18/2017 17:00	8.6	7.9	N
12/18/2017 12:00	8.0	8.7	Y				
Average	9.5	8.6	N				
Maximum	12.3	14.0	Y				
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

2.2 Tuesday, December 19th, 2017

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
12/19/2017 7:00	8.7	7.1	N	12/19/2017 12:15	9.7	8.5	N
12/19/2017 7:15	9.4	7.6	N	12/19/2017 12:30	10.9	8.9	N
12/19/2017 7:30	8.8	7.2	N	12/19/2017 12:45	11.3	9.6	N
12/19/2017 7:45	9.1	7.2	N	12/19/2017 13:00	10.7	9.4	N
12/19/2017 8:00	9.3	8.1	N	12/19/2017 13:15	9.4	8.5	N
12/19/2017 8:15	10.3	9.6	N	12/19/2017 13:30	8.6	7.9	N
12/19/2017 8:30	10.4	10.0	N	12/19/2017 13:45	11.4	8.0	N
12/19/2017 8:45	10.1	26.7	Y	12/19/2017 14:00	9.5	8.1	N
12/19/2017 9:00	10.0	12.1	Y	12/19/2017 14:15	9.6	8.0	N
12/19/2017 9:15	9.7	10.9	Y	12/19/2017 14:30	9.2	7.7	N
12/19/2017 9:30	11.0	11.4	Y	12/19/2017 14:45	8.7	7.9	N
12/19/2017 9:45	10.1	10.9	Y	12/19/2017 15:00	10.6	7.7	N
12/19/2017 10:00	10.3	12.0	Y	12/19/2017 15:15	9.7	7.2	N
12/19/2017 10:15	9.3	9.1	N	12/19/2017 15:30	10.4	7.4	N
12/19/2017 10:30	10.8	10.3	N	12/19/2017 15:45	9.3	8.3	N
12/19/2017 10:45	9.4	8.7	N	12/19/2017 16:00	9.2	7.3	N
12/19/2017 11:00	9.2	8.9	N	12/19/2017 16:15	9.3	8.0	N
12/19/2017 11:15	10.8	8.7	N	12/19/2017 16:30	9.1	7.2	N
12/19/2017 11:30	10.4	8.5	N	12/19/2017 16:45	8.8	8.1	N
12/19/2017 11:45	10.0	7.8	N	12/19/2017 17:00	9.6	8.5	N
12/19/2017 12:00	9.3	7.6	N				
Average	9.8	9.1	N				
Maximum	11.4	26.7	Y				
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

2.3 Wednesday, December 20th, 2017

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
12/20/2017 7:00	9.3	7.2	N	12/20/2017 12:15	8.2	7.7	N
12/20/2017 7:15	9.0	7.6	N	12/20/2017 12:30	9.9	7.6	N
12/20/2017 7:30	8.7	7.3	N	12/20/2017 12:45	9.0	7.3	N
12/20/2017 7:45	9.8	8.6	N	12/20/2017 13:00	8.9	7.7	N
12/20/2017 8:00	10.3	8.0	N	12/20/2017 13:15	8.5	8.1	N
12/20/2017 8:15	10.7	7.9	N	12/20/2017 13:30	9.4	7.6	N
12/20/2017 8:30	10.9	8.8	N	12/20/2017 13:45	8.7	8.2	N
12/20/2017 8:45	11.2	9.1	N	12/20/2017 14:00	9.1	8.2	N
12/20/2017 9:00	11.4	8.9	N	12/20/2017 14:15	10.3	8.2	N
12/20/2017 9:15	10.7	9.6	N	12/20/2017 14:30	9.2	8.0	N
12/20/2017 9:30	10.3	9.3	N	12/20/2017 14:45	8.6	7.6	N
12/20/2017 9:45	10.4	10.1	N	12/20/2017 15:00	8.9	8.1	N
12/20/2017 10:00	11.0	9.4	N	12/20/2017 15:15	9.2	7.9	N
12/20/2017 10:15	12.4	9.6	N	12/20/2017 15:30	9.2	7.6	N
12/20/2017 10:30	12.3	9.6	N	12/20/2017 15:45	9.0	7.9	N
12/20/2017 10:45	12.2	10.3	N	12/20/2017 16:00	9.0	7.5	N
12/20/2017 11:00	10.6	9.9	N	12/20/2017 16:15	8.4	8.2	N
12/20/2017 11:15	10.3	10.6	Y	12/20/2017 16:30	8.6	9.1	Y
12/20/2017 11:30	9.7	9.3	N	12/20/2017 16:45	7.9	7.9	N
12/20/2017 11:45	9.4	9.2	N	12/20/2017 17:00	7.9	8.3	Y
12/20/2017 12:00	9.7	8.6	N				
Average	9.7	8.5	N				
Maximum	12.4	10.6	N				

Notes:

No exceedances to rolling average threshold criteria during reporting period

Values highlighted in green are greater than 20 NTU above the ambient buoy reading

Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

2.4 Thursday, December 21st, 2017

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel > Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel > Ambient (Y/N)
12/21/2017 7:00	10.2	7.0	N	12/21/2017 12:15	8.9	8.4	N
12/21/2017 7:15	8.8	6.5	N	12/21/2017 12:30	9.8	7.4	N
12/21/2017 7:30	10.3	7.0	N	12/21/2017 12:45	8.5	7.4	N
12/21/2017 7:45	9.6	8.4	N	12/21/2017 13:00	8.5	7.7	N
12/21/2017 8:00	9.9	8.4	N	12/21/2017 13:15	8.1	7.4	N
12/21/2017 8:15	9.9	7.6	N	12/21/2017 13:30	8.5	7.3	N
12/21/2017 8:30	10.7	7.8	N	12/21/2017 13:45	9.1	7.7	N
12/21/2017 8:45	10.7	8.7	N	12/21/2017 14:00	9.7	7.2	N
12/21/2017 9:00	11.5	8.6	N	12/21/2017 14:15	10.0	7.5	N
12/21/2017 9:15	9.7	8.3	N	12/21/2017 14:30	9.0	7.7	N
12/21/2017 9:30	12.0	10.2	N	12/21/2017 14:45	9.4	7.7	N
12/21/2017 9:45	11.1	10.2	N	12/21/2017 15:00	8.7	7.6	N
12/21/2017 10:00	11.1	10.5	N	12/21/2017 15:15	9.2	7.6	N
12/21/2017 10:15	10.1	10.2	Y	12/21/2017 15:30	10.1	7.4	N
12/21/2017 10:30	10.1	9.3	N	12/21/2017 15:45	9.7	8.6	N
12/21/2017 10:45	10.2	8.3	N	12/21/2017 16:00	9.4	7.6	N
12/21/2017 11:00	10.3	8.3	N	12/21/2017 16:15	10.2	8.2	N
12/21/2017 11:15	11.6	7.9	N	12/21/2017 16:30	9.8	8.5	N
12/21/2017 11:30	10.4	8.0	N	12/21/2017 16:45	9.7	7.7	N
12/21/2017 11:45	9.2	9.3	Y	12/21/2017 17:00	9.1	8.9	N
12/21/2017 12:00	9.0	9.3	Y				
Average	9.8	8.2	N				
Maximum	12.0	10.5	N				

Notes:

No exceedances to rolling average threshold criteria during reporting period

Values highlighted in green are greater than 20 NTU above the ambient buoy reading

Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

2.5 Friday, December 22nd, 2017

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
12/22/2017 7:00	8.5	6.2	N	12/22/2017 12:15	11.0	9.2	N
12/22/2017 7:15	8.5	6.5	N	12/22/2017 12:30	10.2	9.2	N
12/22/2017 7:30	8.5	7.0	N	12/22/2017 12:45	8.7	9.9	Y
12/22/2017 7:45	8.5	6.2	N	12/22/2017 13:00	8.5	8.9	Y
12/22/2017 8:00	8.5	7.1	N	12/22/2017 13:15	8.0	8.2	Y
12/22/2017 8:15	8.5	7.1	N	12/22/2017 13:30	8.0	8.5	Y
12/22/2017 8:30	9.1	8.3	N	12/22/2017 13:45	8.3	7.5	N
12/22/2017 8:45	9.8	7.8	N	12/22/2017 14:00	8.5	7.2	N
12/22/2017 9:00	10.7	7.6	N	12/22/2017 14:15	7.2	7.3	Y
12/22/2017 9:15	9.3	8.3	N	12/22/2017 14:30	7.5	7.3	N
12/22/2017 9:30	11.3	7.1	N	12/22/2017 14:45	7.2	7.3	Y
12/22/2017 9:45	10.3	7.4	N	12/22/2017 15:00	7.9	6.8	N
12/22/2017 10:00	11.3	8.5	N	12/22/2017 15:15	7.5	6.6	N
12/22/2017 10:15	12.4	11.1	N	12/22/2017 15:30	7.3	6.5	N
12/22/2017 10:30	12.2	10.4	N	12/22/2017 15:45	7.1	6.8	N
12/22/2017 10:45	13.2	11.0	N	12/22/2017 16:00	9.0	6.9	N
12/22/2017 11:00	12.6	10.8	N	12/22/2017 16:15	9.5	6.7	N
12/22/2017 11:15	12.6	11.7	N	12/22/2017 16:30	8.4	8.0	N
12/22/2017 11:30	11.9	10.8	N	12/22/2017 16:45	9.6	9.2	N
12/22/2017 11:45	11.3	10.2	N	12/22/2017 17:00	10.4	7.7	N
12/22/2017 12:00	10.7	10.3	N				
Average							
Maximum							
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

3. HANDHELD MEASUREMENTS

No handheld measurements were collected for this reporting period.

4. SUMMARY OF VISUAL OBSERVATIONS

Visual observations are consistent with background conditions of the turning basin.

5. REPORT OF EXCEEDANCES

No exceedances of the water quality monitoring threshold criteria were met during the reporting period. Refer to the Water Quality Monitoring Plan for In-waterway Construction Activities (Geosyntec 2017) for further information regarding the Trigger and Action Criteria. Threshold criteria are summarized as follows:




- **Trigger criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities cannot be immediately excluded as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities are readily identified as the source.


FIGURES



X:\03_GIS\mxd\Canal_Wide_Turbidity_Buoy_Locations.mxd; acarnes; 10/19/2017

Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

Gowanus Canal Remedial Design Group Geosyntec consultants Beech and Bonaparte engineering p.c. an affiliate of Geosyntec Consultants

Figure

1

Ewing, NJ

October 2017

APPENDIX A
PRE-DREDGE TURBIDITY BUOY DATA

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)
10/3/2017 15:00	7.4	2.7	N	10/4/2017 4:30	4.8	7.1	Y	10/4/2017 18:00	6.9	2.7	N
10/3/2017 15:15	6.6	2.4	N	10/4/2017 4:45	5	6.3	Y	10/4/2017 18:15	7.2	2.7	N
10/3/2017 15:30	6.4	2.7	N	10/4/2017 5:00	4.7	6	Y	10/4/2017 18:30	7.8	3.4	N
10/3/2017 15:45	6.9	2	N	10/4/2017 5:15	5.1	6.4	Y	10/4/2017 18:45	8.2	4.4	N
10/3/2017 16:00	6.3	2.1	N	10/4/2017 5:30	5	7.3	Y	10/4/2017 19:00	7.5	3.1	N
10/3/2017 16:15	6.5	2.4	N	10/4/2017 5:45	5.4	7.8	Y	10/4/2017 19:15	8.7	3.6	N
10/3/2017 16:30	7.1	2.9	N	10/4/2017 6:00	5.5	8.3	Y	10/4/2017 19:30	8.7	4.5	N
10/3/2017 16:45	6.1	2.8	N	10/4/2017 6:15	5.2	9	Y	10/4/2017 19:45	9.4	4.1	N
10/3/2017 17:00	7	2.8	N	10/4/2017 6:30	5.8	7.2	Y	10/4/2017 20:00	8.4	4	N
10/3/2017 17:15	7	4.4	N	10/4/2017 6:45	5.4	8.8	Y	10/4/2017 20:15	8.2	4	N
10/3/2017 17:30	7	4.7	N	10/4/2017 7:00	5.5	8	Y	10/4/2017 20:30	9	3.6	N
10/3/2017 17:45	6.3	4	N	10/4/2017 7:15	5.6	7.5	Y	10/4/2017 20:45	8.4	3.5	N
10/3/2017 18:00	6.5	6.9	Y	10/4/2017 7:30	6.9	7.2	Y	10/4/2017 21:00	9.5	4.7	N
10/3/2017 18:15	7.8	6.7	Y	10/4/2017 7:45	6.8	6.1	N	10/4/2017 21:15	10.2	3.9	N
10/3/2017 18:30	7.9	6.5	N	10/4/2017 8:00	6.7	7.4	Y	10/4/2017 21:30	9.5	3.5	N
10/3/2017 18:45	8.5	5.9	N	10/4/2017 8:15	7.3	6.1	N	10/4/2017 21:45	8.9	3.6	N
10/3/2017 19:00	7.9	6	N	10/4/2017 8:30	7.2	4.6	N	10/4/2017 22:00	8.6	2.9	N
10/3/2017 19:15	7.4	6.3	N	10/4/2017 8:45	6.6	9	Y	10/4/2017 22:15	8.7	3.6	N
10/3/2017 19:30	7.4	4.3	N	10/4/2017 9:00	9.2	14.1	Y	10/4/2017 22:30	8.4	6.3	N
10/3/2017 19:45	8.3	4.6	N	10/4/2017 9:15	7.9	4.8	N	10/4/2017 22:45	7.3	3.3	N
10/3/2017 20:00	8.9	5.2	N	10/4/2017 9:30	9.3	4.6	N	10/4/2017 23:00	7.4	3.8	N
10/3/2017 20:15	8.6	4.5	N	10/4/2017 9:45	7.6	5.1	N	10/4/2017 23:15	7.1	4.5	N
10/3/2017 20:30	8	4.9	N	10/4/2017 10:00	8.1	3.9	N	10/4/2017 23:30	7	3.8	N
10/3/2017 20:45	10.6	4.3	N	10/4/2017 10:15	7.8	3.1	N	10/4/2017 23:45	8.3	5.3	N
10/3/2017 21:00	11.1	4.6	N	10/4/2017 10:30	7.3	4.5	N	10/5/2017 0:00	7.7	6.2	N
10/3/2017 21:15	9.8	4.7	N	10/4/2017 10:45	7.5	3.9	N	10/5/2017 0:15	7.8	5.1	N
10/3/2017 21:30	8.8	4.6	N	10/4/2017 11:00	7.6	9	Y	10/5/2017 0:30	7.2	5.7	N
10/3/2017 21:45	9	4.7	N	10/4/2017 11:15	6.5	16.7	Y	10/5/2017 0:45	7	5.4	N
10/3/2017 22:00	8.3	4.8	N	10/4/2017 11:30	7.4	6	N	10/5/2017 1:00	7.5	4.9	N
10/3/2017 22:15	7.3	6.1	N	10/4/2017 11:45	6.8	5.3	N	10/5/2017 1:15	7	8.2	Y
10/3/2017 22:30	7	4.7	N	10/4/2017 12:00	7.7	5.1	N	10/5/2017 1:30	8.1	4.9	N
10/3/2017 22:45	6.6	5.3	N	10/4/2017 12:15	6.6	6.1	N	10/5/2017 1:45	9.1	6.5	N
10/3/2017 23:00	7.1	6.1	N	10/4/2017 12:30	7.6	4	N	10/5/2017 2:00	9.2	5.2	N
10/3/2017 23:15	6.5	6	N	10/4/2017 12:45	7.7	3.9	N	10/5/2017 2:15	8.5	3.7	N
10/3/2017 23:30	6.6	6.9	Y	10/4/2017 13:00	8.3	4.8	N	10/5/2017 2:30	10.2	5.2	N
10/3/2017 23:45	7.2	5.2	N	10/4/2017 13:15	8.5	3.9	N	10/5/2017 2:45	10.1	4.2	N
10/4/2017 0:00	6.8	6.3	N	10/4/2017 13:30	9.2	5.5	N	10/5/2017 3:00	10.3	4.9	N
10/4/2017 0:15	7.2	5.6	N	10/4/2017 13:45	9.4	4.5	N	10/5/2017 3:15	9	6.3	N
10/4/2017 0:30	7.4	6.4	N	10/4/2017 14:00	11.1	3.1	N	10/5/2017 3:30	9.2	4.5	N
10/4/2017 0:45	7.1	5	N	10/4/2017 14:15	10	2.5	N	10/5/2017 3:45	8.4	4.1	N
10/4/2017 1:00	7.1	4.3	N	10/4/2017 14:30	9.8	2	N	10/5/2017 4:00	7.4	4.4	N
10/4/2017 1:15	8.3	4.6	N	10/4/2017 14:45	9.7	2.1	N	10/5/2017 4:15	7.3	4.4	N
10/4/2017 1:30	9	5.1	N	10/4/2017 15:00	9.3	2.4	N	10/5/2017 4:30	6.4	4.6	N
10/4/2017 1:45	7.9	4.5	N	10/4/2017 15:15	8.5	2.1	N	10/5/2017 4:45	6.2	5.1	N
10/4/2017 2:00	9.1	4	N	10/4/2017 15:30	8.5	1.8	N	10/5/2017 5:00	5.3	5.2	N
10/4/2017 2:15	7	5.3	N	10/4/2017 15:45	7.2	1.8	N	10/5/2017 5:15	5.3	5.3	N
10/4/2017 2:30	7.2	5.5	N	10/4/2017 16:00	7.3	1.6	N	10/5/2017 5:30	4.8	5	Y
10/4/2017 2:45	6.6	4.8	N	10/4/2017 16:15	6.4	1.8	N	10/5/2017 5:45	5.7	5	N
10/4/2017 3:00	6.6	5.7	N	10/4/2017 16:30	7	1.6	N	10/5/2017 6:00	5.6	4.8	N
10/4/2017 3:15	6.2	5.1	N	10/4/2017 16:45	7.5	2.6	N	10/5/2017 6:15	5.4	4.9	N
10/4/2017 3:30	5.9	4.7	N	10/4/2017 17:00	6.4	2.7	N	10/5/2017 6:30	6.1	5.7	N
10/4/2017 3:45	5.5	5.9	N	10/4/2017 17:15	6.5	2	N	10/5/2017 6:45	5.9	6.4	Y
10/4/2017 4:00	4.9	6.4	Y	10/4/2017 17:30	6.7	2.3	N	10/5/2017 7:00	6.1	7.8	Y
10/4/2017 4:15	5.1	7	Y	10/4/2017 17:45	6.6	2.1	N				
Average	7.5	6.0	N								
Maximum	11.1	16.7	Y								

GOWANUS CANAL SUPERFUND SITE DREDGING AND CAPPING PILOT STUDY Water Quality Monitoring Weekly Data Summary

Week of January 1st, 2018

Report Contents

- Scope of Monitoring
- Turbidity Buoy Data
- Handheld Measurements
- Summary of Visual Observations
 - Report of Exceedances

Prepared by

Geosyntec  **Beech and Bonaparte** 
consultants engineering p.c.

engineers | scientists | innovators

an affiliate of Geosyntec Consultants

7 Graphics Drive, Suite 106
Ewing, NJ 08628
Project Number HPH106A (52)

1. SCOPE OF MONITORING

The following report summarizes water quality monitoring data collected during the week of January 1st, 2018. Two turbidity buoys were deployed to monitor turbidity during the pilot study. One turbidity buoy was deployed just outside of the 4th Street Turning Basin and is referred to as the sentinel buoy. A second turbidity buoy was deployed further upstream in RTA1 in order to monitor background turbidity unaffected by on-water construction activities. This turbidity buoy is referred to as the ambient buoy. A map indicating the approximate locations of the turbidity buoys is provided in Figure 1. Each turbidity buoy was equipped with a YSI 600 OMS water quality meter with optical turbidity sensor. The buoys were programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a FTP site via telemetry. This report provides the turbidity data collected every 15 minutes from both the ambient and sentinel buoys during each day between 7 AM and 5 PM during the week of January 1st. Average and maximum turbidity are also presented. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4. The data provided in this summary report have not yet been validated and should be considered preliminary.



2. TURBIDITY BUOY DATA

The following section provides turbidity data for the sentinel and ambient turbidity buoys from 7 AM to 5 PM from January 1st to January 5th, 2018. Background data prior to the start of dredging is provided in Appendix A. No exceedances to the rolling average threshold criteria were observed during the reporting period. On January 3rd the sentinel buoy detected a one-time spike in turbidity of 33.1 NTU at 11:15. During this time sheet piles were being set in place for driving. There is no indication that this activity would have caused the observed spike in turbidity.

2.1 Monday, January 1st, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
1/1/2018 7:00	11.7	9.2	N	1/1/2018 12:15	11.4	8.0	N
1/1/2018 7:15	12.7	9.6	N	1/1/2018 12:30	12.0	7.9	N
1/1/2018 7:30	13.7	9.4	N	1/1/2018 12:45	13.9	7.9	N
1/1/2018 7:45	15.5	10.2	N	1/1/2018 13:00	11.7	8.4	N
1/1/2018 8:00	15.4	11.7	N	1/1/2018 13:15	13.0	9.7	N
1/1/2018 8:15	12.0	12.3	Y	1/1/2018 13:30	15.0	9.0	N
1/1/2018 8:30	10.8	12.2	Y	1/1/2018 13:45	19.2	10.1	N
1/1/2018 8:45	10.4	10.8	Y	1/1/2018 14:00	19.2	10.4	N
1/1/2018 9:00	10.2	9.6	N	1/1/2018 14:15	18.4	11.8	N
1/1/2018 9:15	9.7	8.9	N	1/1/2018 14:30	17.0	11.0	N
1/1/2018 9:30	9.7	8.0	N	1/1/2018 14:45	18.7	12.3	N
1/1/2018 9:45	10.1	8.2	N	1/1/2018 15:00	14.6	16.7	Y
1/1/2018 10:00	9.5	7.8	N	1/1/2018 15:15	14.5	13.6	N
1/1/2018 10:15	9.9	8.0	N	1/1/2018 15:30	13.9	12.4	N
1/1/2018 10:30	9.7	9.0	N	1/1/2018 15:45	12.8	12.6	N
1/1/2018 10:45	9.1	8.0	N	1/1/2018 16:00	11.7	12.4	Y
1/1/2018 11:00	9.5	7.3	N	1/1/2018 16:15	11.1	12.2	Y
1/1/2018 11:15	9.6	8.6	N	1/1/2018 16:30	11.2	10.9	N
1/1/2018 11:30	9.1	7.4	N	1/1/2018 16:45	10.8	9.3	N
1/1/2018 11:45	10.3	7.5	N	1/1/2018 17:00	11.6	11.3	N
1/1/2018 12:00	9.8	7.5	N				
Average	12.4	10.0	N				
Maximum	19.2	16.7	N				
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

2.2 Tuesday, January 2nd, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
1/2/2018 7:00	12.3	9.9	N	1/2/2018 12:15	10.3	10.1	N
1/2/2018 7:15	11.9	10.3	N	1/2/2018 12:30	12.2	7.8	N
1/2/2018 7:30	13.4	9.8	N	1/2/2018 12:45	10.5	8.3	N
1/2/2018 7:45	12.9	11.0	N	1/2/2018 13:00	12.1	9.2	N
1/2/2018 8:00	12.7	10.0	N	1/2/2018 13:15	11.6	8.5	N
1/2/2018 8:15	12.9	10.8	N	1/2/2018 13:30	11.3	8.5	N
1/2/2018 8:30	13.0	10.7	N	1/2/2018 13:45	12.1	9.2	N
1/2/2018 8:45	13.8	10.5	N	1/2/2018 14:00	12.0	8.4	N
1/2/2018 9:00	13.9	11.0	N	1/2/2018 14:15	12.5	10.9	N
1/2/2018 9:15	13.9	11.3	N	1/2/2018 14:30	12.9	9.8	N
1/2/2018 9:30	14.0	11.1	N	1/2/2018 14:45	11.9	11.2	N
1/2/2018 9:45	12.8	16.1	Y	1/2/2018 15:00	14.2	10.4	N
1/2/2018 10:00	12.2	10.0	N	1/2/2018 15:15	13.7	10.6	N
1/2/2018 10:15	12.5	9.8	N	1/2/2018 15:30	12.6	11.0	N
1/2/2018 10:30	13.2	9.5	N	1/2/2018 15:45	13.8	12.0	N
1/2/2018 10:45	11.3	10.6	N	1/2/2018 16:00	12.6	11.1	N
1/2/2018 11:00	11.1	9.8	N	1/2/2018 16:15	12.4	11.2	N
1/2/2018 11:15	11.4	10.5	N	1/2/2018 16:30	10.7	12.2	Y
1/2/2018 11:30	11.8	9.5	N	1/2/2018 16:45	10.9	11.3	Y
1/2/2018 11:45	10.6	10.0	N	1/2/2018 17:00	13.0	9.3	N
1/2/2018 12:00	10.7	9.9	N				

Average	12.3	10.3	N
Maximum	14.2	16.1	Y

Notes:

No exceedances to rolling average threshold criteria during reporting period
Values highlighted in green are greater than 20 NTU above the ambient buoy reading
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

2.3 Wednesday, January 3rd, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
1/3/2018 7:00	13.5	9.8	N	1/3/2018 12:15	13.6	14.4	Y
1/3/2018 7:15	14.4	9.8	N	1/3/2018 12:30	12.0	12.5	Y
1/3/2018 7:30	14.2	10.7	N	1/3/2018 12:45	12.0	10.8	N
1/3/2018 7:45	13.7	9.3	N	1/3/2018 13:00	10.4	12.3	Y
1/3/2018 8:00	13.9	10.8	N	1/3/2018 13:15	10.8	9.8	N
1/3/2018 8:15	13.6	10.9	N	1/3/2018 13:30	12.1	11.1	N
1/3/2018 8:30	13.3	11.5	N	1/3/2018 13:45	11.0	13.4	Y
1/3/2018 8:45	14.1	11.5	N	1/3/2018 14:00	12.5	12.8	Y
1/3/2018 9:00	13.9	11.9	N	1/3/2018 14:15	13.2	12.3	N
1/3/2018 9:15	14.9	11.0	N	1/3/2018 14:30	13.1	13.3	Y
1/3/2018 9:30	16.3	12.4	N	1/3/2018 14:45	12.7	11.0	N
1/3/2018 9:45	15.9	12.5	N	1/3/2018 15:00	12.8	11.6	N
1/3/2018 10:00	16.7	13.8	N	1/3/2018 15:15	13.0	9.3	N
1/3/2018 10:15	14.9	13.1	N	1/3/2018 15:30	13.7	10.4	N
1/3/2018 10:30	14.2	12.1	N	1/3/2018 15:45	13.0	10.0	N
1/3/2018 10:45	12.8	13.3	Y	1/3/2018 16:00	13.3	9.8	N
1/3/2018 11:00	13.0	11.9	N	1/3/2018 16:15	14.0	9.2	N
1/3/2018 11:15	12.1	33.1	Y	1/3/2018 16:30	13.2	10.4	N
1/3/2018 11:30	14.3	12.6	N	1/3/2018 16:45	12.8	9.1	N
1/3/2018 11:45	12.6	15.1	Y	1/3/2018 17:00	13.4	8.8	N
1/3/2018 12:00	12.4	15.0	Y				
Average	13.3	12.1	N				
Maximum	16.7	33.1	Y				

Notes:

No exceedances to rolling average threshold criteria during reporting period

Values highlighted in green are greater than 20 NTU above the ambient buoy reading

Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

2.4 Thursday, January 4th, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
1/4/2018 7:00	14.0	8.4	N	1/4/2018 12:15	14.8	10.0	N
1/4/2018 7:15	14.8	8.6	N	1/4/2018 12:30	14.4	10.4	N
1/4/2018 7:30	16.8	9.6	N	1/4/2018 12:45	15.0	12.9	N
1/4/2018 7:45	14.6	9.5	N	1/4/2018 13:00	13.3	9.9	N
1/4/2018 8:00	15.7	10.4	N	1/4/2018 13:15	14.8	10.4	N
1/4/2018 8:15	15.3	10.1	N	1/4/2018 13:30	12.6	10.5	N
1/4/2018 8:30	16.1	11.2	N	1/4/2018 13:45	15.5	9.5	N
1/4/2018 8:45	16.2	10.8	N	1/4/2018 14:00	14.9	10.6	N
1/4/2018 9:00	17.5	11.5	N	1/4/2018 14:15	13.8	8.9	N
1/4/2018 9:15	16.4	11.0	N	1/4/2018 14:30	12.6	9.3	N
1/4/2018 9:30	19.2	11.7	N	1/4/2018 14:45	12.3	7.8	N
1/4/2018 9:45	18.6	11.5	N	1/4/2018 15:00	12.5	8.5	N
1/4/2018 10:00	17.6	11.9	N	1/4/2018 15:15	11.4	8.1	N
1/4/2018 10:15	18.6	11.9	N	1/4/2018 15:30	11.8	9.2	N
1/4/2018 10:30	17.2	12.3	N	1/4/2018 15:45	12.2	8.7	N
1/4/2018 10:45	17.4	12.6	N	1/4/2018 16:00	12.9	9.2	N
1/4/2018 11:00	17.1	11.9	N	1/4/2018 16:15	14.4	9.5	N
1/4/2018 11:15	22.7	12.1	N	1/4/2018 16:30	14.2	9.8	N
1/4/2018 11:30	15.2	11.8	N	1/4/2018 16:45	15.2	10.2	N
1/4/2018 11:45	14.9	11.6	N	1/4/2018 17:00	16.4	10.0	N
1/4/2018 12:00	14.1	10.5	N				
Average	15.2	10.3	N				
Maximum	22.7	12.9	N				

Notes:
 No exceedances to rolling average threshold criteria during reporting period
 Values highlighted in green are greater than 20 NTU above the ambient buoy reading
 Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

2.5 Friday, January 5th, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
1/5/2018 7:00	15.7	13.8	N	1/5/2018 12:15	16.3	12.1	N
1/5/2018 7:15	15.4	13.9	N	1/5/2018 12:30	15.7	13.0	N
1/5/2018 7:30	15.4	13.4	N	1/5/2018 12:45	15.2	12.5	N
1/5/2018 7:45	14.9	12.5	N	1/5/2018 13:00	15.0	12.0	N
1/5/2018 8:00	13.9	11.4	N	1/5/2018 13:15	17.0	12.4	N
1/5/2018 8:15	13.7	11.6	N	1/5/2018 13:30	13.5	12.6	N
1/5/2018 8:30	14.4	11.7	N	1/5/2018 13:45	14.5	14.5	N
1/5/2018 8:45	16.1	10.9	N	1/5/2018 14:00	14.5	14.0	N
1/5/2018 9:00	16.4	11.5	N	1/5/2018 14:15	14.7	14.6	N
1/5/2018 9:15	14.9	12.0	N	1/5/2018 14:30	15.1	13.8	N
1/5/2018 9:30	15.9	11.6	N	1/5/2018 14:45	14.3	14.8	Y
1/5/2018 9:45	16.0	12.5	N	1/5/2018 15:00	15.0	13.8	N
1/5/2018 10:00	15.1	13.6	N	1/5/2018 15:15	18.5	15.6	N
1/5/2018 10:15	15.6	13.1	N	1/5/2018 15:30	19.5	15.7	N
1/5/2018 10:30	14.7	12.1	N	1/5/2018 15:45	21.1	14.8	N
1/5/2018 10:45	14.5	12.9	N	1/5/2018 16:00	20.9	15.7	N
1/5/2018 11:00	14.5	12.1	N	1/5/2018 16:15	26.8	15.5	N
1/5/2018 11:15	15.6	11.6	N	1/5/2018 16:30	34.1	17.1	N
1/5/2018 11:30	15.0	11.6	N	1/5/2018 16:45	45.0	19.5	N
1/5/2018 11:45	16.5	11.6	N	1/5/2018 17:00	53.9	20.0	N
1/5/2018 12:00	16.8	12.2	N				
Average							
	18.1	13.5	N				
Maximum							
	53.9	20.0	N				
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

3. HANDHELD MEASUREMENTS

No handheld measurements were collected for this reporting period.

4. SUMMARY OF VISUAL OBSERVATIONS

Visual observations are consistent with background conditions of the turning basin.

5. REPORT OF EXCEEDANCES

No exceedances of the water quality monitoring threshold criteria were met during the reporting period. Refer to the Water Quality Monitoring Plan for In-waterway Construction Activities (Geosyntec 2017) for further information regarding the Trigger and Action Criteria. Threshold criteria are summarized as follows:




- **Trigger criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities cannot be immediately excluded as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities are readily identified as the source.


FIGURES



X:\03_GIS\mxd\Canal_Wide_Turbidity_Buoy_Locations.mxd; acarnes; 10/19/2017

Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

Gowanus Canal Remedial Design Group **Geosyntec** consultants **Beech and Bonaparte** engineering p.c. *an affiliate of Geosyntec Consultants*

Ewing, NJ

October 2017

Figure

1

APPENDIX A
PRE-DREDGE TURBIDITY BUOY DATA

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)
10/3/2017 15:00	7.4	2.7	N	10/4/2017 4:30	4.8	7.1	Y	10/4/2017 18:00	6.9	2.7	N
10/3/2017 15:15	6.6	2.4	N	10/4/2017 4:45	5	6.3	Y	10/4/2017 18:15	7.2	2.7	N
10/3/2017 15:30	6.4	2.7	N	10/4/2017 5:00	4.7	6	Y	10/4/2017 18:30	7.8	3.4	N
10/3/2017 15:45	6.9	2	N	10/4/2017 5:15	5.1	6.4	Y	10/4/2017 18:45	8.2	4.4	N
10/3/2017 16:00	6.3	2.1	N	10/4/2017 5:30	5	7.3	Y	10/4/2017 19:00	7.5	3.1	N
10/3/2017 16:15	6.5	2.4	N	10/4/2017 5:45	5.4	7.8	Y	10/4/2017 19:15	8.7	3.6	N
10/3/2017 16:30	7.1	2.9	N	10/4/2017 6:00	5.5	8.3	Y	10/4/2017 19:30	8.7	4.5	N
10/3/2017 16:45	6.1	2.8	N	10/4/2017 6:15	5.2	9	Y	10/4/2017 19:45	9.4	4.1	N
10/3/2017 17:00	7	2.8	N	10/4/2017 6:30	5.8	7.2	Y	10/4/2017 20:00	8.4	4	N
10/3/2017 17:15	7	4.4	N	10/4/2017 6:45	5.4	8.8	Y	10/4/2017 20:15	8.2	4	N
10/3/2017 17:30	7	4.7	N	10/4/2017 7:00	5.5	8	Y	10/4/2017 20:30	9	3.6	N
10/3/2017 17:45	6.3	4	N	10/4/2017 7:15	5.6	7.5	Y	10/4/2017 20:45	8.4	3.5	N
10/3/2017 18:00	6.5	6.9	Y	10/4/2017 7:30	6.9	7.2	Y	10/4/2017 21:00	9.5	4.7	N
10/3/2017 18:15	7.8	6.7	Y	10/4/2017 7:45	6.8	6.1	N	10/4/2017 21:15	10.2	3.9	N
10/3/2017 18:30	7.9	6.5	N	10/4/2017 8:00	6.7	7.4	Y	10/4/2017 21:30	9.5	3.5	N
10/3/2017 18:45	8.5	5.9	N	10/4/2017 8:15	7.3	6.1	N	10/4/2017 21:45	8.9	3.6	N
10/3/2017 19:00	7.9	6	N	10/4/2017 8:30	7.2	4.6	N	10/4/2017 22:00	8.6	2.9	N
10/3/2017 19:15	7.4	6.3	N	10/4/2017 8:45	6.6	9	Y	10/4/2017 22:15	8.7	3.6	N
10/3/2017 19:30	7.4	4.3	N	10/4/2017 9:00	9.2	14.1	Y	10/4/2017 22:30	8.4	6.3	N
10/3/2017 19:45	8.3	4.6	N	10/4/2017 9:15	7.9	4.8	N	10/4/2017 22:45	7.3	3.3	N
10/3/2017 20:00	8.9	5.2	N	10/4/2017 9:30	9.3	4.6	N	10/4/2017 23:00	7.4	3.8	N
10/3/2017 20:15	8.6	4.5	N	10/4/2017 9:45	7.6	5.1	N	10/4/2017 23:15	7.1	4.5	N
10/3/2017 20:30	8	4.9	N	10/4/2017 10:00	8.1	3.9	N	10/4/2017 23:30	7	3.8	N
10/3/2017 20:45	10.6	4.3	N	10/4/2017 10:15	7.8	3.1	N	10/4/2017 23:45	8.3	5.3	N
10/3/2017 21:00	11.1	4.6	N	10/4/2017 10:30	7.3	4.5	N	10/5/2017 0:00	7.7	6.2	N
10/3/2017 21:15	9.8	4.7	N	10/4/2017 10:45	7.5	3.9	N	10/5/2017 0:15	7.8	5.1	N
10/3/2017 21:30	8.8	4.6	N	10/4/2017 11:00	7.6	9	Y	10/5/2017 0:30	7.2	5.7	N
10/3/2017 21:45	9	4.7	N	10/4/2017 11:15	6.5	16.7	Y	10/5/2017 0:45	7	5.4	N
10/3/2017 22:00	8.3	4.8	N	10/4/2017 11:30	7.4	6	N	10/5/2017 1:00	7.5	4.9	N
10/3/2017 22:15	7.3	6.1	N	10/4/2017 11:45	6.8	5.3	N	10/5/2017 1:15	7	8.2	Y
10/3/2017 22:30	7	4.7	N	10/4/2017 12:00	7.7	5.1	N	10/5/2017 1:30	8.1	4.9	N
10/3/2017 22:45	6.6	5.3	N	10/4/2017 12:15	6.6	6.1	N	10/5/2017 1:45	9.1	6.5	N
10/3/2017 23:00	7.1	6.1	N	10/4/2017 12:30	7.6	4	N	10/5/2017 2:00	9.2	5.2	N
10/3/2017 23:15	6.5	6	N	10/4/2017 12:45	7.7	3.9	N	10/5/2017 2:15	8.5	3.7	N
10/3/2017 23:30	6.6	6.9	Y	10/4/2017 13:00	8.3	4.8	N	10/5/2017 2:30	10.2	5.2	N
10/3/2017 23:45	7.2	5.2	N	10/4/2017 13:15	8.5	3.9	N	10/5/2017 2:45	10.1	4.2	N
10/4/2017 0:00	6.8	6.3	N	10/4/2017 13:30	9.2	5.5	N	10/5/2017 3:00	10.3	4.9	N
10/4/2017 0:15	7.2	5.6	N	10/4/2017 13:45	9.4	4.5	N	10/5/2017 3:15	9	6.3	N
10/4/2017 0:30	7.4	6.4	N	10/4/2017 14:00	11.1	3.1	N	10/5/2017 3:30	9.2	4.5	N
10/4/2017 0:45	7.1	5	N	10/4/2017 14:15	10	2.5	N	10/5/2017 3:45	8.4	4.1	N
10/4/2017 1:00	7.1	4.3	N	10/4/2017 14:30	9.8	2	N	10/5/2017 4:00	7.4	4.4	N
10/4/2017 1:15	8.3	4.6	N	10/4/2017 14:45	9.7	2.1	N	10/5/2017 4:15	7.3	4.4	N
10/4/2017 1:30	9	5.1	N	10/4/2017 15:00	9.3	2.4	N	10/5/2017 4:30	6.4	4.6	N
10/4/2017 1:45	7.9	4.5	N	10/4/2017 15:15	8.5	2.1	N	10/5/2017 4:45	6.2	5.1	N
10/4/2017 2:00	9.1	4	N	10/4/2017 15:30	8.5	1.8	N	10/5/2017 5:00	5.3	5.2	N
10/4/2017 2:15	7	5.3	N	10/4/2017 15:45	7.2	1.8	N	10/5/2017 5:15	5.3	5.3	N
10/4/2017 2:30	7.2	5.5	N	10/4/2017 16:00	7.3	1.6	N	10/5/2017 5:30	4.8	5	Y
10/4/2017 2:45	6.6	4.8	N	10/4/2017 16:15	6.4	1.8	N	10/5/2017 5:45	5.7	5	N
10/4/2017 3:00	6.6	5.7	N	10/4/2017 16:30	7	1.6	N	10/5/2017 6:00	5.6	4.8	N
10/4/2017 3:15	6.2	5.1	N	10/4/2017 16:45	7.5	2.6	N	10/5/2017 6:15	5.4	4.9	N
10/4/2017 3:30	5.9	4.7	N	10/4/2017 17:00	6.4	2.7	N	10/5/2017 6:30	6.1	5.7	N
10/4/2017 3:45	5.5	5.9	N	10/4/2017 17:15	6.5	2	N	10/5/2017 6:45	5.9	6.4	Y
10/4/2017 4:00	4.9	6.4	Y	10/4/2017 17:30	6.7	2.3	N	10/5/2017 7:00	6.1	7.8	Y
10/4/2017 4:15	5.1	7	Y	10/4/2017 17:45	6.6	2.1	N				
Average	7.5	6.0	N								
Maximum	11.1	16.7	Y								

TRC WEEKLY COMMUNITY AIR MONITORING PROJECT REPORT





**Gowanus Canal TB-4 Dredging and Pilot Study
Brooklyn, New York
Weekly Report
(TRC Project No.274286-0000-00000)**

**Community Air Monitoring Project
13th Weekly Monitoring Period
Summary Report:
January 3rd, 2018**

Report Contents

- Executive Summary
- Daily Data Summary Report – PM₁₀/TVOC
 - Daily Meteorological Summary Report
 - Periodic Monitoring Results
- Volatile Organic Compounds (USEPA Method TO-15)

Gowanus Canal TB-4 Dredging and Pilot Study Brooklyn, New York

Executive Summary – Week 13 Monitoring Period January 3rd, 2018

The following report summarizes site air monitoring activities for the Week 13 monitoring period for January 3rd, 2018. The start and stop times associated with the daily monitoring period are listed on the respective daily report.

TRC continued to operate two (2) air monitoring stations on the Citizen Property or Staging Area, and five (5) air monitoring stations in the 4th St Turning Basin Area using the equipment specified previously in the *Gowanus Canal TB-4 Dredging and Pilot Study Executive Summary – Background Monitoring Period Report*. During the Week 13 monitoring period there were no PM₁₀ or TVOC exceedances of the action level of 150ug/m³ or 1,000 ppb respectively as defined in the *Community Air Monitoring Plan for the Gowanus Canal TB-4 Dredging and Pilot Study Project Brooklyn, NY, August 2017*.

Figure 1 depicts Total Volatile Organics (TVOC) daily averages and maximums. Figure 2 depicts particulate monitoring (PM₁₀) daily averages and maximums for Week 13.

Additional monitoring for hydrogen sulfide, ammonia, and formaldehyde took place at all stations throughout the Week 13 monitoring period twice daily. The results of these measurements are shown in Table 1.

During Week 13 monitoring period of January 3rd, 2018. TRC conducted no Volatile Organic Compounds (USEPA Method TO-15) sampling at any stations due to inclement weather.

Table 2 presents the analytical results for a 24-hour sample collected at Station 2 and 5 during Week 10. ST-2 was collected on December 4th, through December 5th, 2017. ST-5 and was collected on December 7th, through December 8th, 2017 over a 24-hour sampling period. Sampling results were either not detected above the laboratory detection limit

or consistent with concentrations detected during background monitoring conducted between August 28th and 31st, 2017.

Site activities which were conducted at the Citizen Property on January 3rd, 2018 included the following:

- Material and equipment deliveries on Citizen Property
- General vehicular traffic site-wide throughout the monitoring period
- Maintenance of the barges and equipment

Site activities which were conducted at the 4th St Turning Basin Area of the Canal on on January 3rd, 2018 included the following:

- Installation of five (5) pairs of Sheet Piling north side of canal near Whole Foods (up to Station 5+81)

Gowanus Canal TB-4 Dredging and Capping Pilot Study

Brooklyn, New York

Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)

01/03/18 00:00 AM - 01/03/18 23:45 PM

Station 1

TVOC			PM ₁₀		
Max.	33	ppb	Max.	18	ug/m ³
Avg.	11	ppb	Avg.	10	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	25	ppb	Max.	19	ug/m ³
Avg.	16	ppb	Avg.	10	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	27	ppb	Max.	<1	ug/m ³
Avg.	18	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	17	ug/m ³
Avg.	<1	ppb	Avg.	8	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	20	ppb	Max.	19	ug/m ³
Avg.	4	ppb	Avg.	6	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	50	ppb	Max.	17	ug/m ³
Avg.	8	ppb	Avg.	10	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	98	ppb	Max.	<1	ug/m ³
Avg.	3	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Figure 1
Gowanus Canal Superfund Site -TB4 Dredging and Capping Pilot Program
TVOC Monitoring Data - Week 13





Figure 2
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
TRC CAMP PM₁₀ Monitoring Data - Week 13





Table 1

Week 13

Summary of Additional Periodic (Daily) Monitoring Data

January 3, 2018				
Station Id	Time	Formaldehyde (CHO)	Hydrogen Sulfide (H ₂ S)	Ammonia (NH ₃)
ST-1	7:30	<50	<3	<1.0
	13:10	<50	<3	<1.0
ST-2	7:35	<50	<3	<1.0
	13:15	<50	<3	<1.0
ST-3	7:55	<50	<3	<1.0
	13:25	<50	<3	<1.0
ST-4	8:00	<50	<3	<1.0
	13:30	<50	<3	<1.0
ST-5	8:05	<50	<3	<1.0
	13:35	<50	<3	<1.0
ST-6	8:30	<50	<3	<1.0
	14:10	<50	<3	<1.0
ST-7	8:50	<50	<3	<1.0
	14:40	<50	<3	<1.0

***(ppb) Indicates results reported in parts per billion**

*** (ppm) Indicates results reported in parts per million**

Table 2:
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
Week 10 VOCs Results: December 4th through 5th and December 5th through 6th

Sample ID	ST-5-VOC-120417		ST-3-VOC-120517	
Laboratory ID	17L0689-01		17L0689-02	
Date Sampled	12/4/17 13:00 - 12/5/17 13:00		12/5/17 09:00 - 12/6/17 09:00	
Location	Station 5		Station 3	
	ppbV	ug/m3	ppbV	ug/m3
Acetone	3.2	7.6	3.2	7.6
Benzene	0.13	0.42	0.15	0.48
Benzyl chloride	<0.035	<0.18	<0.035	<0.18
Bromodichloromethane	<0.035	<0.24	<0.035	<0.24
Bromoform	<0.035	<0.36	<0.035	<0.36
Bromomethane	<0.035	<0.14	<0.035	<0.14
1,3-Butadiene	<0.035	<0.078	<0.035	<0.078
2-Butanone (MEK)	<1.4	<4.1	<1.4	<4.1
Carbon Disulfide	<0.35	<1.1	<0.35	<1.1
Carbon Tetrachloride	0.072	0.45	0.086	0.54
Chlorobenzene	<0.035	<0.16	<0.035	<0.16
Chloroethane	<0.035	<0.093	<0.035	<0.093
Chloroform	<0.035	<0.17	0.047	<0.17
Chloromethane	0.61	1.3	0.62	0.23
Cyclohexane	<0.035	<0.12	0.096	1.3
Dibromochloromethane	<0.035	<0.30	<0.035	0.33
1,2-Dibromoethane (EDB)	<0.035	<0.27	<0.035	<0.27
1,2-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
1,3-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
1,4-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
Dichlorodifluoromethane (Freon 12)	0.3	1.5	0.34	1.7
1,1-Dichloroethane	<0.035	<0.14	<0.035	<0.14
1,2-Dichloroethane	<0.035	<0.14	<0.035	<0.14
1,1-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
cis-1,2-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
trans-1,2-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
1,2-Dichloropropane	<0.035	<0.16	<0.035	<0.16
cis-1,3-Dichloropropene	<0.035	<0.16	<0.035	<0.16
trans-1,3-Dichloropropene	<0.035	<0.16	<0.035	<0.16
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	<0.035	<0.25	<0.035	<0.25
1,4-Dioxane	<0.35	<1.3	<0.35	<1.3
Ethanol	4.3	8.1	4.6	8.7
Ethyl Acetate	0.14	0.5	0.15	0.53
Ethylbenzene	<0.035	<0.15	0.043	0.19
4-Ethyltoluene	<0.035	<0.17	<0.035	<0.17
Hexachlorobutadiene	<0.035	<0.37	<0.035	<0.37
Hexane	<1.4	<4.9	<1.4	<4.9
2-Hexanone (MBK)	0.045	0.18	0.044	0.18
Isopropanol	<1.4	<3.4	<1.4	<3.4
Methyl tert-Butyl Ether (MTBE)	<0.035	<0.13	<0.035	<0.13
Methylene Chloride	<0.35	<1.2	<0.35	<1.2
4-Methyl-2-pentanone (MIBK)	0.04	0.16	0.041	0.17
Naphthalene	<0.035	<0.18	<0.035	<0.18
Propene	<1.4	<2.4	<1.4	<2.4
Styrene	<0.035	<0.15	<0.035	<0.15
1,1,2,2-Tetrachloroethane	<0.035	<0.24	<0.035	<0.24
Tetrachloroethylene	0.14	0.92	0.16	1.1
Tetrahydrofuran	<0.035	<0.10	<0.035	<0.10
Toluene	0.33	1.2	0.34	1.3
1,2,4-Trichlorobenzene	<0.035	<0.26	<0.035	<0.26
1,1,1-Trichloroethane	<0.035	<0.19	<0.035	<0.19
1,1,2-Trichloroethane	<0.035	<0.19	<0.035	<0.19
Trichloroethylene	<0.035	<0.19	<0.035	<0.19
Trichlorofluoromethane (Freon 11)	0.28	1.6	0.31	1.7
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	<0.14	<1.1	<0.14	<1.1
1,2,4-Trimethylbenzene	<0.035	<0.17	0.035	0.17
1,3,5-Trimethylbenzene	<0.035	<0.17	<0.035	<0.17
Vinyl Acetate	<0.70	<2.5	<0.70	<2.5
Vinyl Chloride	<0.035	<0.090	<0.035	<0.090
m&p-Xylene	0.1	0.44	0.13	0.55
o-Xylene	0.041	0.18	0.049	0.21

Notes:

Values in **bold** indicate detected concentrations

J+: The results for naphthalene are estimated and may be biased high.

Results for the following compounds may be influenced by laboratory derived contamination:



Gowanus Canal TB-4 Dredging and Capping Pilot Study Brooklyn, New York

Meteorological Summary

January 3rd, 2018

January 3 rd , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSE	1.54	42.0

*All meteorological data represents an average for the time period of 00:00 to 23:45 for Tuesday.

Figure 1
Gowanus Canal Superfund Site -TB4 Dredging and Capping Pilot Program
TVOC Monitoring Data - Week 13





Figure 2
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
TRC CAMP PM₁₀ Monitoring Data - Week 13





Table 1

Week 13

Summary of Additional Periodic (Daily) Monitoring Data

January 3, 2018				
Station Id	Time	Formaldehyde (CHO)	Hydrogen Sulfide (H ₂ S)	Ammonia (NH ₃)
ST-1	7:30	<50	<3	<1.0
	13:10	<50	<3	<1.0
ST-2	7:35	<50	<3	<1.0
	13:15	<50	<3	<1.0
ST-3	7:55	<50	<3	<1.0
	13:25	<50	<3	<1.0
ST-4	8:00	<50	<3	<1.0
	13:30	<50	<3	<1.0
ST-5	8:05	<50	<3	<1.0
	13:35	<50	<3	<1.0
ST-6	8:30	<50	<3	<1.0
	14:10	<50	<3	<1.0
ST-7	8:50	<50	<3	<1.0
	14:40	<50	<3	<1.0

***(ppb) Indicates results reported in parts per billion**

*** (ppm) Indicates results reported in parts per million**

Table 2:
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
Week 10 VOCs Results: December 4th through 5th and December 5th through 6th

Sample ID	ST-5-VOC-120417		ST-3-VOC-120517	
Laboratory ID	17L0689-01		17L0689-02	
Date Sampled	12/4/17 13:00 - 12/5/17 13:00		12/5/17 09:00 - 12/6/17 09:00	
Location	Station 5		Station 3	
	ppbV	ug/m3	ppbV	ug/m3
Acetone	3.2	7.6	3.2	7.6
Benzene	0.13	0.42	0.15	0.48
Benzyl chloride	<0.035	<0.18	<0.035	<0.18
Bromodichloromethane	<0.035	<0.24	<0.035	<0.24
Bromoform	<0.035	<0.36	<0.035	<0.36
Bromomethane	<0.035	<0.14	<0.035	<0.14
1,3-Butadiene	<0.035	<0.078	<0.035	<0.078
2-Butanone (MEK)	<1.4	<4.1	<1.4	<4.1
Carbon Disulfide	<0.35	<1.1	<0.35	<1.1
Carbon Tetrachloride	0.072	0.45	0.086	0.54
Chlorobenzene	<0.035	<0.16	<0.035	<0.16
Chloroethane	<0.035	<0.093	<0.035	<0.093
Chloroform	<0.035	<0.17	0.047	<0.17
Chloromethane	0.61	1.3	0.62	0.23
Cyclohexane	<0.035	<0.12	0.096	1.3
Dibromochloromethane	<0.035	<0.30	<0.035	0.33
1,2-Dibromoethane (EDB)	<0.035	<0.27	<0.035	<0.27
1,2-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
1,3-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
1,4-Dichlorobenzene	<0.035	<0.21	<0.035	<0.21
Dichlorodifluoromethane (Freon 12)	0.3	1.5	0.34	1.7
1,1-Dichloroethane	<0.035	<0.14	<0.035	<0.14
1,2-Dichloroethane	<0.035	<0.14	<0.035	<0.14
1,1-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
cis-1,2-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
trans-1,2-Dichloroethylene	<0.035	<0.14	<0.035	<0.14
1,2-Dichloropropane	<0.035	<0.16	<0.035	<0.16
cis-1,3-Dichloropropene	<0.035	<0.16	<0.035	<0.16
trans-1,3-Dichloropropene	<0.035	<0.16	<0.035	<0.16
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114)	<0.035	<0.25	<0.035	<0.25
1,4-Dioxane	<0.35	<1.3	<0.35	<1.3
Ethanol	4.3	8.1	4.6	8.7
Ethyl Acetate	0.14	0.5	0.15	0.53
Ethylbenzene	<0.035	<0.15	0.043	0.19
4-Ethyltoluene	<0.035	<0.17	<0.035	<0.17
Hexachlorobutadiene	<0.035	<0.37	<0.035	<0.37
Hexane	<1.4	<4.9	<1.4	<4.9
2-Hexanone (MBK)	0.045	0.18	0.044	0.18
Isopropanol	<1.4	<3.4	<1.4	<3.4
Methyl tert-Butyl Ether (MTBE)	<0.035	<0.13	<0.035	<0.13
Methylene Chloride	<0.35	<1.2	<0.35	<1.2
4-Methyl-2-pentanone (MIBK)	0.04	0.16	0.041	0.17
Naphthalene	<0.035	<0.18	<0.035	<0.18
Propene	<1.4	<2.4	<1.4	<2.4
Styrene	<0.035	<0.15	<0.035	<0.15
1,1,2,2-Tetrachloroethane	<0.035	<0.24	<0.035	<0.24
Tetrachloroethylene	0.14	0.92	0.16	1.1
Tetrahydrofuran	<0.035	<0.10	<0.035	<0.10
Toluene	0.33	1.2	0.34	1.3
1,2,4-Trichlorobenzene	<0.035	<0.26	<0.035	<0.26
1,1,1-Trichloroethane	<0.035	<0.19	<0.035	<0.19
1,1,2-Trichloroethane	<0.035	<0.19	<0.035	<0.19
Trichloroethylene	<0.035	<0.19	<0.035	<0.19
Trichlorofluoromethane (Freon 11)	0.28	1.6	0.31	1.7
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	<0.14	<1.1	<0.14	<1.1
1,2,4-Trimethylbenzene	<0.035	<0.17	0.035	0.17
1,3,5-Trimethylbenzene	<0.035	<0.17	<0.035	<0.17
Vinyl Acetate	<0.70	<2.5	<0.70	<2.5
Vinyl Chloride	<0.035	<0.090	<0.035	<0.090
m&p-Xylene	0.1	0.44	0.13	0.55
o-Xylene	0.041	0.18	0.049	0.21

Notes:

Values in **bold** indicate detected concentrations

J+: The results for naphthalene are estimated and may be biased high.

Results for the following compounds may be influenced by laboratory derived contamination:



**Gowanus Canal TB-4 Dredging and Capping Pilot
Study Brooklyn, New York**
Meteorological Summary
January 3rd, 2018

January 3 rd , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSE	1.54	42.0

*All meteorological data represents an average for the time period of 00:00 to 23:45

WILSON IHRIG WEEKLY NOISE AND VIBRATION MONITORING REPORT





WI #15-081

MEMORANDUM

January 8, 2018

To: William Lee/ de maximis, inc.
Kirsten Meyers / TRC

From: Silas Bensing, Ani Toncheva / Wilson Ihrig

Subject: Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study, Weekly Noise and Vibration Monitoring Report, 01 January – 05 January, 2018

Noise Monitoring Locations

Figure 1 shows the noise monitoring locations. NM-1 is installed at a light pole on the north side of TB4 and is approximately 25 feet from the north edge of the canal. NM-2 is installed at the existing guard rail on the south side of TB4, approximately 4 feet from the south edge of the canal. NM-3 is installed at a light pole on the north side of TB4 near 3rd Avenue, approximately 50 feet from the north edge of the canal. Photos 1, 2, and 3 show the recent field conditions at the monitors.

Vibration Monitoring Locations

Figure 1 shows the vibration monitoring locations. Vibration monitor VM-1 is installed at the parking lot curb on the north side of TB4, approximately 45 feet from the north edge of the canal. Vibration monitor VM-2 is installed near the corner of an existing building on the south side of TB4, approximately 24 feet from the south edge of the canal. Photos 4 and 5 show the recent field conditions at the monitors.

Noise Monitoring Results

Figures 2 through 16 present the hourly Leq noise levels compared with the noise thresholds discussed in the noise monitoring plan¹. Commercial and Industrial land uses are assigned an hourly Leq noise limit of 80 dBA for Daytime and Evening time periods. The average baseline noise measured in the project area in 2015 are also shown for reference². Noise level data for NM1, NM2, and NM3 are incomplete due to intermittent equipment issues.

¹ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017

² Wilson Ihrig. *Gowanus Canal Remedial Design Project RTA-1 Noise and Vibration Baseline Report*. California: prepared for Geosyntec Consultants Inc., October 2015.

Vibration Monitoring Results

Figures 17 through 26 present the maximum peak particle velocity (PPV) vibration events compared with the thresholds discussed in the vibration monitoring plan³. Commercial and Industrial structures are assigned a PPV vibration criterion of 2.0 inches/second. Vibration level data for VM1 and VM2 are incomplete due to intermittent equipment issues.




Figure 1: Long-term Noise and Vibration Monitoring Locations for Gowanus TB4 Dredging and Capping Pilot Study

³ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017



Photo 1: Noise Monitoring Location NM-1
(26 September 2017)



Photo 2: Noise Monitoring Location NM-2
(25 September 2017)



Photo 3: Noise Monitoring Location NM-3
(29 October 2017)



Photo 4: Vibration Monitoring Location VM-1
(12 October 2017)



Photo 5: Vibration Monitoring Location VM-2
(12 October 2017)




Figure 2: North Monitor NM-1 on Monday*

**Noise Levels for the 00:00-09:00 intervals are incomplete.*




Figure 3: North Monitor NM-1 on Tuesday




Figure 4: North Monitor NM-1 on Wednesday




Figure 5: North Monitor NM-1 on Thursday




Figure 6: North Monitor NM-1 on Friday




Figure 7: South Monitor NM-2 on Monday*

*Noise Levels for the 00:00-09:00 intervals are incomplete.




Figure 8: South Monitor NM-2 on Tuesday




Figure 9: South Monitor NM-2 on Wednesday




Figure 10: South Monitor NM-2 on Thursday




Figure 11: South Monitor NM-2 on Friday




Figure 12: Northeast Monitor NM-3 on Monday*

*Noise Levels for the 16:00 interval is incomplete.




Figure 13: Northeast Monitor NM-3 on Tuesday*

*Noise Levels for the 10:00 interval is incomplete.




Figure 14: Northeast Monitor NM-3 on Wednesday*

*Noise Levels for the 16:00, 18:00, 20:00 intervals are incomplete.




Figure 15: Northeast Monitor NM-3 on Thursday




Figure 16: Northeast Monitor NM-3 on Friday




Figure 17: North Vibration Monitor VM-1 on Monday




Figure 18: North Vibration Monitor VM-1 on Tuesday*

**Vibration Levels for the 13:00-18:00 and 20:00-24:00 intervals are incomplete.*




Figure 19: North Vibration Monitor VM-1 on Wednesday*

**Vibration Levels for the 00:00-05:00 intervals are incomplete.*




Figure 20: North Vibration Monitor VM-1 on Thursday*

*Vibration Levels for the 01:00-05:00 and 13:00-24:00 intervals are incomplete.




Figure 21: North Vibration Monitor VM-1 on Friday*

*Vibration Levels for the 00:00-03:00 intervals are incomplete.




Figure 22: South Vibration Monitor VM-2 on Monday*

*Vibration Levels for the 00:00-05:00 intervals are incomplete.




Figure 23: South Vibration Monitor VM-2 on Tuesday




Figure 24: South Vibration Monitor VM-2 on Wednesday




Figure 25: South Vibration Monitor VM-2 on Thursday




Figure 26: South Vibration Monitor VM-2 on Friday

20180108 Wilson Ihrig Weekly Noise and Vibration Report 01 Jan - 05 Jan 2018.docx

AHRS WEEKLY REPORT
(NO ACTIVITIES DURING CURENT WEEK)



**WATER TREATMENT SYSTEM MONITORING LABORATORY ANALYTICAL DATA
(NO ACTIVITIES DURING CURRENT WEEK)**



**CUMULATIVE DREDGED MATERIAL CHART
(NO ACTIVITIES DURING CURENT WEEK)**

