

WEEKLY PROGRESS REPORT – TRC SOLUTIONS

**Gowanus Canal Turning Basin 4 Dredging and Capping Pilot Study
Brooklyn, New York**

Project number: 283126

Period: February 12 to 16, 2018

Date of Report: February 22, 2018

Rev: 0

Prepared For: Gowanus Environmental Remediation Trust



On-Site Activities Conducted During Week:

Sevenson Environmental Services (SES)

Sheet Pile Installation

- Relocation and reinstallation of falsework east of Station 0+70
- Drive previously installed sheet piling to final elevation between approximate Station 0+70 to 1+05
- Installation of seven (7) pairs of sheet piling to the top waler on the south side of the canal to Station 0+38 (approximate)

Water Treatment and Monitoring

- No discharge of treated water during the week.

Turbidity Monitoring

- Turbid water not observed migrating from the 4th Street Turning Basin.

Vibration Monitoring (subcontractor – Vibra-Tech)

- Operated and maintained five (5) stationary vibration monitors. Two (2) stationary monitors located on the south side of the canal, one (1) stationary monitor located on the north side of the canal, two (2) stationary monitors located on the 3rd Avenue Bridge abutments. Additionally, employed two (2), at a minimum, portable vibration monitors to measure vibration levels within 15 feet of the sheet pile installation work.
- Performed daily crack gauge inspections at 386 3rd Avenue during sheet pile installation.
- No exceedances of the peak particle velocity level specified in the Contract Documents (0.40 inches per second) or acceleration level specified in the Contract Documents (0.1 g).

Quality Assurance and Control – Geosyntec

- No exceedance of the turbidity trigger or action criteria during bulkhead support installation.
- Measurements for 2/12/18:
 - Daily average for ambient buoy – 12.2 NTU
 - Daily average for sentinel buoy – 9.7 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – no instances where sentinel exceeded ambient.
- Measurements for 2/13/18:
 - Daily average for ambient buoy – 11.4 NTU
 - Daily average for sentinel buoy – 9.4 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 4.6 NTU at 0800.
- Measurements for 2/14/18:
 - Daily average for ambient buoy – 9.5 NTU
 - Daily average for sentinel buoy – 7.0 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 0.2 NTU at 1215.
- Measurements for 2/15/18:
 - Daily average for ambient buoy – 12.0 NTU
 - Daily average for sentinel buoy – 8.4 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 1.0 NTU at 1130.



- Measurements for 2/16/18:
 - Daily average for ambient buoy – 13.0 NTU
 - Daily average for sentinel buoy – 9.1 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 1.0 NTU at 1515.

Community Air Monitoring Program – TRC CAMP

- Operated and maintained two (2) air monitoring stations at the upland staging area and five (5) monitoring station at the 4th Street Turning Basin Area.
- No exceedances of particulate matter of 10 microns in diameter or smaller (PM₁₀) or total volatile organic compounds (TVOC) of the action level of 150 micrograms per cubic meter or 1,000 parts per billion, respectively.
- Maximum weekly measurements of PM₁₀ in µg/m³
 - Station 1 – 44 µg/m³ recorded on 02/15/18
 - Station 2 – 43 µg/m³ recorded on 02/15/18
 - Station 3 – <1 µg/m³ recorded throughout the week
 - Station 4 – 27 µg/m³ recorded on 02/15/18
 - Station 5 – 83 µg/m³ recorded on 02/15/18
 - Station 6 – 40 µg/m³ recorded on 02/15/18
 - Station 7 – <1 µg/m³ recorded throughout the week
- Maximum weekly measurements of TVOC in ppb
 - Station 1 – 38 ppb recorded on 02/15/18
 - Station 2 – 27 ppb recorded on 02/15/18
 - Station 3 – 141 ppb recorded on 02/15/18
 - Station 4 – 97 ppb recorded on 02/16/18
 - Station 5 – 147 ppb recorded on 02/15/18
 - Station 6 – 47 ppb recorded on 02/13/18
 - Station 7 – 72 ppb recorded on 02/15/18 and 02/16/18
- All real-time readings of hydrogen sulfide, ammonia, or formaldehyde less than instrument reporting limit.
- 24-hour collocated sample collected at ST-2 on 02/15 through 02/16 and at ST-7 on 02/14 through 02/15. Laboratory turnaround time is 10 business days.

Noise and Vibration Monitoring – Wilson Ihrig

- Operated and maintained three (3) noise monitors: NM-1 (north side of canal on Whole Foods promenade), NM-2 (south side of canal on southeast corner of 386 3rd Avenue), and NM-3 (southeast corner of Whole Foods at 3rd Avenue Bridge).
- Exceedances of the hourly Leq noise limit of 80 dBA during sheet pile installation measured at all noise monitors during installation of sheet piling with hydraulic impact hammer.
- Greatest hourly Leq noise measurements
 - Northern monitor (NM-1) – 86.2 dBA during 1100-1200 on 02/16/18
 - Southern monitor (NM-2) – 92.6 dBA during 1100-1200 on 02/14/18
 - 3rd Avenue Bridge monitor (NM-3) – 87.3 dBA during 1100-1200 on 02/14/18
- No exceedances of the commercial and industrial structures vibration criterion of 2.0 inches per second peak particle velocity.



- Greatest peak particle velocity measurements
 - Northern monitor (VM-1) – 0.0407 in/sec event between 1000 and 1100 on 02/16/18
 - Southern monitor (VM-2) – 0.201 in/sec event between 0800 and 0900 on 02/15/18

Cultural Natural Resource Monitoring – Archeology and Historic Resource Services (AHRS)

- No inspections conducted during week and expected prior to commencing Phase 1 dredging.

Two-Week Look Ahead:

Sevenson:

- Continue installation of steel sheet pile bulkhead supports utilizing only hydraulic impact hammer to determine if change in means reduces vibrations and settlement. Variable moment vibratory hammer to be used to install falsework and if needed to regain verticality.
- Complete installation of steel sheet pile bulkhead supports on south side of the canal and commence installation of transect.
- Perform vibration, benchmark, and optical monitoring of bulkheads and surrounding structures.

Geosyntec – Perform construction quality assurance responsibilities.

TRC CAMP Monitoring – Perform community air monitoring.

Wilson Ihrig – Perform noise and vibration monitoring,

AHRS – No activities planned.

Project Milestones: Key project milestones either established or completed this period include the following:

- None during this period.

Attachments:

1. Geosyntec In-Canal Water Quality Monitoring Weekly Data Summary
2. TRC Weekly CAMP Report
3. Wilson Ihrig Weekly Noise and Vibration Monitoring Report
4. AHRS Weekly Report (no activities during current week)
5. Water Treatment System Monitoring Analytical Laboratory Data (no activities during current week)
6. Cumulative Dredged Material Chart (no activities during current week)



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	-------------------------------------------	-----------------------------------------

Photo No. 001	Date 02-12-2018
-------------------------	---------------------------

Description
Surveyor conducting pre-driving survey.



Photo No. 002	Date 02-12-2018
-------------------------	---------------------------

Description
Survey prism installed by Geocomp.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	-------------------------------------------	-----------------------------------------


Photo No. 003	Date 02-13-2018
-------------------------	---------------------------

Description
Vibratory hammer attached to pin pile for removal of the pile.



Photo No. 004	Date 02-13-2018
-------------------------	---------------------------

Description
Installing top waler beam onto the falsework.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	-------------------------------------------	-----------------------------------------

Photo No. 005	Date 02-14-2018
-------------------------	---------------------------

Description
Cutting damaged pile to allow it to be driven to grade.




Photo No. 006	Date 02-14-2018
-------------------------	---------------------------

Description
Second total station mounted at the building corner at Dykes Lumber.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	-------------------------------------------	-----------------------------------------

Photo No. 007	Date 02-14-2018
-------------------------	---------------------------

Description
Threading pair of sheets.



Photo No. 008	Date 02-15-2018
-------------------------	---------------------------

Description
Performing weekly crack gauge monitoring.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	-------------------------------------------	-----------------------------------------


Photo No. 009	Date 02-16-2018
-------------------------	---------------------------

Description
Compressed gas delivery.



Photo No. 010	Date 02-16-2018
-------------------------	---------------------------

Description
Geocomp installing prisms on existing bulkhead at Whole Foods.



GEOSYNTEC IN-CANAL WATER QUALITY MONITORING WEEKLY DATA SUMMARY



Prepared for
**Gowanus Canal
Remedial Design
Group**

GOWANUS CANAL SUPERFUND SITE DREDGING AND CAPPING PILOT STUDY Water Quality Monitoring Weekly Data Summary

Week of February 12th, 2018

Report Contents

- Scope of Monitoring
- Turbidity Buoy Data
- Handheld Measurements
- Summary of Visual Observations
 - Report of Exceedances

Prepared by

Geosyntec  **Beech and Bonaparte** 
consultants engineering p.c.

engineers | scientists | innovators

an affiliate of Geosyntec Consultants

7 Graphics Drive, Suite 106
Ewing, NJ 08628
Project Number HPH106A (52)

1. SCOPE OF MONITORING

The following report summarizes water quality monitoring data collected during the week of February 12th, 2018. Two turbidity buoys were deployed to monitor turbidity during the pilot study. One turbidity buoy was deployed just outside of the 4th Street Turning Basin and is referred to as the sentinel buoy. A second turbidity buoy was deployed further upstream in RTA1 in order to monitor background turbidity unaffected by on-water construction activities. This turbidity buoy is referred to as the ambient buoy. A map indicating the approximate locations of the turbidity buoys is provided in Figure 1. Each turbidity buoy was equipped with a YSI 600 OMS water quality meter with optical turbidity sensor. The buoys were programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a FTP site via telemetry. This report provides the turbidity data collected every 15 minutes from both the ambient and sentinel buoys during each day between 7 AM and 5 PM during the week of February 12th. Average and maximum turbidity are also presented. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4. The data provided in this summary report have not yet been validated and should be considered preliminary.



2.2 Tuesday, February 13th, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
2/13/2018 7:00	11.9	7.6	N	2/13/2018 12:15	15.7	12.4	N
2/13/2018 7:15	11.7	8.8	N	2/13/2018 12:30	14.6	13.8	N
2/13/2018 7:30	10.8	8.4	N	2/13/2018 12:45	11.7	13.7	Y
2/13/2018 7:45	9.8	6.9	N	2/13/2018 13:00	10.5	11.9	Y
2/13/2018 8:00	10.2	14.8	Y	2/13/2018 13:15	9.7	10.2	Y
2/13/2018 8:15	10.3	8.9	N	2/13/2018 13:30	9.7	12.6	Y
2/13/2018 8:30	10.2	7.7	N	2/13/2018 13:45	11.0	9.1	N
2/13/2018 8:45	10.6	7.5	N	2/13/2018 14:00	11.2	8.7	N
2/13/2018 9:00	13.3	8.0	N	2/13/2018 14:15	11.5	8.4	N
2/13/2018 9:15	13.4	7.7	N	2/13/2018 14:30	11.9	9.2	N
2/13/2018 9:30	11.6	10.8	N	2/13/2018 14:45	12.0	9.8	N
2/13/2018 9:45	12.2	9.4	N	2/13/2018 15:00	12.6	9.3	N
2/13/2018 10:00	10.0	13.2	Y	2/13/2018 15:15	10.3	7.9	N
2/13/2018 10:15	9.7	12.5	Y	2/13/2018 15:30	10.2	9.7	N
2/13/2018 10:30	8.7	8.6	N	2/13/2018 15:45	12.7	8.8	N
2/13/2018 10:45	8.2	6.7	N	2/13/2018 16:00	13.0	7.6	N
2/13/2018 11:00	8.7	7.1	N	2/13/2018 16:15	13.7	9.1	N
2/13/2018 11:15	8.5	9.1	Y	2/13/2018 16:30	13.6	7.6	N
2/13/2018 11:30	8.6	8.9	Y	2/13/2018 16:45	14.0	9.1	N
2/13/2018 11:45	11.2	7.2	N	2/13/2018 17:00	13.8	10.7	N
2/13/2018 12:00	15.4	7.6	N				

Average	11.4	9.4	N
Maximum	15.7	14.8	N

Notes:

No exceedances to rolling average threshold criteria during reporting period
 Values highlighted in green are greater than 20 NTU above the ambient buoy reading
 Values highlighted in blue are greater than 40 NTU above the ambient buoy reading

3. HANDHELD MEASUREMENTS

No handheld measurements were collected for this reporting period.

4. SUMMARY OF VISUAL OBSERVATIONS


Visual observations are consistent with background conditions of the turning basin.

5. REPORT OF EXCEEDANCES

No exceedances of the water quality monitoring threshold criteria were met during the reporting period. Refer to the Water Quality Monitoring Plan for In-waterway Construction Activities (Geosyntec 2017) for further information regarding the Trigger and Action Criteria. Threshold criteria are summarized as follows:

- **Trigger criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities cannot be immediately excluded as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities are readily identified as the source.

FIGURES



X:\03_GIS\mxd\Canal_Wide_Turbidity_Buoy_Locations.mxd; acarnes; 10/19/2017

Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

Gowanus Canal Remedial Design Group Geosyntec consultants Beech and Bonaparte engineering p.c. an affiliate of Geosyntec Consultants

Ewing, NJ

October 2017

Figure

1

APPENDIX A
PRE-DREDGE TURBIDITY BUOY DATA

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)
10/3/2017 15:00	7.4	2.7	N	10/4/2017 4:30	4.8	7.1	Y	10/4/2017 18:00	6.9	2.7	N
10/3/2017 15:15	6.6	2.4	N	10/4/2017 4:45	5	6.3	Y	10/4/2017 18:15	7.2	2.7	N
10/3/2017 15:30	6.4	2.7	N	10/4/2017 5:00	4.7	6	Y	10/4/2017 18:30	7.8	3.4	N
10/3/2017 15:45	6.9	2	N	10/4/2017 5:15	5.1	6.4	Y	10/4/2017 18:45	8.2	4.4	N
10/3/2017 16:00	6.3	2.1	N	10/4/2017 5:30	5	7.3	Y	10/4/2017 19:00	7.5	3.1	N
10/3/2017 16:15	6.5	2.4	N	10/4/2017 5:45	5.4	7.8	Y	10/4/2017 19:15	8.7	3.6	N
10/3/2017 16:30	7.1	2.9	N	10/4/2017 6:00	5.5	8.3	Y	10/4/2017 19:30	8.7	4.5	N
10/3/2017 16:45	6.1	2.8	N	10/4/2017 6:15	5.2	9	Y	10/4/2017 19:45	9.4	4.1	N
10/3/2017 17:00	7	2.8	N	10/4/2017 6:30	5.8	7.2	Y	10/4/2017 20:00	8.4	4	N
10/3/2017 17:15	7	4.4	N	10/4/2017 6:45	5.4	8.8	Y	10/4/2017 20:15	8.2	4	N
10/3/2017 17:30	7	4.7	N	10/4/2017 7:00	5.5	8	Y	10/4/2017 20:30	9	3.6	N
10/3/2017 17:45	6.3	4	N	10/4/2017 7:15	5.6	7.5	Y	10/4/2017 20:45	8.4	3.5	N
10/3/2017 18:00	6.5	6.9	Y	10/4/2017 7:30	6.9	7.2	Y	10/4/2017 21:00	9.5	4.7	N
10/3/2017 18:15	7.8	6.7	Y	10/4/2017 7:45	6.8	6.1	N	10/4/2017 21:15	10.2	3.9	N
10/3/2017 18:30	7.9	6.5	N	10/4/2017 8:00	6.7	7.4	Y	10/4/2017 21:30	9.5	3.5	N
10/3/2017 18:45	8.5	5.9	N	10/4/2017 8:15	7.3	6.1	N	10/4/2017 21:45	8.9	3.6	N
10/3/2017 19:00	7.9	6	N	10/4/2017 8:30	7.2	4.6	N	10/4/2017 22:00	8.6	2.9	N
10/3/2017 19:15	7.4	6.3	N	10/4/2017 8:45	6.6	9	Y	10/4/2017 22:15	8.7	3.6	N
10/3/2017 19:30	7.4	4.3	N	10/4/2017 9:00	9.2	14.1	Y	10/4/2017 22:30	8.4	6.3	N
10/3/2017 19:45	8.3	4.6	N	10/4/2017 9:15	7.9	4.8	N	10/4/2017 22:45	7.3	3.3	N
10/3/2017 20:00	8.9	5.2	N	10/4/2017 9:30	9.3	4.6	N	10/4/2017 23:00	7.4	3.8	N
10/3/2017 20:15	8.6	4.5	N	10/4/2017 9:45	7.6	5.1	N	10/4/2017 23:15	7.1	4.5	N
10/3/2017 20:30	8	4.9	N	10/4/2017 10:00	8.1	3.9	N	10/4/2017 23:30	7	3.8	N
10/3/2017 20:45	10.6	4.3	N	10/4/2017 10:15	7.8	3.1	N	10/4/2017 23:45	8.3	5.3	N
10/3/2017 21:00	11.1	4.6	N	10/4/2017 10:30	7.3	4.5	N	10/5/2017 0:00	7.7	6.2	N
10/3/2017 21:15	9.8	4.7	N	10/4/2017 10:45	7.5	3.9	N	10/5/2017 0:15	7.8	5.1	N
10/3/2017 21:30	8.8	4.6	N	10/4/2017 11:00	7.6	9	Y	10/5/2017 0:30	7.2	5.7	N
10/3/2017 21:45	9	4.7	N	10/4/2017 11:15	6.5	16.7	Y	10/5/2017 0:45	7	5.4	N
10/3/2017 22:00	8.3	4.8	N	10/4/2017 11:30	7.4	6	N	10/5/2017 1:00	7.5	4.9	N
10/3/2017 22:15	7.3	6.1	N	10/4/2017 11:45	6.8	5.3	N	10/5/2017 1:15	7	8.2	Y
10/3/2017 22:30	7	4.7	N	10/4/2017 12:00	7.7	5.1	N	10/5/2017 1:30	8.1	4.9	N
10/3/2017 22:45	6.6	5.3	N	10/4/2017 12:15	6.6	6.1	N	10/5/2017 1:45	9.1	6.5	N
10/3/2017 23:00	7.1	6.1	N	10/4/2017 12:30	7.6	4	N	10/5/2017 2:00	9.2	5.2	N
10/3/2017 23:15	6.5	6	N	10/4/2017 12:45	7.7	3.9	N	10/5/2017 2:15	8.5	3.7	N
10/3/2017 23:30	6.6	6.9	Y	10/4/2017 13:00	8.3	4.8	N	10/5/2017 2:30	10.2	5.2	N
10/3/2017 23:45	7.2	5.2	N	10/4/2017 13:15	8.5	3.9	N	10/5/2017 2:45	10.1	4.2	N
10/4/2017 0:00	6.8	6.3	N	10/4/2017 13:30	9.2	5.5	N	10/5/2017 3:00	10.3	4.9	N
10/4/2017 0:15	7.2	5.6	N	10/4/2017 13:45	9.4	4.5	N	10/5/2017 3:15	9	6.3	N
10/4/2017 0:30	7.4	6.4	N	10/4/2017 14:00	11.1	3.1	N	10/5/2017 3:30	9.2	4.5	N
10/4/2017 0:45	7.1	5	N	10/4/2017 14:15	10	2.5	N	10/5/2017 3:45	8.4	4.1	N
10/4/2017 1:00	7.1	4.3	N	10/4/2017 14:30	9.8	2	N	10/5/2017 4:00	7.4	4.4	N
10/4/2017 1:15	8.3	4.6	N	10/4/2017 14:45	9.7	2.1	N	10/5/2017 4:15	7.3	4.4	N
10/4/2017 1:30	9	5.1	N	10/4/2017 15:00	9.3	2.4	N	10/5/2017 4:30	6.4	4.6	N
10/4/2017 1:45	7.9	4.5	N	10/4/2017 15:15	8.5	2.1	N	10/5/2017 4:45	6.2	5.1	N
10/4/2017 2:00	9.1	4	N	10/4/2017 15:30	8.5	1.8	N	10/5/2017 5:00	5.3	5.2	N
10/4/2017 2:15	7	5.3	N	10/4/2017 15:45	7.2	1.8	N	10/5/2017 5:15	5.3	5.3	N
10/4/2017 2:30	7.2	5.5	N	10/4/2017 16:00	7.3	1.6	N	10/5/2017 5:30	4.8	5	Y
10/4/2017 2:45	6.6	4.8	N	10/4/2017 16:15	6.4	1.8	N	10/5/2017 5:45	5.7	5	N
10/4/2017 3:00	6.6	5.7	N	10/4/2017 16:30	7	1.6	N	10/5/2017 6:00	5.6	4.8	N
10/4/2017 3:15	6.2	5.1	N	10/4/2017 16:45	7.5	2.6	N	10/5/2017 6:15	5.4	4.9	N
10/4/2017 3:30	5.9	4.7	N	10/4/2017 17:00	6.4	2.7	N	10/5/2017 6:30	6.1	5.7	N
10/4/2017 3:45	5.5	5.9	N	10/4/2017 17:15	6.5	2	N	10/5/2017 6:45	5.9	6.4	Y
10/4/2017 4:00	4.9	6.4	Y	10/4/2017 17:30	6.7	2.3	N	10/5/2017 7:00	6.1	7.8	Y
10/4/2017 4:15	5.1	7	Y	10/4/2017 17:45	6.6	2.1	N				
Average	7.5	6.0	N								
Maximum	11.1	16.7	Y								

TRC WEEKLY COMMUNITY AIR MONITORING PROJECT REPORT





**Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Weekly Report
(TRC Project No.274286-0000-00000)**

**Community Air Monitoring Project
19th Weekly Monitoring Period
Summary Report:
February 12th through February 16th, 2018**

Report Contents

- Executive Summary
- Daily Data Summary Report – PM₁₀/TVOC
 - Daily Meteorological Summary Report
 - Periodic Monitoring Results

Gowanus Canal Superfund Site TB-4 Dredging and Capping Pilot Study Brooklyn, New York

Executive Summary – Week 19 Monitoring Period February 12th through 16th, 2018

The following report summarizes site air monitoring activities for the Week 19 monitoring period from February 12th through 16th, 2018. The start and stop times associated with each daily monitoring period are listed on the respective daily reports.

TRC continued to operate two (2) air monitoring stations on the Citizen Property or Staging Area, and five (5) air monitoring stations in the 4th St Turning Basin Area using the equipment specified previously in the *Gowanus Canal TB-4 Dredging and Pilot Study Executive Summary – Background Monitoring Period Report*. During the Week 19 monitoring period there were no PM₁₀ or TVOC exceedances of the action level of 150 ug/m³ or 1,000 ppb respectively as defined in the *Community Air Monitoring Plan for the Gowanus Canal TB-4 Dredging and Pilot Study Project Brooklyn, NY, August 2018*.

Figure 1 depicts Total Volatile Organics (TVOC) daily averages and maximums. Figure 2 depicts particulate monitoring (PM₁₀) daily averages and maximums.

Additional monitoring for hydrogen sulfide, ammonia, and formaldehyde took place at all stations throughout the Week 19 monitoring period twice daily. The results of these measurements are shown in Table 1.

During the Week 19 monitoring period of February 12th through 16th, 2018 TRC conducted Volatile Organic Compounds (USEPA Method TO-15) sampling at Stations 2 and 6. The ST-2 sample was collected on February 15th, through February 16th, 2018. Co-located samples (ST-6A and ST-6B) were collected at Station 6 on February 14th, through February 15th, 2018. All samples were collected over a 23-hour period. Samples were shipped to Con-Test Analytical Laboratory for analyses. The results of the summa canister sampling are pending lab analyses.

Site activities which were conducted at the Citizen Property on February 12th through 16th, 2018 included the following:

- Material and equipment deliveries on Citizen Property
- General vehicular traffic site-wide throughout the monitoring period
- Maintenance of the barges and equipment

Site activities which were conducted at the 4th St Turning Basin Area of the Canal on February 12th through 16th, 2018 included the following:

- Relocation and reinstallation of falsework east of Station 0+70
- Drive previously installed sheet piling to final elevation between Station 0+70 to 1+05 (approximate).
- Installation of seven (7) pairs of sheet piling to the top waler on the south side of the canal to Station 0+38 (approximate)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
02/12/2018 06:30 AM - 02/12/2018 23:45 PM

Station 1

TVOC			PM ₁₀		
Max.	4	ppb	Max.	13	ug/m ³
Avg.	<1	ppb	Avg.	5	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	24	ppb	Max.	14	ug/m ³
Avg.	3	ppb	Avg.	6	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	31	ppb	Max.	<1	ug/m ³
Avg.	10	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	45	ppb	Max.	20	ug/m ³
Avg.	9	ppb	Avg.	4	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	21	ppb	Max.	13	ug/m ³
Avg.	11	ppb	Avg.	5	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	10	ug/m ³
Avg.	<1	ppb	Avg.	2	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	57	ppb	Max.	<1	ug/m ³
Avg.	3	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
02/13/2018 00:00 AM - 02/13/2018 23:45 PM

Station 1

TVOC			PM ₁₀		
Max.	2	ppb	Max.	9	ug/m ³
Avg.	<1	ppb	Avg.	5	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	25	ppb	Max.	10	ug/m ³
Avg.	11	ppb	Avg.	6	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	27	ppb	Max.	<1	ug/m ³
Avg.	18	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	7	ppb	Max.	14	ug/m ³
Avg.	<1	ppb	Avg.	6	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	20	ppb	Max.	<1	ug/m ³
Avg.	15	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	47	ppb	Max.	14	ug/m ³
Avg.	41	ppb	Avg.	7	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	20	ppb	Max.	<1	ug/m ³
Avg.	1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
02/14/2018 00:00 AM - 02/14/2018 23:45 PM

Station 1

TVOC			PM ₁₀		
Max.	32	ppb	Max.	19	ug/m ³
Avg.	3	ppb	Avg.	12	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	4	ppb	Max.	27	ug/m ³
Avg.	<1	ppb	Avg.	14	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	54	ppb	Max.	<1	ug/m ³
Avg.	18	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	22	ppb	Max.	23	ug/m ³
Avg.	12	ppb	Avg.	11	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	47	ppb	Max.	31	ug/m ³
Avg.	13	ppb	Avg.	7	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	40	ppb	Max.	21	ug/m ³
Avg.	16	ppb	Avg.	14	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	43	ppb	Max.	<1	ug/m ³
Avg.	2	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
02/15/2018 00:00 AM - 02/15/2018 23:45 PM

Station 1

TVOC			PM ₁₀		
Max.	38	ppb	Max.	44	ug/m ³
Avg.	27	ppb	Avg.	25	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	27	ppb	Max.	43	ug/m ³
Avg.	6	ppb	Avg.	26	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	141	ppb	Max.	<1	ug/m ³
Avg.	52	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	68	ppb	Max.	27	ug/m ³
Avg.	32	ppb	Avg.	4	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	147	ppb	Max.	83	ug/m ³
Avg.	66	ppb	Avg.	27	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	26	ppb	Max.	40	ug/m ³
Avg.	22	ppb	Avg.	16	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	72	ppb	Max.	<1	ug/m ³
Avg.	10	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
02/16/2018 00:00 AM - 02/16/2018 16:00 PM

Station 1

TVOC			PM ₁₀		
Max.	33	ppb	Max.	19	ug/m ³
Avg.	30	ppb	Avg.	9	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2

TVOC			PM ₁₀		
Max.	25	ppb	Max.	21	ug/m ³
Avg.	11	ppb	Avg.	11	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4

TVOC			PM ₁₀		
Max.	97	ppb	Max.	18	ug/m ³
Avg.	11	ppb	Avg.	3	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6

TVOC			PM ₁₀		
Max.	23	ppb	Max.	13	ug/m ³
Avg.	21	ppb	Avg.	3	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7

TVOC			PM ₁₀		
Max.	72	ppb	Max.	<1	ug/m ³
Avg.	28	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Figure 1
Gowanus Canal Superfund Site -TB4 Dredging and Capping Pilot Program
TVOC Monitoring Data - Week 19







Figure 2
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
TRC CAMP PM₁₀ Monitoring Data - Week 19



Units Table 1

Week 19

Summary of Additional Periodic (Daily) Monitoring Data

February 12 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)	Hydrogen Sulfide (H ₂ S) (ppb)	Ammonia (NH ₃) (ppm)
ST-1	8:00	<50	<3	<1.0
	14:10	<50	<3	<1.0
ST-2	8:10	<50	<3	<1.0
	14:15	<50	<3	<1.0
ST-3	8:30	<50	<3	<1.0
	14:40	<50	<3	<1.0
ST-4	8:40	<50	<3	<1.0
	14:45	<50	<3	<1.0
ST-5	8:50	<50	<3	<1.0
	14:50	<50	<3	<1.0
ST-6	9:15	<50	<3	<1.0
	15:00	<50	<3	<1.0
ST-7	9:30	<50	<3	<1.0
	15:20	<50	<3	<1.0

February 13 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)	Hydrogen Sulfide (H ₂ S) (ppb)	Ammonia (NH ₃) (ppm)
ST-1	7:30	<50	<3	<1.0
	13:30	<50	<3	<1.0
ST-2	7:35	<50	<3	<1.0
	13:35	<50	<3	<1.0
ST-3	7:45	<50	<3	<1.0
	14:00	<50	<3	<1.0
ST-4	7:50	<50	<3	<1.0
	14:45	<50	<3	<1.0
ST-5	7:55	<50	<3	<1.0
	14:50	<50	<3	<1.0
ST-6	8:10	<50	<3	<1.0
	15:10	<50	<3	<1.0
ST-7	8:25	<50	<3	<1.0
	15:25	<50	<3	<1.0

Units Table 1

Week 19

Summary of Additional Periodic (Daily) Monitoring Data

February 14 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)	Hydrogen Sulfide (H ₂ S) (ppb)	Ammonia (NH ₃) (ppm)
ST-1	8:10	<50	<3	<1.0
	15:00	<50	<3	<1.0
ST-2	8:15	<50	<3	<1.0
	15:05	<50	<3	<1.0
ST-3	8:25	<50	<3	<1.0
	15:15	<50	<3	<1.0
ST-4	8:30	<50	<3	<1.0
	15:20	<50	<3	<1.0
ST-5	8:35	<50	<3	<1.0
	15:25	<50	<3	<1.0
ST-6	8:50	<50	<3	<1.0
	15:45	<50	<3	<1.0
ST-7	9:00	<50	<3	<1.0
	16:00	<50	<3	<1.0

February 15 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)	Hydrogen Sulfide (H ₂ S) (ppb)	Ammonia (NH ₃) (ppm)
ST-1	7:30	<50	<3	<1.0
	14:45	<50	<3	<1.0
ST-2	7:35	<50	<3	<1.0
	14:50	<50	<3	<1.0
ST-3	7:50	<50	<3	<1.0
	15:15	<50	<3	<1.0
ST-4	7:55	<50	<3	<1.0
	15:20	<50	<3	<1.0
ST-5	8:00	<50	<3	<1.0
	15:25	<50	<3	<1.0
ST-6	8:15	<50	<3	<1.0
	15:35	<50	<3	<1.0
ST-7	8:30	<50	<3	<1.0
	15:45	<50	<3	<1.0

Units Table 1

Week 19

Summary of Additional Periodic (Daily) Monitoring Data

February 16 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)	Hydrogen Sulfide (H ₂ S) (ppb)	Ammonia (NH ₃) (ppm)
ST-1	6:30	<50	<3	<1.0
	15:00	<50	<3	<1.0
ST-2	6:35	<50	<3	<1.0
	15:05	<50	<3	<1.0
ST-3	6:50	<50	<3	<1.0
	15:15	<50	<3	<1.0
ST-4	6:55	<50	<3	<1.0
	15:20	<50	<3	<1.0
ST-5	7:00	<50	<3	<1.0
	15:30	<50	<3	<1.0
ST-6	7:15	<50	<3	<1.0
	15:50	<50	<3	<1.0
ST-7	7:30	<50	<3	<1.0
	16:00	<50	<3	<1.0

*(ppb) Indicates results reported in parts per billion

* (ppm) Indicates results reported in parts per million



**Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Meteorological Summary
February 12th through February 16th, 2018**

February 12 th , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
W	3.86	41.6

February 13 th , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSE	4.28	31.7

February 14 th , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
S	1.01	42.8

February 15 th , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSW	0.77	50.8

February 16 th , 2018		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
WSW	1.70	55.5

*All meteorological data represents an average for the time period of 06:30 to 23:45 for Monday.

*All meteorological data represents averages for the time period of 00:00 to 23:45 for Tuesday, Wednesday and Thursday

*All meteorological data represents an average for the time period of 00:00 to 16:00 for Friday.

WILSON IHRIG WEEKLY NOISE AND VIBRATION MONITORING REPORT





WI #15-081

MEMORANDUM

February 20, 2018

To: William Lee/ de maximis, inc.
Kirsten Meyers / TRC

From: Silas Bensing, Ani Toncheva / Wilson Ihrig

Subject: Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study, Weekly Noise and Vibration Monitoring Report, 12 February – 16 February, 2018

Noise Monitoring Locations

Figure 1 shows the noise monitoring locations. NM-1 is installed at a light pole on the north side of TB4 and is approximately 25 feet from the north edge of the canal. NM-2 is installed at the existing guard rail on the south side of TB4, approximately 4 feet from the south edge of the canal. NM-3 is installed at a light pole on the north side of TB4 near 3rd Avenue, approximately 50 feet from the north edge of the canal. Photos 1, 2, and 3 show the recent field conditions at the monitors.

Vibration Monitoring Locations

Figure 1 shows the vibration monitoring locations. Vibration monitor VM-1 is installed at the parking lot curb on the north side of TB4, approximately 45 feet from the north edge of the canal. Vibration monitor VM-2 is installed near the corner of an existing building on the south side of TB4, approximately 24 feet from the south edge of the canal. Photos 4 and 5 show the recent field conditions at the monitors.

Noise Monitoring Results

Figures 2 through 16 present the hourly Leq noise levels compared with the noise thresholds discussed in the noise monitoring plan¹. Commercial and Industrial land uses are assigned an hourly Leq noise limit of 80 dBA for Daytime and Evening time periods. The average baseline noise measured in the project area in 2015 are also shown for reference². Noise level data for South Monitor NM-2 is not shown for Monday February 12 due to humidity-related microphone

¹ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017

² Wilson Ihrig. *Gowanus Canal Remedial Design Project RTA-1 Noise and Vibration Baseline Report*. California: prepared for Geosyntec Consultants Inc., October 2015.

malfunction. The data appeared to return to normal function on Tuesday February 13, and the microphone was replaced and system re-calibrated on Thursday February 15 2018 at 4:00 PM.

Vibration Monitoring Results

Figures 17 through 26 present the maximum peak particle velocity (PPV) vibration events compared with the thresholds discussed in the vibration monitoring plan³. Commercial and Industrial structures are assigned a PPV vibration criterion of 2.0 inches/second




Figure 1: Long-term Noise and Vibration Monitoring Locations for Gowanus TB4 Dredging and Capping Pilot Study

³ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017



Photo 1: Noise Monitoring Location NM-1
(26 September 2017)



Photo 2: Noise Monitoring Location NM-2
(25 September 2017)




Photo 3: Noise Monitoring Location NM-3
(29 October 2017)




Photo 4: Vibration Monitoring Location VM-1
(12 October 2017)



Photo 5: Vibration Monitoring Location VM-2
(12 October 2017)




Figure 2: North Monitor NM-1 on Monday*

*Noise Level (Leq) for the 14:00 interval is 80.2 dBA. Noise Level (Leq) for the 15:00 interval is 83.4 dBA.




Figure 3: North Monitor NM-1 on Tuesday*

Noise Level (Leq) for the 15:00 interval is 80.4 dBA.




Figure 4: North Monitor NM-1 on Wednesday*

*Noise Level (Leq) for the 9:00 interval is 81.7 dBA. Noise Level (Leq) for the 11:00 interval is 84.6 dBA. Noise Level (Leq) for the 12:00 interval is 82.4 dBA. Noise Level (Leq) for the 13:00 interval is 83.7 dBA.




Figure 5: North Monitor NM-1 on Thursday*

*Noise Level (Leq) for the 9:00 interval is 80.2 dBA. Noise Level (Leq) for the 13:00 interval is 83.0 dBA. Noise Level (Leq) for the 14:00 interval is 81.4 dBA. Noise Level (Leq) for the 15:00 interval is 84.7 dBA.




Figure 6: North Monitor NM-1 on Friday*

*Noise Level (Leq) for the 11:00 interval is 86.2 dBA. Noise Level (Leq) for the 12:00 interval is 85.9 dBA. Noise Level (Leq) for the 13:00 interval is 85.2 dBA. Noise Level (Leq) for the 14:00 interval is 85.9 dBA.

Figure 7: South Monitor NM-2 on Monday*

*Data not shown for Monday Feb 12 due humidity-related microphone malfunction. Data appeared to return to normal function on Tuesday Feb 13. Microphone was replaced and system re-calibrated on Thursday Feb 15 2018 at 4:00 PM.




Figure 8: South Monitor NM-2 on Tuesday*

*Noise Level (Leq) for the 14:00 interval is 88.8 dBA. Noise Level (Leq) for the 15:00 interval is 92.3 dBA.

*After humidity-related microphone malfunction, data appeared to return to normal function on Tuesday Feb 13. Microphone was replaced and system re-calibrated on Thursday Feb 15 2018 at 4:00 PM."




Figure 9: South Monitor NM-2 on Wednesday

**Noise Level (Leq) for the 8:00 interval is 88.2 dBA. Noise Level (Leq) for the 9:00 interval is 90.0 dBA. Noise Level (Leq) for the 10:00 interval is 86.5 dBA. Noise Level (Leq) for the 11:00 interval is 92.6 dBA. Noise Level (Leq) for the 12:00 interval is 87.5 dBA. Noise Level (Leq) for the 13:00 interval is 88.6 dBA. Noise Level (Leq) for the 14:00 interval is 82.7 dBA.*

**After humidity-related microphone malfunction, data appeared to return to normal function on Tuesday Feb 13. Microphone was replaced and system re-calibrated on Thursday Feb 15 2018 at 4:00 PM.”*




Figure 10: South Monitor NM-2 on Thursday*

**Noise Level (Leq) for the 9:00 interval is 85.4 dBA. Noise Level (Leq) for the 10:00 interval is 83.0 dBA. Noise Level (Leq) for the 11:00 interval is 81.7 dBA. Noise Level (Leq) for the 13:00 interval is 84.9 dBA. Noise Level (Leq) for the 14:00 interval is 93.1 dBA. Noise Level (Leq) for the 15:00 interval is 93.1 dBA.*

**After humidity-related microphone malfunction, data appeared to return to normal function on Tuesday Feb 13. Microphone was replaced and system re-calibrated on Thursday Feb 15 2018 at 4:00 PM.”*




Figure 11: South Monitor NM-2 on Friday*

*Noise Level (Leq) for the 11:00 interval is 89.5 dBA. Noise Level (Leq) for the 12:00 interval is 89.6 dBA. Noise Level (Leq) for the 13:00 interval is 87.5 dBA. Noise Level (Leq) for the 14:00 interval is 87.7 dBA.




Figure 12: Northeast Monitor NM-3 on Monday*

*Noise Level (Leq) for the 12:00 interval is 83.3 dBA. Noise Level (Leq) for the 13:00 interval is 87.0 dBA. Noise Level (Leq) for the 14:00 interval is 85.8 dBA. Noise Level (Leq) for the 15:00 interval is 86.4 dBA.




Figure 13: Northeast Monitor NM-3 on Tuesday*

*Noise Level (Leq) for the 14:00 interval is 81.2 dBA. Noise Level (Leq) for the 15:00 interval is 83.3 dBA.




Figure 14: Northeast Monitor NM-3 on Wednesday*

*Noise Level (Leq) for the 8:00 interval is 83.3 dBA. Noise Level (Leq) for the 9:00 interval is 84.7 dBA. Noise Level (Leq) for the 10:00 interval is 81.5 dBA. Noise Level (Leq) for the 11:00 interval is 87.3 dBA. Noise Level (Leq) for the 12:00 interval is 83.3 dBA. Noise Level (Leq) for the 13:00 interval is 85.0 dBA.




Figure 15: Northeast Monitor NM-3 on Thursday*

*Noise Level (Leq) for the 9:00 interval is 82.6 dBA. Noise Level (Leq) for the 13:00 interval is 82.8 dBA.
 Noise Level (Leq) for the 14:00 interval is 81.0 dBA. Noise Level (Leq) for the 15:00 interval is 83.3 dBA.




Figure 16: Northeast Monitor NM-3 on Friday*

*Noise Level (Leq) for the 11:00 interval is 83.9 dBA. Noise Level (Leq) for the 12:00 interval is 83.5 dBA.
 Noise Level (Leq) for the 13:00 interval is 81.9 dBA. Noise Level (Leq) for the 14:00 interval is 82.7 dBA.




Figure 17: North Vibration Monitor VM-1 on Monday




Figure 18: North Vibration Monitor VM-1 on Tuesday




Figure 19: North Vibration Monitor VM-1 on Wednesday




Figure 20: North Vibration Monitor VM-1 on Thursday




Figure 21: North Vibration Monitor VM-1 on Friday




Figure 22: South Vibration Monitor VM-2 on Monday




Figure 23: South Vibration Monitor VM-2 on Tuesday




Figure 24: South Vibration Monitor VM-2 on Wednesday




Figure 25: South Vibration Monitor VM-2 on Thursday




Figure 26: South Vibration Monitor VM-2 on Friday

AHRS WEEKLY REPORT
(NO ACTIVITIES DURING CURENT WEEK)



**WATER TREATMENT SYSTEM MONITORING LABORATORY ANALYTICAL DATA
(NO ACTIVITIES DURING CURRENT WEEK)**



**CUMULATIVE DREDGED MATERIAL CHART
(NO ACTIVITIES DURING CURENT WEEK)**