

WEEKLY PROGRESS REPORT – TRC SOLUTIONS

**Gowanus Canal Turning Basin 4 Dredging and Capping Pilot Study
Brooklyn, New York**

Project number: 283126

Period: April 9 to 13, 2018

Date of Report: April 19, 2018

Rev: 0

Prepared For: Gowanus Environmental Remediation Trust



On-Site Activities Conducted During Week:

Sevenson Environmental Services (SES)

Sheet Pile Installation

- Remove and replace four (4) pairs of previously installed sheet piling with new sheet piling to approximate Station 5+25, completing first section with Giken Silent Press
- Install six (6) pairs of sheet piling to complete transect, second section finished with Giken Silent Press
- Relocate crane and material barges to commence removal and replacement of sheet piling at Dykes Lumber
- Installation of waler at Station approximate 0+70 to provide additional reaction force for Giken Silent Press
- Remove and replace two (2) pairs of previously installed sheet piling with new sheet piling west of approximate Station 0+60

Water Treatment and Monitoring

- No discharge of treated water during the week.

Turbidity Monitoring

- Turbid water not observed migrating from the 4th Street Turning Basin.

Citizens Site

- Transportation and off-site disposal of non-hazardous Stockpile #1 at Waste Management Fairless Hills

Vibration Monitoring (subcontractor – Vibra-Tech)

- Operated and maintained five (5) stationary vibration monitors. Two (2) stationary monitors located on the south side of the canal, one (1) stationary monitor located on the north side of the canal, two (2) stationary monitors located on the 3rd Avenue Bridge abutments. Additionally, employed two (2), at a minimum, portable vibration monitors to measure vibration levels within 15 feet of the sheet pile installation work.
- Performed daily crack gauge inspections at 386 3rd Avenue during sheet pile installation.
- No exceedances of the peak particle velocity level specified in the Contract Documents (0.40 inches per second) or acceleration level specified in the Contract Documents (0.1 g).

Quality Assurance and Control – Geosyntec

- No exceedance of the turbidity trigger or action criteria during bulkhead support installation.
- Measurements for 4/9/18:
 - Daily average for ambient buoy – 9.9 NTU
 - Daily average for sentinel buoy – 10.6 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 37.7 NTU at 0915.
- Measurements for 4/10/18:
 - Daily average for ambient buoy – 9.8 NTU
 - Daily average for sentinel buoy – 7.3 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 0.7 NTU at 1330.
- Measurements for 4/11/18:
 - Daily average for ambient buoy – 7.7 NTU
 - Daily average for sentinel buoy – 8.0 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 23.2 NTU at 1015.



- Measurements for 4/12/18:
 - Daily average for ambient buoy – 7.0 NTU
 - Daily average for sentinel buoy – 5.0 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 14.3 NTU at 0815.
- Measurements for 4/13/18:
 - Daily average for ambient buoy – 10.7 NTU
 - Daily average for sentinel buoy – 4.2 NTU
 - Greatest difference between ambient and sentinel buoy during 15-minute interval with sentinel buoy exceeding ambient buoy – 5.1 NTU at 0715.

Community Air Monitoring Program – TRC CAMP

- Operated and maintained two (2) air monitoring stations at the upland staging area and five (5) monitoring station at the 4th Street Turning Basin Area.
- No exceedances of particulate matter of 10 microns in diameter or smaller (PM₁₀) or total volatile organic compounds (TVOC) of the action level of 150 micrograms per cubic meter or 1,000 parts per billion, respectively.
- Maximum weekly measurements of PM₁₀ in µg/m³
 - Station 1 – 74 µg/m³ recorded on 04/10/18
 - Station 2 – 51 µg/m³ recorded on 04/12/18
 - Station 3 – 46 µg/m³ recorded on 04/10/18
 - Station 4 – 43 µg/m³ recorded on 04/10/18
 - Station 5 – 26 µg/m³ recorded on 04/12/18
 - Station 6 – 78 µg/m³ recorded on 04/13/18
 - Station 7 – <1 µg/m³ recorded throughout the week
- Maximum weekly measurements of TVOC in ppb
 - Station 1 – 43 ppb recorded on 04/13/18
 - Station 2 – 25 ppb recorded on 04/10 and 04/13/18
 - Station 3 – 81 ppb recorded on 04/10/18
 - Station 4 – 15 ppb recorded on 04/11/18
 - Station 5 – 33 ppb recorded on 04/13/18
 - Station 6 – 47 ppb recorded on 04/11/18
 - Station 7 – 72 ppb recorded on 04/11 and 04/13/18
- All real-time readings of hydrogen sulfide, ammonia, or formaldehyde less than instrument reporting limit.
- 23-hour sample collected at ST-2 on 04/10 through 04/11 and ST-7 on 04/12 through 04/13. Laboratory turnaround time is 10 business days.

Noise and Vibration Monitoring – Wilson Ihrig

- Operated and maintained three (3) noise monitors: NM-1 (north side of canal on Whole Foods promenade), NM-2 (south side of canal on southeast corner of 386 3rd Avenue), and NM-3 (southeast corner of Whole Foods at 3rd Avenue Bridge).
- Exceedances of the hourly Leq noise limit of 80 dBA at southern monitor (NM-2) and at the 3rd Avenue Bridge monitor (NM-3) during installation of reaction piles with vibratory hammer.



- Greatest hourly Leq noise measurements
 - Northern monitor (NM-1) – 75 dBA during 0800-0900 on 04/09/18 and 1100-1200 on 04/10/18
 - Southern monitor (NM-2) – 80.1 dBA during 1000-1100 on 04/10/18
 - 3rd Avenue Bridge monitor (NM-3) – 87.9 dBA during 1100-1200 on 04/10/18
- No exceedances of the commercial and industrial structures vibration criterion of 2.0 inches per second peak particle velocity.
- Greatest peak particle velocity measurements
 - Northern monitor (VM-1) – 0.0397 in/sec event between 0900 and 1000 on 04/10/18
 - Southern monitor (VM-2) – 0.278 in/sec event between 0800 and 0900 on 04/12/18 (possibly due to human interference)

Cultural Natural Resource Monitoring – Archeology and Historic Resource Services (AHRS)

- No activities during the week.

Two-Week Look Ahead:

Sevenson:

- Utilize GIKEN Silent Press to complete the removal and installation of sheet piling adjacent to Dykes Lumber and Whole Foods.
- Place granular backfill between installed sheet piling and existing bulkheads.
- Perform vibration, benchmark, and optical monitoring of bulkheads and surrounding structures.
- Reconfigure crane and prepare to recommence Phase I dredging.

Geosyntec – Perform construction quality assurance responsibilities.

TRC CAMP Monitoring – Perform community air monitoring.

Wilson Ihrig – Perform noise and vibration monitoring.

AHRS – Submit report of inspection of screened debris from Access Dredging in preparation for off-site disposal.

Key Milestones

- No key milestones during current week.

Attachments:

1. Geosyntec In-Canal Water Quality Monitoring Weekly Data Summary
2. TRC Weekly CAMP Report
3. Wilson Ihrig Weekly Noise and Vibration Monitoring Report
4. AHRS Weekly Report (no activities during current week)
5. Water Treatment System Monitoring Analytical Laboratory Data (no activities during current week)
6. Cumulative Dredged Material Chart (no activities during current week)



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 001	Date 04-09-2018
-------------------------	---------------------------

Description
Lifting the Giken to place onto the sheet piles.



Photo No. 002	Date 04-09-2018
-------------------------	---------------------------

Description
Threading the sheet pile into the Giken jaws.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 003	Date 04-02-2018
-------------------------	---------------------------

Description
Torch cutting the sheet pile to allow for the back end of the Giken to sit level.



Photo No. 004	Date 04-10-2018
-------------------------	---------------------------

Description
Placing corner piece into the sheet pile at the Whole Foods and transect connection.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 005	Date 04-11-2018
-------------------------	---------------------------

Description
Loading trucks with non-hazardous waste for transportation to Waste Management Fairless Hills landfill for disposal.



Photo No. 006	Date 04-11-2018
-------------------------	---------------------------

Description
Giken being placed back onto the barge



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 007	Date 04-12-2018
-------------------------	---------------------------

Description
Completed transect along with h-beam for use in hydraulic capping.




Photo No. 008	Date 04-05-2018
-------------------------	---------------------------

Description
Giken in operation – note readout displaying tons of force (60) being exerted during pushing of pair.



Client Name: Gowanus ERT	Site Location: TB-4 Pilot Study	Project No.: 283126.0000.0001
------------------------------------	---	---

Photo No. 009	Date 04-13-2018
-------------------------	---------------------------

Description
Measuring and marking next pair of sheet piling.



Photo No. 010	Date 04-06-2018
-------------------------	---------------------------

Description
Removal of shackles prior to completion of pushing sheet piling to design tip elevation.



GEOSYNTEC IN-CANAL WATER QUALITY MONITORING WEEKLY DATA SUMMARY



GOWANUS CANAL SUPERFUND SITE DREDGING AND CAPPING PILOT STUDY Water Quality Monitoring Weekly Data Summary

Week of April 9th, 2018

Report Contents

- Scope of Monitoring
- Turbidity Buoy Data
- Handheld Measurements
- Summary of Visual Observations
 - Report of Exceedances

Prepared by

Geosyntec  **Beech and Bonaparte** 
consultants engineering p.c.

engineers | scientists | innovators

an affiliate of Geosyntec Consultants

7 Graphics Drive, Suite 106
Ewing, NJ 08628
Project Number HPH106A (52)

1. SCOPE OF MONITORING

The following report summarizes water quality monitoring data collected during the week of April 9th, 2018. Two turbidity buoys were deployed to monitor turbidity during the pilot study. One turbidity buoy was deployed just outside of the 4th Street Turning Basin and is referred to as the sentinel buoy. A second turbidity buoy was deployed further upstream in RTA1 in order to monitor background turbidity unaffected by on-water construction activities. This turbidity buoy is referred to as the ambient buoy. A map indicating the approximate locations of the turbidity buoys is provided in Figure 1. Each turbidity buoy was equipped with a YSI 600 OMS water quality meter with optical turbidity sensor. The buoys were programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a FTP site via telemetry. This report provides the turbidity data collected every 15 minutes from both the ambient and sentinel buoys during each day between 7 AM and 5 PM during the week of April 9th. Average and maximum turbidity are also presented. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4. The data provided in this summary report have not yet been validated and should be considered preliminary.



2.5 Friday, April 13th, 2018

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel >Ambient (Y/N)
4/13/2018 7:00	7.6	3.8	N	4/13/2018 12:15	19.9	4.8	N
4/13/2018 7:15	7.1	12.2	Y	4/13/2018 12:30	7.8	3.0	N
4/13/2018 7:30	7.1	3.0	N	4/13/2018 12:45	7.9	3.9	N
4/13/2018 7:45	8.5	3.5	N	4/13/2018 13:00	8.0	2.9	N
4/13/2018 8:00	7.4	3.4	N	4/13/2018 13:15	9.8	4.2	N
4/13/2018 8:15	7.6	3.1	N	4/13/2018 13:30	9.3	5.4	N
4/13/2018 8:30	9.8	3.2	N	4/13/2018 13:45	7.9	4.5	N
4/13/2018 8:45	9.8	3.2	N	4/13/2018 14:00	7.9	4.5	N
4/13/2018 9:00	9.7	3.1	N	4/13/2018 14:15	8.0	4.1	N
4/13/2018 9:15	11.7	3.3	N	4/13/2018 14:30	9.9	4.6	N
4/13/2018 9:30	15.1	3.2	N	4/13/2018 14:45	8.9	4.8	N
4/13/2018 9:45	14.4	3.9	N	4/13/2018 15:00	8.7	5.8	N
4/13/2018 10:00	8.9	3.3	N	4/13/2018 15:15	8.3	4.7	N
4/13/2018 10:15	8.7	3.4	N	4/13/2018 15:30	8.1	4.5	N
4/13/2018 10:30	10.0	7.8	N	4/13/2018 15:45	8.4	4.5	N
4/13/2018 10:45	15.4	3.0	N	4/13/2018 16:00	8.2	4.6	N
4/13/2018 11:00	12.8	4.2	N	4/13/2018 16:15	8.0	5.0	N
4/13/2018 11:15	38.4	3.3	N	4/13/2018 16:30	7.9	5.3	N
4/13/2018 11:30	17.7	3.4	N	4/13/2018 16:45	8.2	4.0	N
4/13/2018 11:45	14.4	2.9	N	4/13/2018 17:00	8.3	3.9	N
4/13/2018 12:00	19.1	2.9	N				
<hr/>							
Average	10.7	4.2	N				
Maximum	38.4	12.2	N				
<hr/>							
Notes:							
No exceedances to rolling average threshold criteria during reporting period							
Values highlighted in green are greater than 20 NTU above the ambient buoy reading							
Values highlighted in blue are greater than 40 NTU above the ambient buoy reading							

3. HANDHELD MEASUREMENTS

No handheld measurements were collected for this reporting period.

4. SUMMARY OF VISUAL OBSERVATIONS


Visual observations are consistent with background conditions of the turning basin.

5. REPORT OF EXCEEDANCES

No exceedances of the water quality monitoring threshold criteria were met during the reporting period. Refer to the Water Quality Monitoring Plan for In-waterway Construction Activities (Geosyntec 2017) for further information regarding the Trigger and Action Criteria. Threshold criteria are summarized as follows:

- **Trigger criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities cannot be immediately excluded as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements; or
 - Either an oil sheen or a turbidity plume is visually observed outside of engineering controls and in-waterway construction activities are readily identified as the source.


FIGURES



X:\03_GIS\mxd\Canal_Wide_Turbidity_Buoy_Locations.mxd; acarnes; 10/19/2017

Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

Gowanus Canal Remedial Design Group **Geosyntec** consultants **Beech and Bonaparte** engineering p.c. an affiliate of Geosyntec Consultants

Figure

1

Ewing, NJ

October 2017

APPENDIX A
PRE-DREDGE TURBIDITY BUOY DATA

Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)	Time (Local)	Ambient Turbidity (NTU)	Sentinel Turbidity (NTU)	Sentinel> Ambient (Y/N)
10/3/2017 15:00	7.4	2.7	N	10/4/2017 4:30	4.8	7.1	Y	10/4/2017 18:00	6.9	2.7	N
10/3/2017 15:15	6.6	2.4	N	10/4/2017 4:45	5	6.3	Y	10/4/2017 18:15	7.2	2.7	N
10/3/2017 15:30	6.4	2.7	N	10/4/2017 5:00	4.7	6	Y	10/4/2017 18:30	7.8	3.4	N
10/3/2017 15:45	6.9	2	N	10/4/2017 5:15	5.1	6.4	Y	10/4/2017 18:45	8.2	4.4	N
10/3/2017 16:00	6.3	2.1	N	10/4/2017 5:30	5	7.3	Y	10/4/2017 19:00	7.5	3.1	N
10/3/2017 16:15	6.5	2.4	N	10/4/2017 5:45	5.4	7.8	Y	10/4/2017 19:15	8.7	3.6	N
10/3/2017 16:30	7.1	2.9	N	10/4/2017 6:00	5.5	8.3	Y	10/4/2017 19:30	8.7	4.5	N
10/3/2017 16:45	6.1	2.8	N	10/4/2017 6:15	5.2	9	Y	10/4/2017 19:45	9.4	4.1	N
10/3/2017 17:00	7	2.8	N	10/4/2017 6:30	5.8	7.2	Y	10/4/2017 20:00	8.4	4	N
10/3/2017 17:15	7	4.4	N	10/4/2017 6:45	5.4	8.8	Y	10/4/2017 20:15	8.2	4	N
10/3/2017 17:30	7	4.7	N	10/4/2017 7:00	5.5	8	Y	10/4/2017 20:30	9	3.6	N
10/3/2017 17:45	6.3	4	N	10/4/2017 7:15	5.6	7.5	Y	10/4/2017 20:45	8.4	3.5	N
10/3/2017 18:00	6.5	6.9	Y	10/4/2017 7:30	6.9	7.2	Y	10/4/2017 21:00	9.5	4.7	N
10/3/2017 18:15	7.8	6.7	Y	10/4/2017 7:45	6.8	6.1	N	10/4/2017 21:15	10.2	3.9	N
10/3/2017 18:30	7.9	6.5	N	10/4/2017 8:00	6.7	7.4	Y	10/4/2017 21:30	9.5	3.5	N
10/3/2017 18:45	8.5	5.9	N	10/4/2017 8:15	7.3	6.1	N	10/4/2017 21:45	8.9	3.6	N
10/3/2017 19:00	7.9	6	N	10/4/2017 8:30	7.2	4.6	N	10/4/2017 22:00	8.6	2.9	N
10/3/2017 19:15	7.4	6.3	N	10/4/2017 8:45	6.6	9	Y	10/4/2017 22:15	8.7	3.6	N
10/3/2017 19:30	7.4	4.3	N	10/4/2017 9:00	9.2	14.1	Y	10/4/2017 22:30	8.4	6.3	N
10/3/2017 19:45	8.3	4.6	N	10/4/2017 9:15	7.9	4.8	N	10/4/2017 22:45	7.3	3.3	N
10/3/2017 20:00	8.9	5.2	N	10/4/2017 9:30	9.3	4.6	N	10/4/2017 23:00	7.4	3.8	N
10/3/2017 20:15	8.6	4.5	N	10/4/2017 9:45	7.6	5.1	N	10/4/2017 23:15	7.1	4.5	N
10/3/2017 20:30	8	4.9	N	10/4/2017 10:00	8.1	3.9	N	10/4/2017 23:30	7	3.8	N
10/3/2017 20:45	10.6	4.3	N	10/4/2017 10:15	7.8	3.1	N	10/4/2017 23:45	8.3	5.3	N
10/3/2017 21:00	11.1	4.6	N	10/4/2017 10:30	7.3	4.5	N	10/5/2017 0:00	7.7	6.2	N
10/3/2017 21:15	9.8	4.7	N	10/4/2017 10:45	7.5	3.9	N	10/5/2017 0:15	7.8	5.1	N
10/3/2017 21:30	8.8	4.6	N	10/4/2017 11:00	7.6	9	Y	10/5/2017 0:30	7.2	5.7	N
10/3/2017 21:45	9	4.7	N	10/4/2017 11:15	6.5	16.7	Y	10/5/2017 0:45	7	5.4	N
10/3/2017 22:00	8.3	4.8	N	10/4/2017 11:30	7.4	6	N	10/5/2017 1:00	7.5	4.9	N
10/3/2017 22:15	7.3	6.1	N	10/4/2017 11:45	6.8	5.3	N	10/5/2017 1:15	7	8.2	Y
10/3/2017 22:30	7	4.7	N	10/4/2017 12:00	7.7	5.1	N	10/5/2017 1:30	8.1	4.9	N
10/3/2017 22:45	6.6	5.3	N	10/4/2017 12:15	6.6	6.1	N	10/5/2017 1:45	9.1	6.5	N
10/3/2017 23:00	7.1	6.1	N	10/4/2017 12:30	7.6	4	N	10/5/2017 2:00	9.2	5.2	N
10/3/2017 23:15	6.5	6	N	10/4/2017 12:45	7.7	3.9	N	10/5/2017 2:15	8.5	3.7	N
10/3/2017 23:30	6.6	6.9	Y	10/4/2017 13:00	8.3	4.8	N	10/5/2017 2:30	10.2	5.2	N
10/3/2017 23:45	7.2	5.2	N	10/4/2017 13:15	8.5	3.9	N	10/5/2017 2:45	10.1	4.2	N
10/4/2017 0:00	6.8	6.3	N	10/4/2017 13:30	9.2	5.5	N	10/5/2017 3:00	10.3	4.9	N
10/4/2017 0:15	7.2	5.6	N	10/4/2017 13:45	9.4	4.5	N	10/5/2017 3:15	9	6.3	N
10/4/2017 0:30	7.4	6.4	N	10/4/2017 14:00	11.1	3.1	N	10/5/2017 3:30	9.2	4.5	N
10/4/2017 0:45	7.1	5	N	10/4/2017 14:15	10	2.5	N	10/5/2017 3:45	8.4	4.1	N
10/4/2017 1:00	7.1	4.3	N	10/4/2017 14:30	9.8	2	N	10/5/2017 4:00	7.4	4.4	N
10/4/2017 1:15	8.3	4.6	N	10/4/2017 14:45	9.7	2.1	N	10/5/2017 4:15	7.3	4.4	N
10/4/2017 1:30	9	5.1	N	10/4/2017 15:00	9.3	2.4	N	10/5/2017 4:30	6.4	4.6	N
10/4/2017 1:45	7.9	4.5	N	10/4/2017 15:15	8.5	2.1	N	10/5/2017 4:45	6.2	5.1	N
10/4/2017 2:00	9.1	4	N	10/4/2017 15:30	8.5	1.8	N	10/5/2017 5:00	5.3	5.2	N
10/4/2017 2:15	7	5.3	N	10/4/2017 15:45	7.2	1.8	N	10/5/2017 5:15	5.3	5.3	N
10/4/2017 2:30	7.2	5.5	N	10/4/2017 16:00	7.3	1.6	N	10/5/2017 5:30	4.8	5	Y
10/4/2017 2:45	6.6	4.8	N	10/4/2017 16:15	6.4	1.8	N	10/5/2017 5:45	5.7	5	N
10/4/2017 3:00	6.6	5.7	N	10/4/2017 16:30	7	1.6	N	10/5/2017 6:00	5.6	4.8	N
10/4/2017 3:15	6.2	5.1	N	10/4/2017 16:45	7.5	2.6	N	10/5/2017 6:15	5.4	4.9	N
10/4/2017 3:30	5.9	4.7	N	10/4/2017 17:00	6.4	2.7	N	10/5/2017 6:30	6.1	5.7	N
10/4/2017 3:45	5.5	5.9	N	10/4/2017 17:15	6.5	2	N	10/5/2017 6:45	5.9	6.4	Y
10/4/2017 4:00	4.9	6.4	Y	10/4/2017 17:30	6.7	2.3	N	10/5/2017 7:00	6.1	7.8	Y
10/4/2017 4:15	5.1	7	Y	10/4/2017 17:45	6.6	2.1	N				
Average	7.5	6.0	N								
Maximum	11.1	16.7	Y								

TRC WEEKLY COMMUNITY AIR MONITORING PROJECT REPORT





**Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Weekly Report
(TRC Project No.274286-0000-00000)**

**Community Air Monitoring Project
27th Weekly Monitoring Period
Summary Report:**

April 9th through April 13th, 2018

Report Contents

- Executive Summary
- Daily Data Summary Report – PM₁₀/TVOC
 - Daily Meteorological Summary Report
 - Periodic Monitoring Results

Gowanus Canal Superfund Site TB-4 Dredging and Capping Pilot Study Brooklyn, New York

Executive Summary – Week 27 Monitoring Period April 9th through April 13th, 2018

The following report summarizes site air monitoring activities for the Week 27 monitoring period from April 9th through April 13th, 2018. The start and stop times associated with each daily monitoring period are listed on the respective daily reports.

TRC continued to operate two (2) air monitoring stations on the Citizen Property or Staging Area, and five (5) air monitoring stations in the 4th St Turning Basin Area using the equipment specified previously in the *Gowanus Canal TB-4 Dredging and Pilot Study Executive Summary – Background Monitoring Period Report*. During the Week 27 monitoring period there were no PM₁₀ or TVOC exceedances of the action level of 150 ug/m³ or 1,000 ppb respectively as defined in the *Community Air Monitoring Plan for the Gowanus Canal TB-4 Dredging and Pilot Study Project Brooklyn, NY, August 2017*.

Figure 1 depicts Total Volatile Organics (TVOC) daily averages and maximums. Figure 2 depicts particulate monitoring (PM₁₀) daily averages and maximums. Figure 3 depicts the station locations along the Gowanus Canal.

Additional monitoring for hydrogen sulfide, ammonia, and formaldehyde took place at all stations throughout the Week 27 monitoring period twice daily. The results of these measurements are shown in Table 1.

During the Week 27 monitoring period of April 9th through April 13th, 2018 TRC conducted Volatile Organic Compounds (USEPA Method TO-15) sampling at Stations 2 and 7. The ST-2 sample was collected on April 10th, through April 11th, 2018. The ST-7 sample was collected on April 12th, through April 13th, 2018. The samples were collected over a 23-hour period. The samples were shipped to Con-Test Analytical Laboratory for analyses. The results of the summa canister sampling are pending lab analyses.

Site activities which were conducted at the Citizen Property on April 9th through April 13th, 2018 included the following:

- Material and equipment deliveries on Citizen Property
- General vehicular traffic site-wide throughout the monitoring period
- Maintenance of the barges and equipment
- Non-hazardous Stockpile #1 transported for off-site disposal at Waste Management Fairless Hills

Site activities which were conducted at the 4th St Turning Basin Area of the Canal on April 9th through April 13th, 2018 included the following:

- Remove and replace four (4) pairs of previously installed sheet piling with new sheet piling to Station 5+25 (approximate), completing first section with Giken Silent Press
- Install six (6) pairs of sheet piling to complete transect, second section finished with Giken Silent Press
- Relocate crane and material barges to commence removal and replacement of sheet piling at Dykes Lumber
- Installation of waler at Station 0+70 (approximate) to provide additional reaction force for Giken Silent Press
- Remove and replace two (2) pairs of previously installed sheet piling with new sheet piling west of Station 0+60 (approximate)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
04/09/2018 06:30 AM - 04/09/2018 23:45 PM

Station 1 (Citizen Property near Construction Trailers)

TVOC			PM ₁₀		
Max.	4	ppb	Max.	18	ug/m ³
Avg.	1	ppb	Avg.	4	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2 (Citizen Property near Pad Area)

TVOC			PM ₁₀		
Max.	10	ppb	Max.	15	ug/m ³
Avg.	<1	ppb	Avg.	6	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3 (Whole Foods Property NW Riverwalk Location)

TVOC			PM ₁₀		
Max.	27	ppb	Max.	22	ug/m ³
Avg.	7	ppb	Avg.	4	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4 (Whole Foods Property Central Riverwalk Location)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	14	ug/m ³
Avg.	<1	ppb	Avg.	4	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5 (Whole Foods Property near 3rd Avenue Bridge)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6 (Maritime Estates Property along Canal Fencing)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	18	ug/m ³
Avg.	<1	ppb	Avg.	3	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7 (386 3rd Avenue along Canal Fencing)

TVOC			PM ₁₀		
Max.	1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

**Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
04/10/2018 00:00 AM - 04/10/2018 23:45 PM**

Station 1 (Citizen Property near Construction Trailers)

TVOC			PM ₁₀		
Max.	4	ppb	Max.	74	ug/m ³
Avg.	<1	ppb	Avg.	24	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2 (Citizen Property near Pad Area)

TVOC			PM ₁₀		
Max.	25	ppb	Max.	47	ug/m ³
Avg.	3	ppb	Avg.	16	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3 (Whole Foods Property NW Riverwalk Location)

TVOC			PM ₁₀		
Max.	81	ppb	Max.	46	ug/m ³
Avg.	24	ppb	Avg.	16	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4 (Whole Foods Property Central Riverwalk Location)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	43	ug/m ³
Avg.	<1	ppb	Avg.	15	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5 (Whole Foods Property near 3rd Avenue Bridge)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6 (Maritime Estates Property along Canal Fencing)

TVOC			PM ₁₀		
Max.	8	ppb	Max.	26	ug/m ³
Avg.	1	ppb	Avg.	9	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7 (386 3rd Avenue along Canal Fencing)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
04/11/18/2018 00:00 AM - 04/11/2018 23:45 PM

Station 1 (Citizen Property near Construction Trailers)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2 (Citizen Property near Pad Area)

TVOC			PM ₁₀		
Max.	6	ppb	Max.	32	ug/m ³
Avg.	<1	ppb	Avg.	9	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3 (Whole Foods Property NW Riverwalk Location)

TVOC			PM ₁₀		
Max.	27	ppb	Max.	24	ug/m ³
Avg.	4	ppb	Avg.	7	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4 (Whole Foods Property Central Riverwalk Location)

TVOC			PM ₁₀		
Max.	15	ppb	Max.	11	ug/m ³
Avg.	2	ppb	Avg.	2	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5 (Whole Foods Property near 3rd Avenue Bridge)

TVOC			PM ₁₀		
Max.	19	ppb	Max.	18	ug/m ³
Avg.	6	ppb	Avg.	10	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6 (Maritime Estates Property along Canal Fencing)

TVOC			PM ₁₀		
Max.	47	ppb	Max.	8	ug/m ³
Avg.	7	ppb	Avg.	1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7 (386 3rd Avenue along Canal Fencing)

TVOC			PM ₁₀		
Max.	72	ppb	Max.	<1	ug/m ³
Avg.	13	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
04/12/2018 00:00 AM - 04/12/2018 23:45 PM

Station 1 (Citizen Property near Construction Trailers)

TVOC			PM ₁₀		
Max.	24	ppb	Max.	22	ug/m ³
Avg.	2	ppb	Avg.	11	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2 (Citizen Property near Pad Area)

TVOC			PM ₁₀		
Max.	6	ppb	Max.	51	ug/m ³
Avg.	<1	ppb	Avg.	18	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3 (Whole Foods Property NW Riverwalk Location)

TVOC			PM ₁₀		
Max.	2	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4 (Whole Foods Property Central Riverwalk Location)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	24	ug/m ³
Avg.	<1	ppb	Avg.	17	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5 (Whole Foods Property near 3rd Avenue Bridge)

TVOC			PM ₁₀		
Max.	7	ppb	Max.	26	ug/m ³
Avg.	1	ppb	Avg.	17	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6 (Maritime Estates Property along Canal Fencing)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	24	ug/m ³
Avg.	<1	ppb	Avg.	9	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7 (386 3rd Avenue along Canal Fencing)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Daily Station Report – TVOC/PM₁₀
(TRC Project No.274286-0000-00000)
04/13/2018 00:00 AM - 04/13/2018 16:00 PM

Station 1 (Citizen Property near Construction Trailers)

TVOC			PM ₁₀		
Max.	43	ppb	Max.	32	ug/m ³
Avg.	18	ppb	Avg.	12	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 2 (Citizen Property near Pad Area)

TVOC			PM ₁₀		
Max.	25	ppb	Max.	24	ug/m ³
Avg.	10	ppb	Avg.	12	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 3 (Whole Foods Property NW Riverwalk Location)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	<1	ug/m ³
Avg.	<1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 4 (Whole Foods Property Central Riverwalk Location)

TVOC			PM ₁₀		
Max.	<1	ppb	Max.	17	ug/m ³
Avg.	<1	ppb	Avg.	10	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 5 (Whole Foods Property near 3rd Avenue Bridge)

TVOC			PM ₁₀		
Max.	33	ppb	Max.	12	ug/m ³
Avg.	1	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 6 (Maritime Estates Property along Canal Fencing)

TVOC			PM ₁₀		
Max.	1	ppb	Max.	78	ug/m ³
Avg.	<1	ppb	Avg.	3	ug/m ³
Exc.	0	total	Exc.	0	Total

Station 7 (386 3rd Avenue along Canal Fencing)

TVOC			PM ₁₀		
Max.	72	ppb	Max.	<1	ug/m ³
Avg.	15	ppb	Avg.	<1	ug/m ³
Exc.	0	total	Exc.	0	Total

TVOC – Total Volatile Organic Compounds

PM₁₀ – Particulates as PM₁₀

Max. – Maximum daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Avg. – Daily average (15 min. avg. – TVOC / 15 min. avg. – PM₁₀)

Exc. – Total # of averages which exceed the action level (≥1 ppm - TVOC / ≥150 ug/m³ - PM₁₀)

Figure 1
Gowanus Canal Superfund Site -TB4 Dredging and Capping Pilot Program
TVOC Monitoring Data - Week 27







Figure 2
Gowanus Canal Superfund Site - TB4 Dredging and Capping Pilot Program
TRC CAMP PM₁₀ Monitoring Data - Week 27






FIGURE 3
Gowanus Canal Superfund Site-TB4
Dredging and Capping Pilot Program

Table 1

Week 27

Summary of Additional Periodic (Daily) Monitoring Data

April 9 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)*	Hydrogen Sulfide (H ₂ S) (ppb)*	Ammonia (NH ₃) (ppm)**
ST-1	7:30	<50	<3	<1.0
	13:00	<50	<3	<1.0
ST-2	7:35	<50	<3	<1.0
	13:05	<50	<3	<1.0
ST-3	7:55	<50	<3	<1.0
	13:30	<50	<3	<1.0
ST-4	8:00	<50	<3	<1.0
	13:35	<50	<3	<1.0
ST-5	8:10	<50	<3	<1.0
	13:40	<50	<3	<1.0
ST-6	8:40	<50	<3	<1.0
	13:55	<50	<3	<1.0
ST-7	9:30	<50	<3	<1.0
	14:15	<50	<3	<1.0
April 10 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)*	Hydrogen Sulfide (H ₂ S) (ppb)*	Ammonia (NH ₃) (ppm)**
ST-1	8:00	<50	<3	<1.0
	14:00	<50	<3	<1.0
ST-2	8:05	<50	<3	<1.0
	14:10	<50	<3	<1.0
ST-3	8:40	<50	<3	<1.0
	14:25	<50	<3	<1.0
ST-4	8:45	<50	<3	<1.0
	14:30	<50	<3	<1.0
ST-5	8:50	<50	<3	<1.0
	14:40	<50	<3	<1.0
ST-6	9:00	<50	<3	<1.0
	15:30	<50	<3	<1.0
ST-7	9:30	<50	<3	<1.0
	15:45	<50	<3	<1.0

Table 1

Week 27

Summary of Additional Periodic (Daily) Monitoring Data

April 11 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)*	Hydrogen Sulfide (H ₂ S) (ppb)*	Ammonia (NH ₃) (ppm)**
ST-1	8:00	<50	<3	<1.0
	15:00	<50	<3	<1.0
ST-2	8:10	<50	<3	<1.0
	15:05	<50	<3	<1.0
ST-3	8:50	<50	<3	<1.0
	15:20	<50	<3	<1.0
ST-4	9:00	<50	<3	<1.0
	15:25	<50	<3	<1.0
ST-5	9:15	<50	<3	<1.0
	15:30	<50	<3	<1.0
ST-6	9:30	<50	<3	<1.0
	15:45	<50	<3	<1.0
ST-7	10:00	<50	<3	<1.0
	16:00	<50	<3	<1.0

April 12 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)*	Hydrogen Sulfide (H ₂ S) (ppb)*	Ammonia (NH ₃) (ppm)**
ST-1	8:00	<50	<3	<1.0
	14:00	<50	<3	<1.0
ST-2	8:05	<50	<3	<1.0
	14:05	<50	<3	<1.0
ST-3	8:15	<50	<3	<1.0
	14:25	<50	<3	<1.0
ST-4	8:20	<50	<3	<1.0
	14:30	<50	<3	<1.0
ST-5	8:30	<50	<3	<1.0
	14:35	<50	<3	<1.0
ST-6	8:50	<50	<3	<1.0
	14:50	<50	<3	<1.0
ST-7	9:30	<50	<3	<1.0
	15:10	<50	<3	<1.0

Table 1

Week 27

Summary of Additional Periodic (Daily) Monitoring Data

April 13 th , 2018				
Station Id	Time	Formaldehyde (CHO) (ppb)*	Hydrogen Sulfide (H ₂ S) (ppb)*	Ammonia (NH ₃) (ppm)**
ST-1	9:00	<50	<3	<1.0
	14:00	<50	<3	<1.0
ST-2	9:05	<50	<3	<1.0
	14:05	<50	<3	<1.0
ST-3	9:15	<50	<3	<1.0
	14:15	<50	<3	<1.0
ST-4	9:20	<50	<3	<1.0
	14:30	<50	<3	<1.0
ST-5	9:25	<50	<3	<1.0
	14:35	<50	<3	<1.0
ST-6	9:45	<50	<3	<1.0
	14:50	<50	<3	<1.0
ST-7	10:05	<50	<3	<1.0
	15:10	<50	<3	<1.0

***(ppb) Indicates results reported in parts per billion**

**** (ppm) Indicates results reported in parts per million**



**Gowanus Canal Superfund Site
TB-4 Dredging and Capping Pilot Study
Brooklyn, New York
Meteorological Summary
April 9th through April 13th, 2018**

April 9 th , 2018 *		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSW	2.98	41.0

April 10 th , 2018 **		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
W	2.26	42.9

April 11 th , 2018 **		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
SSE	2.62	44.2

April 12 th , 2018 **		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
ESE	2.90	50.6

April 13 th , 2018 ***		
Wind Direction (°)	Wind Speed (mph)	Temperature (°F)
S	1.46	64.9

* Monday's meteorological data represents an average for the time period of 06:30 to 23:45.

** Tuesday's Wednesday and Thursday's meteorological data represents averages for the time period of 00:00 to 23:45.

*** Friday's meteorological data represents an average for the time period of 00:00 to 16:00.

WILSON IHRIG WEEKLY NOISE AND VIBRATION MONITORING REPORT





WI #15-081

MEMORANDUM

April 16, 2018

To: William Lee/ de maximis, inc.
Kirsten Meyers / TRC

From: Silas Bensing, Ani Toncheva / Wilson Ihrig

Subject: Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study, Weekly Noise and Vibration Monitoring Report, 9 April – 13 April, 2018

Noise Monitoring Locations

Figure 1 shows the noise monitoring locations. NM-1 is installed at a light pole on the north side of TB4 and is approximately 25 feet from the north edge of the canal. NM-2 is installed at the existing guard rail on the south side of TB4, approximately 4 feet from the south edge of the canal. NM-3 is installed at a light pole on the north side of TB4 near 3rd Avenue, approximately 50 feet from the north edge of the canal. Photos 1, 2, and 3 show the recent field conditions at the monitors.

Vibration Monitoring Locations

Figure 1 shows the vibration monitoring locations. Vibration monitor VM-1 is installed at the parking lot curb on the north side of TB4, approximately 45 feet from the north edge of the canal. Vibration monitor VM-2 is installed near the corner of an existing building on the south side of TB4, approximately 24 feet from the south edge of the canal. Photos 4 and 5 show the recent field conditions at the monitors.

Noise Monitoring Results

Figures 2 through 16 present the hourly Leq noise levels compared with the noise thresholds discussed in the noise monitoring plan¹. Commercial and Industrial land uses are assigned an hourly Leq noise limit of 80 dBA for Daytime and Evening time periods. The average baseline noise measured in the project area in 2015 are also shown for reference².

¹ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017

² Wilson Ihrig. *Gowanus Canal Remedial Design Project RTA-1 Noise and Vibration Baseline Report*. California: prepared for Geosyntec Consultants Inc., October 2015.

Vibration Monitoring Results

Figures 17 through 26 present the maximum peak particle velocity (PPV) vibration events compared with the thresholds discussed in the vibration monitoring plan³. Commercial and Industrial structures are assigned a PPV vibration criterion of 2.0 inches/second.




Figure 1: Long-term Noise and Vibration Monitoring Locations for Gowanus TB4 Dredging and Capping Pilot Study

³ Wilson Ihrig. *Gowanus Canal 4th Street Turning Basin Dredging and Capping Pilot Study Noise and Vibration Monitoring Plan*. California: prepared for Gowanus Canal Remedial Design Group, DRAFT May 2017



Photo 1: Noise Monitoring Location NM-1
(26 September 2017)



Photo 2: Noise Monitoring Location NM-2
(25 September 2017)



Photo 3: Noise Monitoring Location NM-3
(29 October 2017)




Photo 4: Vibration Monitoring Location VM-1
(12 October 2017)



Photo 5: Vibration Monitoring Location VM-2
(12 October 2017)




Figure 2: North Monitor NM-1 on Monday




Figure 3: North Monitor NM-1 on Tuesday




Figure 4: North Monitor NM-1 on Wednesday




Figure 5: North Monitor NM-1 on Thursday




Figure 6: North Monitor NM-1 on Friday




Figure 7: South Monitor NM-2 on Monday




Figure 8: South Monitor NM-2 on Tuesday




Figure 9: South Monitor NM-2 on Wednesday




Figure 10: South Monitor NM-2 on Thursday




Figure 11: South Monitor NM-2 on Friday




Figure 12: Northeast Monitor NM-3 on Monday




Figure 13: Northeast Monitor NM-3 on Tuesday




Figure 14: Northeast Monitor NM-3 on Wednesday




Figure 15: Northeast Monitor NM-3 on Thursday

Figure




Figure 16: Northeast Monitor NM-3 on Friday




Figure 17: North Vibration Monitor VM-1 on Monday




Figure 18: North Vibration Monitor VM-1 on Tuesday




Figure 19: North Vibration Monitor VM-1 on Wednesday




Figure 20: North Vibration Monitor VM-1 on Thursday




Figure 21: North Vibration Monitor VM-1 on Friday




Figure 22: South Vibration Monitor VM-2 on Monday




Figure 23: South Vibration Monitor VM-2 on Tuesday




Figure 24: South Vibration Monitor VM-2 on Wednesday




Figure 25: South Vibration Monitor VM-2 on Thursday




Figure 26: South Vibration Monitor VM-2 on Friday

20180416 Wilson Ihrig Weekly Noise and Vibration Report 9 Apr - 13 Apr 2018

AHRS WEEKLY REPORT
(NO ACTIVITIES DURING CURENT WEEK)



**WATER TREATMENT SYSTEM MONITORING LABORATORY ANALYTICAL DATA
(NO ACTIVITIES DURING CURRENT WEEK)**



**CUMULATIVE DREDGED MATERIAL CHART
(NO ACTIVITIES THIS WEEK)**

