

**GOWANUS CANAL SUPERFUND SITE
RTA1 REMEDIAL CONSTRUCTION
Water Quality Monitoring Weekly Data Summary**

PERIOD: August 22 – August 26, 2022

Date of Report: August 30, 2022

Report Contents

- Scope of Monitoring
- Report of Exceedances
- Turbidity Buoy Data
- Summary of Visual Observations

Prepared by


B&B Engineers & Geologists 
of new york, p.c.

an affiliate of Geosyntec Consultants

1255 Roberts Blvd, Suite 200
Kennesaw, GA 30144
Project Number JR0289A


1. SCOPE OF MONITORING

The following report summarizes water quality monitoring data collected during the week of August 22, 2022. In accordance with the Water Quality Monitoring Plan for In-waterway Construction Activities (WQMP) three turbidity buoys were deployed to monitor turbidity at the start of dredging between Union Street Bridge and the head of the canal. One turbidity buoy was deployed just south of the 3rd Street Bridge outside of the air curtain and traditional turbidity curtain. This buoy is referred to as the 3rd Street Sentinel Buoy. A second turbidity buoy was deployed just south of the Union Street Bridge and is referred to as the Union Street Sentinel Buoy. The third turbidity buoy was deployed in the Fourth Street Turning Basin in order to monitor background turbidity unaffected by in-water construction activities. This turbidity buoy is referred to as the Ambient Buoy. On July 14, 2022, the Union Street Buoy was removed from the canal for servicing before being re-deployed on July 21, 2022. On January 22, 2021, prior to dredging north of the Union Street Bridge, a fourth turbidity buoy was deployed just south of the Union Street Bridge and was referred to as the Union Street Sentinel Buoy. This fourth turbidity buoy was removed prior to the start of pipe pile installation. On Wednesday, September 22, 2021, the Carroll Street Sentinel Buoy was relocated to the west side of the canal where Degraw Street intersects the canal to monitor cofferdam removal activities conducted in the vicinity of the Flushing Tunnel. This buoy was renamed the Degraw Street Sentinel Buoy during cofferdam removal activities. On October 14, 2021, the Degraw Street Sentinel Buoy was removed from the canal for servicing. On October 20, 2021, the Degraw Street Sentinel Buoy was redeployed to its position south of the Carroll Street Bridge and was renamed to the Carroll Street Sentinel Buoy. On November 15, 2021, the Carroll Street Sentinel Buoy was moved to the Union Street Bridge and renamed the Union Street Sentinel Buoy. On December 3, 2021, the Union Street Buoy was removed from the canal for servicing and re-deployed at 3rd Street Bridge in preparation for the resumption of ISS operations. On December 8, 2021, a third sentinel buoy was deployed just south of the Carroll Street Bridge. On April 21, 2022, the buoy deployed at the Carroll Street Bridge was relocated to the Union Street Bridge. Each turbidity buoy was equipped with a YSI EXO3 water quality meter with optical turbidity sensor. The buoys were field calibrated and programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a File Transfer Portal (FTP) site via telemetry. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4.



Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

B&B Engineers & Geologists
of new york, p.c.

an affiliate of Geosyntec Consultants

Kennesaw, GA

February 2021

Figure

1

2. REPORT OF EXCEEDANCES

No exceedances to trigger or action criteria were observed during the reporting period.

- **Trigger criterion** – Any of the following:
 - The rolling average of the relevant sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
 - Either an oil sheen or a turbidity plume is visually observed at the relevant sentinel buoy and in-waterway construction activities are readily identified as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the turbidity measurements of the sentinel buoy outside of RTA1 over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
 - Either an oil sheen or a turbidity plume is visually observed outside of RTA1 and any deployed engineering controls and in-waterway construction activities are readily identified as the source.

An outlier is defined as a reading that is outside the range of 50 to 200 percent of the average of the three previous readings. In addition, to be considered an outlier, the subsequent reading must return to a range of 75 to 133 percent of the average of the three readings preceding the outlier.

2.1 Response to Criteria Exceedances

The trigger level criterion serves to provide early notification to the contractor of construction activities that may lead to an exceedance of the action level criterion. In the event of an exceedance to the trigger criterion, the contractor will not be stopped, and the contractor will be directed to investigate the source of the exceedance and evaluate Best Management Practices (BMPs). In the event of an exceedance to the action level criterion, in-waterway construction activities may be slowed or temporarily suspended as necessary while the contractor investigates the source of the exceedance and appropriate mitigation and corrective measures are determined. A more detailed description of responses to exceedances of the trigger and action level criteria is provided in Section 4.2 of the WQMP.

No exceedances to trigger or action criteria were observed during the reporting period.

3. TURBIDITY BUOY DATA

The following section provides turbidity data for the sentinel and ambient turbidity buoys from 7 AM to 6 PM from August 22 – August 26, 2022. No exceedances to the numerical rolling average trigger or action criteria were observed during the reporting period.


Table 1 below provides a summary of the turbidity data for the reporting period.

Date	Average Rolling Average Difference (NTU)		Maximum Rolling Average Difference (NTU)	
	3rd St - Ambient	Union St - Ambient	3rd St - Ambient	Union St - Ambient
Monday, August 22, 2022	3.93	-0.62	10.04	1.08
Tuesday, August 23, 2022	5.76	-2.84	15.84	1.10
Wednesday, August 24, 2022	3.51	-0.74	14.21	3.73
Thursday, August 25, 2022	2.58	-2.18	13.51	1.28
Friday, August 26, 2022	3.78	0.02	10.58	7.13

Table 1. Daily average and maximum differences between the rolling average turbidity readings from RTA1 sentinel buoys and the ambient buoy between 7 AM and 6 PM.

3.1 Monday, August 22, 2022


Figure 2. Hourly rolling average turbidity readings on Monday, August 22, 2022, from 7 AM to 6 PM.



Note: A turbidity reading from the 3rd Street Sentinel Buoy of 24.66 NTU at 12:30 PM was removed as an outlier in accordance with the water quality monitoring plan.

3.2 Tuesday, August 23, 2022


Figure 3. Hourly rolling average turbidity readings on Tuesday, August 23, 2022, from 7 AM to 6 PM.



Note: A turbidity reading from the 3rd Street Sentinel Buoy of 39.27 NTU at 11:45 AM was removed as an outlier in accordance with the water quality monitoring plan.

3.3 Wednesday, August 24, 2022


Figure 4. Hourly rolling average turbidity readings on Wednesday, August 24, 2022, from 7 AM to 6 PM.



Note: A turbidity reading from the 3rd Street Sentinel Buoy of 23.75 NTU at 12:45 PM was removed as an outlier in accordance with the water quality monitoring plan.

3.4 Thursday, August 25, 2022


Figure 5. Hourly rolling average turbidity readings on Thursday, August 25, 2022, from 7 AM to 6 PM.



Note: No outlier turbidity readings above 20 NTU were detected.

3.5 Friday, August 26, 2022

Figure 6. Hourly rolling average turbidity readings on Friday, August 26, 2022, from 7 AM to 6 PM.



Note: A turbidity reading from the 3rd Street Sentinel Buoy of 20.4 NTU at 12:00 PM was removed as an outlier in accordance with the water quality monitoring plan.

SUMMARY OF VISUAL OBSERVATIONS

Sheen was observed above background conditions during work operations. These sheens were contained within RTA1 by the air curtain deployed south of the 3rd Street Bridge. Absorbent booms were also deployed south of dredging activities (on the northeast and northwest sides of 3rd Street Bridge) to contain sheens north of dredging activities to the extent practicable.

At 10:00 AM on Friday, August 26, 2022, a leak of approximately 3 to 4 gallons of hydraulic oil occurred during in-waterway dredging work between 3rd Street Bridge and Carroll Street Bridge. A hose fitting failed on the bucket of the excavator causing a release of hydraulic oil into the Canal. The bucket was immediately placed in the adjacent mini-hopper and the release was contained with absorbent booms and turbidity curtains. Absorbent pads and skimming booms were used to sweep the contained area where the release occurred. NYSDEC and EPA were immediately notified of the spill.

APPENDIX A
Turbidity Data Tables

Monday, August 22, 2022

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Union Street	Ambient	3rd Street	Union Street	3rd St - Ambient	Union St - Ambient
7:00:00	3.11	1.05	1.22	3.40	10.36	1.31	6.96	-2.09
7:15:00	2.93	1.88	1.06	3.27	10.56	1.20	7.29	-2.07
7:30:00	2.88	0.8	1.67	3.01	1.83	1.40	-1.17	-1.60
7:45:00	2.8	0.64	1.15	2.87	1.78	1.19	-1.09	-1.68
8:00:00	2.78	--	1.89	2.90	1.09	1.40	-1.81	-1.50
8:15:00	3.05	1.02	2.7	2.89	1.09	1.69	-1.80	-1.19
8:30:00	2.4	0.93	1.77	2.78	0.85	1.84	-1.93	-0.95
8:45:00	1.95	0.82	1.01	2.60	0.85	1.70	-1.74	-0.89
9:00:00	4.46	--	1.37	2.93	0.92	1.75	-2.00	-1.18
9:15:00	1.84	0.62	1.07	2.74	0.85	1.58	-1.89	-1.16
9:30:00	2.51	1.07	--	2.63	0.86	1.31	-1.77	-1.33
9:45:00	2.23	2.64	1.47	2.60	1.29	1.23	-1.31	-1.37
10:00:00	1.89	17.8	3.61	2.59	5.53	1.88	2.95	-0.71
10:15:00	2.6	10.06	2.94	2.21	6.44	2.27	4.22	0.06
10:30:00	3.38	10.09	3.34	2.52	8.33	2.84	5.81	0.32
10:45:00	2.38	6.19	3.13	2.50	9.36	2.90	6.86	0.40
11:00:00	2.19	14.31	4.84	2.49	11.69	3.57	9.20	1.08
11:15:00	3.03	15.94	2.97	2.72	11.32	3.44	8.60	0.73
11:30:00	4.7	12.35	3.05	3.14	11.78	3.47	8.64	0.33
11:45:00	3.11	12.11	3.55	3.08	12.18	3.51	9.10	0.43
12:00:00	2.53	11.03	3.25	3.11	13.15	3.53	10.04	0.42
12:15:00	2.08	7.45	3.58	3.09	11.78	3.28	8.69	0.19
12:30:00	7.04	--	3.05	3.89	10.74	3.30	6.84	-0.60
12:45:00	4.33	11.36	3.67	3.82	10.49	3.42	6.67	-0.40
13:00:00	2.29	12.2	3.42	3.65	10.51	3.39	6.86	-0.26
13:15:00	1.91	7.46	3.53	3.53	9.62	3.45	6.09	-0.08
13:30:00	1.81	7.65	3.3	3.48	9.67	3.39	6.19	-0.08
13:45:00	4.15	10.64	5.91	2.90	9.86	3.97	6.96	1.07
14:00:00	4.81	13.77	3.47	2.99	10.34	3.93	7.35	0.93
14:15:00	4.24	14.18	5.09	3.38	10.74	4.26	7.36	0.88
14:30:00	3.54	7.3	2.93	3.71	10.71	4.14	7.00	0.43
14:45:00	4.15	11.42	2.46	4.18	11.46	3.97	7.28	-0.21
15:00:00	3.66	13.09	2.97	4.08	11.95	3.38	7.87	-0.70
15:15:00	5.46	7.05	2.9	4.21	10.61	3.27	6.40	-0.94
15:30:00	4.14	6.56	2.42	4.19	9.08	2.74	4.89	-1.45
15:45:00	3.33	5.46	2.87	4.15	8.72	2.72	4.57	-1.42
16:00:00	6.33	10.19	3.38	4.58	8.47	2.91	3.89	-1.68
16:15:00	4.09	6.36	3.09	4.67	7.12	2.93	2.45	-1.74
16:30:00	5.99	4.98	3.34	4.78	6.71	3.02	1.93	-1.76
16:45:00	3.63	3.88	3.42	4.67	6.17	3.22	1.50	-1.45
17:00:00	4.11	4.48	3.22	4.83	5.98	3.29	1.15	-1.54
17:15:00	4.32	5.29	3.32	4.43	5.00	3.28	0.57	-1.15
17:30:00	3.14	3.42	3.37	4.24	4.41	3.33	0.17	-0.90
17:45:00	3.63	3.77	3.02	3.77	4.17	3.27	0.40	-0.50
18:00:00	3.24	4.92	3	3.69	4.38	3.19	0.69	-0.50

Tuesday, August 23, 2022

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Union Street	Ambient	3rd Street	Union Street	3rd St - Ambient	Union St - Ambient
7:00:00	2.16	7.55	1.34	2.45	7.52	1.70	5.07	-0.75
7:15:00	2.52	3.24	1.34	2.41	5.33	1.53	2.92	-0.88
7:30:00	4.89	4.47	0.99	2.94	4.96	1.43	2.02	-1.51
7:45:00	4.37	2.55	1.88	3.28	4.48	1.46	1.20	-1.82
8:00:00	4.6	2.85	1.4	3.71	4.13	1.39	0.42	-2.32
8:15:00	4.27	8.52	13.15	4.13	4.33	3.75	0.20	-0.38
8:30:00	4.11	5.28	1.93	4.45	4.73	3.87	0.29	-0.58
8:45:00	3.97	26.67	1.44	4.26	9.17	3.96	4.91	-0.30
9:00:00	4.38	13.44	2.03	4.27	11.35	3.99	7.09	-0.28
9:15:00	3.98	8.37	1.93	4.14	12.46	4.10	8.31	-0.05
9:30:00	5.06	8.82	1.42	4.30	12.52	1.75	8.22	-2.55
9:45:00	5.89	6.07	1.64	4.66	12.67	1.69	8.02	-2.96
10:00:00	5.11	7	1.39	4.88	8.74	1.68	3.86	-3.20
10:15:00	5.37	5.66	1.79	5.08	7.18	1.63	2.10	-3.45
10:30:00	5.32	6.58	1.87	5.35	6.83	1.62	1.48	-3.73
10:45:00	4.86	5.24	2.67	5.31	6.11	1.87	0.80	-3.44
11:00:00	4.54	22.04	3.2	5.04	9.30	2.18	4.26	-2.86
11:15:00	4.26	14.46	3.88	4.87	10.80	2.68	5.93	-2.19
11:30:00	3.99	13.52	4.48	4.59	12.37	3.22	7.77	-1.37
11:45:00	4.45	--	3.57	4.42	13.82	3.56	9.40	-0.86
12:00:00	2.6	21.21	4.03	3.97	17.81	3.83	13.84	-0.14
12:15:00	2.6	18.81	3.37	3.58	17.00	3.87	13.42	0.29
12:30:00	2.6	15.04	3.85	3.25	17.15	3.86	13.90	0.61
12:45:00	2.6	16.91	3.32	2.97	17.99	3.63	15.02	0.66
13:00:00	2.6	20.24	3.55	2.60	18.44	3.62	15.84	1.02
13:15:00	2.6	19.18	4.43	2.60	18.04	3.70	15.44	1.10
13:30:00	10.94	15.52	3.42	4.27	17.38	3.71	13.11	-0.55
13:45:00	12.72	13.34	3.23	6.29	17.04	3.59	10.75	-2.70
14:00:00	11.09	14.21	3.39	7.99	16.50	3.60	8.51	-4.39
14:15:00	7.39	13.41	2.57	8.95	15.13	3.41	6.18	-5.54
14:30:00	6.16	38.32	3	9.66	18.96	3.12	9.30	-6.54
14:45:00	10.59	20.51	2.92	9.59	19.96	3.02	10.37	-6.57
15:00:00	12.34	11.77	2.28	9.51	19.64	2.83	10.13	-6.68
15:15:00	9.21	7.52	2.37	9.14	18.31	2.63	9.17	-6.51
15:30:00	8.5	9.74	2.3	9.36	17.57	2.57	8.21	-6.79
15:45:00	7.96	9.07	3.95	9.72	11.72	2.76	2.00	-6.96
16:00:00	12.4	8.47	4.14	10.08	9.31	3.01	-0.77	-7.07
16:15:00	8.81	8.43	3.69	9.38	8.65	3.29	-0.73	-6.09
16:30:00	8.58	16.21	4.07	9.25	10.38	3.63	1.13	-5.62
16:45:00	9.08	8.71	5.42	9.37	10.18	4.25	0.81	-5.11
17:00:00	8.77	7.43	5.54	9.53	9.85	4.57	0.32	-4.96
17:15:00	9.68	7.39	5.54	8.98	9.63	4.85	0.65	-4.13
17:30:00	8.35	7.37	5.71	8.89	9.42	5.26	0.53	-3.64
17:45:00	7.5	7.36	5.24	8.68	7.65	5.49	-1.02	-3.19
18:00:00	7.56	6.18	5.35	8.37	7.15	5.48	-1.23	-2.90

Wednesday, August 24, 2022

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Union Street	Ambient	3rd Street	Union Street	3rd St - Ambient	Union St - Ambient
7:00:00	6.21	4.53	3.73	5.90	20.11	4.83	14.21	-1.07
7:15:00	6.02	4.59	4.24	5.90	19.02	4.98	13.12	-0.91
7:30:00	11.22	6.13	3.69	7.02	4.76	5.04	-2.26	-1.98
7:45:00	7.54	7.46	4.16	7.34	5.41	4.20	-1.93	-3.14
8:00:00	6.74	7.1	4.17	7.55	5.96	4.00	-1.58	-3.55
8:15:00	6.08	5.43	3.84	7.52	6.14	4.02	-1.38	-3.50
8:30:00	6.09	8.21	4.09	7.53	6.87	3.99	-0.67	-3.54
8:45:00	6.26	6.99	4.22	6.54	7.04	4.10	0.50	-2.45
9:00:00	7.09	10.62	6.13	6.45	7.67	4.49	1.22	-1.96
9:15:00	6.09	6.27	7.51	6.32	7.50	5.16	1.18	-1.16
9:30:00	8	6.71	6.22	6.71	7.76	5.63	1.05	-1.07
9:45:00	6.84	5.59	5.58	6.86	7.24	5.93	0.38	-0.92
10:00:00	6.34	7.14	4.92	6.87	7.27	6.07	0.39	-0.80
10:15:00	6.59	8.02	4.79	6.77	6.75	5.80	-0.03	-0.97
10:30:00	5.47	9.74	4.65	6.65	7.44	5.23	0.79	-1.42
10:45:00	5.24	9.76	4.93	6.10	8.05	4.97	1.95	-1.12
11:00:00	4.89	8.75	5.34	5.71	8.68	4.93	2.98	-0.78
11:15:00	4.42	9.77	6.17	5.32	9.21	5.18	3.89	-0.15
11:30:00	5.84	8.74	5.34	5.17	9.35	5.29	4.18	0.11
11:45:00	6.06	15.45	5.5	5.29	10.49	5.46	5.20	0.17
12:00:00	6.39	10.04	5.38	5.52	10.55	5.55	5.03	0.03
12:15:00	6	8.89	7.46	5.74	10.58	5.97	4.84	0.23
12:30:00	7.42	16.3	6.06	6.34	11.88	5.95	5.54	-0.39
12:45:00	6.85	--	5.66	6.54	12.67	6.01	6.13	-0.53
13:00:00	6.73	15.44	6.23	6.68	12.67	6.16	5.99	-0.52
13:15:00	7.9	14.33	7.1	6.98	13.74	6.50	6.76	-0.48
13:30:00	7.42	21.18	6.16	7.26	16.81	6.24	9.55	-1.02
13:45:00	5.72	14.06	7.81	6.92	16.25	6.59	9.33	-0.33
14:00:00	5.01	18.69	7.23	6.56	16.74	6.91	10.18	0.35
14:15:00	6.05	14.62	5.03	6.42	16.58	6.67	10.16	0.25
14:30:00	6.16	17.49	6.11	6.07	17.21	6.47	11.14	0.40
14:45:00	8.11	16.91	7	6.21	16.35	6.64	10.14	0.43
15:00:00	8.57	13.66	10.24	6.78	16.27	7.12	9.49	0.34
15:15:00	7.44	9.66	7.09	7.27	14.47	7.09	7.20	-0.17
15:30:00	9.43	11.24	7.51	7.94	13.79	7.59	5.85	-0.35
15:45:00	9.9	8.57	7.88	8.69	12.01	7.94	3.32	-0.75
16:00:00	9.37	9.07	8.22	8.94	10.44	8.19	1.50	-0.75
16:15:00	9.89	14.26	10.27	9.21	10.56	8.19	1.35	-1.01
16:30:00	14.79	8.53	7.59	10.68	10.33	8.29	-0.34	-2.38
16:45:00	7.99	8.22	7.85	10.39	9.73	8.36	-0.66	-2.03
17:00:00	7.89	5.35	11.28	9.99	9.09	9.04	-0.90	-0.94
17:15:00	7.77	7.32	10.21	9.67	8.74	9.44	-0.93	-0.23
17:30:00	7.85	5.03	11.81	9.26	6.89	9.75	-2.37	0.49
17:45:00	7.69	5.55	10.95	7.84	6.29	10.42	-1.54	2.58
18:00:00	8.41	7.41	14.01	7.92	6.13	11.65	-1.79	3.73

Thursday, August 25, 2022

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Union Street	Ambient	3rd Street	Union Street	3rd St - Ambient	Union St - Ambient
7:00:00	4.53	4.26	4.37	4.33	6.80	5.25	2.47	0.92
7:15:00	4.46	4.88	4.57	4.29	6.62	5.08	2.33	0.79
7:30:00	4.4	5.99	4.59	4.36	5.10	5.04	0.74	0.68
7:45:00	4.76	5.47	4.23	4.50	5.09	4.42	0.59	-0.08
8:00:00	4.67	4.58	4.84	4.56	5.04	4.52	0.47	-0.04
8:15:00	4.47	6.41	4.3	4.55	5.47	4.51	0.91	-0.05
8:30:00	4.71	9.26	4.25	4.60	6.34	4.44	1.74	-0.16
8:45:00	4.17	12.45	4.75	4.56	7.63	4.47	3.08	-0.08
9:00:00	4.04	4.35	4.62	4.41	7.41	4.55	3.00	0.14
9:15:00	4.19	4.35	4.1	4.32	7.36	4.40	3.05	0.09
9:30:00	4.16	8.4	4.32	4.25	7.76	4.41	3.51	0.15
9:45:00	71.52	7.03	4.3	17.62	7.32	4.42	-10.30	-13.20
10:00:00	5.72	7.35	8.09	17.93	6.30	5.09	-11.63	-12.84
10:15:00	5.78	8.73	4.18	18.27	7.17	5.00	-11.10	-13.28
10:30:00	5.29	9.54	4.44	18.49	8.21	5.07	-10.28	-13.43
10:45:00	5.19	10.72	4.49	18.70	8.67	5.10	-10.03	-13.60
11:00:00	5.03	11.38	4.03	5.40	9.54	5.05	4.14	-0.36
11:15:00	4.96	12.76	3.87	5.25	10.63	4.20	5.38	-1.05
11:30:00	5.93	9.65	4.46	5.28	10.81	4.26	5.53	-1.02
11:45:00	5.13	10.32	3.98	5.25	10.97	4.17	5.72	-1.08
12:00:00	5.97	9.79	4.76	5.40	10.78	4.22	5.38	-1.18
12:15:00	6.62	11.21	4.21	5.72	10.75	4.26	5.02	-1.47
12:30:00	7.89	12.52	4.17	6.31	10.70	4.32	4.39	-1.99
12:45:00	7.83	25.2	4.58	6.69	13.81	4.34	7.12	-2.35
13:00:00	8.39	18.23	4.84	7.34	15.39	4.51	8.05	-2.83
13:15:00	5.61	23.38	5.02	7.27	18.11	4.56	10.84	-2.70
13:30:00	4.88	17.36	6.47	6.92	19.34	5.02	12.42	-1.90
13:45:00	6.92	17	9.65	6.73	20.23	6.11	13.51	-0.61
14:00:00	6.31	14.89	6.94	6.42	18.17	6.58	11.75	0.16
14:15:00	6.1	16.21	6.86	5.96	17.77	6.99	11.80	1.02
14:30:00	5.93	20.5	5.63	6.03	17.19	7.11	11.16	1.08
14:45:00	5.38	16.11	6.46	6.13	16.94	7.11	10.81	0.98
15:00:00	10.68	23.61	6.03	6.88	18.26	6.38	11.38	-0.50
15:15:00	11.45	13.58	5.94	7.91	18.00	6.18	10.09	-1.72
15:30:00	7.51	10.11	6.15	8.19	16.78	6.04	8.59	-2.15
15:45:00	12.8	10.05	6.56	9.56	14.69	6.23	5.13	-3.34
16:00:00	11.84	9.63	7.64	10.86	13.40	6.46	2.54	-4.39
16:15:00	10.29	9.06	12.3	10.78	10.49	7.72	-0.29	-3.06
16:30:00	10.19	8.59	11.81	10.53	9.49	8.89	-1.04	-1.63
16:45:00	10.4	7.42	8.24	11.10	8.95	9.31	-2.15	-1.79
17:00:00	13.31	7.05	10.19	11.21	8.35	10.04	-2.86	-1.17
17:15:00	12.18	7.21	10.39	11.27	7.87	10.59	-3.41	-0.69
17:30:00	10.18	6.91	14.71	11.25	7.44	11.07	-3.82	-0.18
17:45:00	12.14	7.03	16.54	11.64	7.12	12.01	-4.52	0.37
18:00:00	12.54	6.43	14.9	12.07	6.93	13.35	-5.14	1.28

Friday, August 26, 2022

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Union Street	Ambient	3rd Street	Union Street	3rd St - Ambient	Union St - Ambient
7:00:00	6.85	5.02	5.62	7.96	6.33	5.50	-1.63	-2.46
7:15:00	6.05	4.2	5.21	7.36	5.26	5.64	-2.10	-1.72
7:30:00	5.61	3.82	5.13	6.49	4.56	5.52	-1.94	-0.97
7:45:00	5.62	3.52	4.98	6.22	4.41	5.19	-1.81	-1.03
8:00:00	6.45	3.38	4.65	6.12	3.99	5.12	-2.13	-1.00
8:15:00	5.57	7.27	5.66	5.86	4.44	5.13	-1.42	-0.73
8:30:00	6.08	5.66	5.06	5.87	4.73	5.10	-1.14	-0.77
8:45:00	5.67	5.17	4.79	5.88	5.00	5.03	-0.88	-0.85
9:00:00	6.17	7.01	4.45	5.99	5.70	4.92	-0.29	-1.07
9:15:00	5.6	8.45	4.89	5.82	6.71	4.97	0.89	-0.85
9:30:00	5.31	8.12	3.46	5.77	6.88	4.53	1.12	-1.24
9:45:00	5.72	4.99	6.77	5.69	6.75	4.87	1.05	-0.82
10:00:00	5.65	4.26	4.67	5.69	6.57	4.85	0.88	-0.84
10:15:00	5.09	9.41	4.11	5.47	7.05	4.78	1.57	-0.69
10:30:00	4.77	5.46	4.26	5.31	6.45	4.65	1.14	-0.65
10:45:00	4.86	7.65	--	5.22	6.35	4.95	1.14	-0.27
11:00:00	5.02	4.19	4.03	5.08	6.19	4.27	1.12	-0.81
11:15:00	4.49	7.14	3.95	4.85	6.77	4.09	1.92	-0.76
11:30:00	3.85	9.48	8.66	4.60	6.78	5.23	2.19	0.63
11:45:00	4.37	8.47	4.23	4.52	7.39	5.22	2.87	0.70
12:00:00	3.89	--	3.61	4.32	7.32	4.90	3.00	0.57
12:15:00	5.28	11.04	4.1	4.38	9.03	4.91	4.66	0.53
12:30:00	4.65	17.9	4.2	4.41	11.72	4.96	7.31	0.55
12:45:00	5.95	11.25	3.55	4.83	12.17	3.94	7.34	-0.89
13:00:00	5.44	12.17	4.25	5.04	13.09	3.94	8.05	-1.10
13:15:00	6.07	16.08	7.34	5.48	13.69	4.69	8.21	-0.79
13:30:00	6.15	17.22	5.56	5.65	14.92	4.98	9.27	-0.67
13:45:00	6.59	13.38	6.86	6.04	14.02	5.51	7.98	-0.53
14:00:00	5.72	17.72	3.7	5.99	15.31	5.54	9.32	-0.45
14:15:00	5.61	18.61	4.31	6.03	16.60	5.55	10.57	-0.47
14:30:00	7.15	16.45	5.01	6.24	16.68	5.09	10.43	-1.16
14:45:00	6.38	12.72	4.2	6.29	15.78	4.82	9.49	-1.47
15:00:00	7.59	19.83	4.74	6.49	17.07	4.39	10.58	-2.10
15:15:00	7.8	9.91	5.51	6.91	15.50	4.75	8.60	-2.15
15:30:00	6.88	10.6	7.9	7.16	13.90	5.47	6.74	-1.69
15:45:00	6.55	11.32	11.87	7.04	12.88	6.84	5.84	-0.20
16:00:00	6.67	11.48	13.97	7.10	12.63	8.80	5.53	1.70
16:15:00	6.69	20.64	20.3	6.92	12.79	11.91	5.87	4.99
16:30:00	6.47	17.24	14.87	6.65	14.26	13.78	7.60	7.13
16:45:00	17.73	10.23	8.47	8.82	14.18	13.90	5.36	5.07
17:00:00	9.55	15.2	9.28	9.42	14.96	13.38	5.54	3.96
17:15:00	7.47	10.29	11.54	9.58	14.72	12.89	5.14	3.31
17:30:00	7.72	10.2	8.22	9.79	12.63	10.48	2.84	0.69
17:45:00	6.98	6.8	9.83	9.89	10.54	9.47	0.65	-0.42
18:00:00	7.61	5.8	12.95	7.87	9.66	10.36	1.79	2.50