

**GOWANUS CANAL SUPERFUND SITE
RTA1 REMEDIAL CONSTRUCTION
Water Quality Monitoring Weekly Data Summary**

PERIOD: December 20 - December 24, 2021

Date of Report: December 29, 2021

Report Contents

- Scope of Monitoring
- Report of Exceedances
- Turbidity Buoy Data
- Summary of Visual Observations

Prepared by


B&B Engineers & Geologists 
of new york, p.c.

an affiliate of Geosyntec Consultants

1255 Roberts Blvd, Suite 200
Kennesaw, GA 30144
Project Number JR0289A

1. SCOPE OF MONITORING


The following report summarizes water quality monitoring data collected during the week of December 20, 2021. In accordance with the Water Quality Monitoring Plan for In-waterway Construction Activities (WQMP) three turbidity buoys were deployed to monitor turbidity at the start of dredging between Carroll Street Bridge and 3rd Street Bridge. One turbidity buoy was deployed just south of the 3rd Street Bridge outside of the air curtain and traditional turbidity curtain. This buoy is referred to as the 3rd Street Sentinel Buoy. A second turbidity buoy was deployed just south of the Carroll Street Bridge and is referred to as the Carroll Street Sentinel Buoy. The third turbidity buoy was deployed in the Fourth Street Turning Basin in order to monitor background turbidity unaffected by in-water construction activities. This turbidity buoy is referred to as the Ambient Buoy. Prior to dredging north of the Union Street Bridge, on January 22, 2021 a fourth turbidity buoy was deployed just south of the Union Street Bridge and is referred to as the Union Street Sentinel Buoy. This fourth turbidity buoy was removed prior to the start of pipe pile installation. On Wednesday, September 22, 2021, the Carroll Street Sentinel Buoy was relocated to the west side of the canal where Degraw Street intersects the canal to monitor cofferdam removal activities conducted in the vicinity of the Flushing Tunnel. This buoy was renamed the Degraw Street Sentinel Buoy during cofferdam removal activities. On October 14, 2021, the Degraw Street Sentinel Buoy was removed from the canal for servicing. On October 20, 2021, the Degraw Street Sentinel Buoy was redeployed to its position south of the Carroll Street Bridge and was renamed to the Carroll Street Sentinel Buoy. On November 15, 2021, the Carroll Street Sentinel Buoy was moved to the Union Street Bridge and renamed the Union Street Sentinel Buoy. On December 3, 2021, the Union Street Buoy was removed from the canal for servicing and re-deployed at 3rd Street Bridge in preparation for the resumption of ISS operations. On December 8, 2021, a third sentinel buoy was deployed just south of the Carroll Street Bridge. Each turbidity buoy was equipped with a YSI EXO3 water quality meter with optical turbidity sensor. The buoys were field calibrated and programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a File Transfer Portal (FTP) site via telemetry. No handheld measurements were collected during this reporting period. Visual observations of turbidity and sheen are summarized in Section 4.



\\msrserver\Gowanus-PR-A\03_GIS\mxd\Canal_Wide\Turbidity Buoy Locations.mxd; aka\mrcs; 11/20/2020

Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary



Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

B&B Engineers & Geologists
of new york, p.c.

an affiliate of Geosyntec Consultants

Kennesaw, GA

February 2021

Figure

1

2. REPORT OF EXCEEDANCES

No exceedances to the trigger or action level criteria were observed during the reporting period.

- **Trigger criterion** – Any of the following:
 - The rolling average of the relevant sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
 - Either an oil sheen or a turbidity plume is visually observed at the relevant sentinel buoy and in-waterway construction activities are readily identified as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the turbidity measurements of the sentinel buoy outside of RTA1 over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
 - Either an oil sheen or a turbidity plume is visually observed outside of RTA1 and any deployed engineering controls and in-waterway construction activities are readily identified as the source.

An outlier is defined as a reading that is outside the range of 50 to 200 percent of the average of the three previous readings. In addition, to be considered an outlier, the subsequent reading must return to a range of 75 to 133 percent of the average of the three readings preceding the outlier.

2.1 Response to Criteria Exceedances

The trigger level criterion serves to provide early notification to the contractor of construction activities that may lead to an exceedance of the action level criterion. In the event of an exceedance to the trigger criterion, the contractor will not be stopped, and the contractor will be directed to investigate the source of the exceedance and evaluate Best Management Practices (BMPs). In the event of an exceedance to the action level criterion, in-waterway construction activities may be slowed or temporarily suspended as necessary while the contractor investigates the source of the exceedance and appropriate mitigation and corrective measures are determined. A more detailed description of responses to exceedances of the trigger and action level criteria is provided in Section 4.2 of the WQMP.

No exceedances to the trigger or action level criteria were observed during the reporting period.

3. TURBIDITY BUOY DATA

The following section provides turbidity data for the sentinel and ambient turbidity buoys from 7 AM to 6 PM from December 20 - December 24, 2021. No exceedances of the action or trigger level criteria occurred during this reporting period. A handheld turbidity meter measured 8 NTU higher than the deployed meter and a +8.00 NTU offset was applied to for the entirety of the reporting period. Additional buoy maintenance is scheduled for the week of December 27th, 2021 to address instrument drift at the Carroll Street Buoy.


Section 2.1 contains further information on these exceedances. **Table 1** below provides a summary of the turbidity data for the reporting period.

Table 1. Daily average and maximum differences between the rolling average turbidity readings from RTA1 sentinel buoys and the ambient buoy between 7 AM and 6 PM

Date	Average Rolling Average Difference (NTU)		Maximum Rolling Average Difference (NTU)	
	3rd St - Ambient	Carroll St - Ambient	3rd St - Ambient	Carroll St - Ambient
Monday, December 20, 2021	1.28	0.24	4.56	3.20
Tuesday, December 21, 2021	1.13	0.25	2.71	1.75
Wednesday, December 22, 2021	1.25	-0.20	2.41	0.25
Thursday, December 23, 2021	0.53	-0.12	3.29	1.51
Friday, December 24, 2021	1.55	1.07	4.77	4.25

3.1 Monday, December 13, 2021


Figure 2. Hourly rolling average turbidity readings on Monday, December 13, 2021 from 7 AM to 6 PM.



Note: No outliers were observed above 10 FNU.

3.2 Tuesday, December 14, 2021


Figure 3. Hourly rolling average turbidity readings on Tuesday, December 14, 2021 from 7 AM to 6 PM.



Note: One outlier above 10 FNU was observed at the Ambient Buoy at 1:30 PM. Its value was 41.36 FNU.

3.3 Wednesday, December 15, 2021


Figure 4. Hourly rolling average turbidity readings on Wednesday, December 15, 2021 from 7 AM to 6 PM.



Note: No outliers were observed above 10 FNU.

3.4 Thursday, December 16, 2021


Figure 5. Hourly rolling average turbidity readings on Thursday, December 16, 2021 from 7 AM to 6 PM.



Note: Turbidity readings at the Ambient Buoy of 25.65 NTU and 37.9 NTU at 12:15 PM and 1:15 PM, respectively, were removed as outliers.

3.5 Friday, December 17, 2021

Figure 6. Hourly rolling average turbidity readings on Friday, December 17, 2021 from 7 AM to 6 PM.



Note: A turbidity reading at the Ambient Buoy of 49.36 NTU at 3:00 PM was removed as an outlier.

SUMMARY OF VISUAL OBSERVATIONS

No sheen above background conditions was observed during the reporting period.

APPENDIX A
Turbidity Data Tables

Monday, December 13, 2021

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Carroll Street	Ambient	3rd Street	Carroll Street	3rd St - Ambient	Carroll St - Ambient
7:00:00	8.21	-0.03	-1.04	1.67	0.19	-0.96	-1.48	-2.64
7:15:00	0.2	0.2	-0.92	0.91	0.20	-0.96	-0.71	-1.87
7:30:00	0.04	0.06	-1.06	1.71	0.17	-0.96	-1.55	-2.67
7:45:00	0.1	--	-0.99	1.70	0.14	-0.99	-1.56	-2.69
8:00:00	0.02	-0.01	-0.99	1.71	0.06	-1.00	-1.66	-2.71
8:15:00	0.19	0.02	-0.89	0.11	0.07	-0.97	-0.04	-1.08
8:30:00	0.2	--	-1.01	0.11	0.02	-0.99	-0.09	-1.10
8:45:00	-0.04	-0.13	-0.76	0.09	-0.04	-0.93	-0.13	-1.02
9:00:00	0.02	-0.17	-0.83	0.08	-0.07	-0.90	-0.15	-0.97
9:15:00	0.02	0	-0.81	0.08	-0.07	-0.86	-0.15	-0.94
9:30:00	-1.05	0.27	-0.86	-0.17	-0.01	-0.85	0.16	-0.68
9:45:00	-1.17	0.52	-0.78	-0.44	0.10	-0.81	0.54	-0.36
10:00:00	-0.97	0.17	-0.86	-0.63	0.16	-0.83	0.79	-0.20
10:15:00	-1.23	0.31	-1.02	-0.88	0.25	-0.87	1.13	0.01
10:30:00	-1.02	0.17	-1.13	-1.09	0.29	-0.93	1.38	0.16
10:45:00	-1.12	0.29	-0.98	-1.10	0.29	-0.95	1.39	0.15
11:00:00	-1.01	0.06	-0.93	-1.07	0.20	-0.98	1.27	0.09
11:15:00	-0.92	0.01	-0.89	-1.06	0.17	-0.99	1.23	0.07
11:30:00	-0.9	--	-0.78	-0.99	0.13	-0.94	1.13	0.05
11:45:00	-1.03	-0.02	-0.8	-1.00	0.09	-0.88	1.08	0.12
12:00:00	-1.03	0.14	-0.91	-0.98	0.05	-0.86	1.03	0.12
12:15:00	-1.12	0.11	-0.61	-1.00	0.06	-0.80	1.06	0.20
12:30:00	-1.18	0.01	-0.86	-1.05	0.06	-0.79	1.11	0.26
12:45:00	-1.2	-0.05	-0.72	-1.11	0.04	-0.78	1.15	0.33
13:00:00	-1.23	--	-0.75	-1.15	0.05	-0.77	1.20	0.38
13:15:00	-1.25	0	-0.22	-1.20	0.02	-0.63	1.21	0.56
13:30:00	-1.24	0.02	-0.77	-1.22	-0.01	-0.66	1.22	0.56
13:45:00	-1.27	0.08	-0.74	-1.24	0.01	-0.64	1.25	0.60
14:00:00	-1.27	--	2.29	-1.25	0.03	-0.04	1.29	1.21
14:15:00	-1.33	-0.15	-0.72	-1.27	-0.01	-0.03	1.26	1.24
14:30:00	-1.23	0.1	-0.68	-1.27	0.01	-0.12	1.28	1.14
14:45:00	-1.38	0.27	-0.74	-1.30	0.08	-0.12	1.37	1.18
15:00:00	-1.09	0.16	-0.13	-1.26	0.10	0.00	1.36	1.26
15:15:00	-0.24	0.39	2.42	-1.05	0.15	0.03	1.21	1.08
15:30:00	-1.36	0.44	1.77	-1.06	0.27	0.53	1.33	1.59
15:45:00	-1.18	1.44	2.78	-1.05	0.54	1.22	1.59	2.27
16:00:00	-1.01	4.49	3.68	-0.98	1.38	2.10	2.36	3.08
16:15:00	-1.06	2.72	0.5	-0.97	1.90	2.23	2.87	3.20
16:30:00	-1.07	4.15	-0.36	-1.14	2.65	1.67	3.78	2.81
16:45:00	-0.98	3.3	-0.7	-1.06	3.22	1.18	4.28	2.24
17:00:00	-1.14	2.65	-0.18	-1.05	3.46	0.59	4.51	1.64
17:15:00	-1.02	2.54	-0.59	-1.05	3.07	-0.27	4.13	0.79
17:30:00	-1.15	3.78	-0.68	-1.07	3.28	-0.50	4.36	0.57
17:45:00	-1.22	3.82	-0.88	-1.10	3.22	-0.61	4.32	0.50
18:00:00	-1.02	4.45	-0.84	-1.11	3.45	-0.63	4.56	0.48

Tuesday, December 14, 2021

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Carroll Street	Ambient	3rd Street	Carroll Street	3rd St - Ambient	Carroll St - Ambient
7:00:00	-0.4	0.47	-0.39	-0.28	0.59	-0.33	0.86	-0.05
7:15:00	2.17	0.6	-0.42	0.10	0.59	-0.37	0.48	-0.48
7:30:00	-0.29	0.63	0.66	0.15	0.60	-0.20	0.45	-0.35
7:45:00	-0.33	0.66	-0.06	0.14	0.63	-0.13	0.49	-0.27
8:00:00	-0.34	0.78	-0.18	0.16	0.63	-0.08	0.47	-0.24
8:15:00	3.94	0.54	-0.27	1.03	0.64	-0.05	-0.39	-1.08
8:30:00	-0.38	0.47	-0.18	0.52	0.62	-0.01	0.10	-0.53
8:45:00	-0.44	0.58	-0.2	0.49	0.61	-0.18	0.12	-0.67
9:00:00	-0.15	0.66	-0.32	0.53	0.61	-0.23	0.08	-0.76
9:15:00	-1.48	0.65	-0.36	0.30	0.58	-0.27	0.28	-0.56
9:30:00	-1.15	0.4	-0.21	-0.72	0.55	-0.25	1.27	0.47
9:45:00	-0.42	0.42	-0.28	-0.73	0.54	-0.27	1.27	0.45
10:00:00	-0.35	0.55	-0.02	-0.71	0.54	-0.24	1.25	0.47
10:15:00	-0.32	0.41	-0.33	-0.74	0.49	-0.24	1.23	0.50
10:30:00	-0.29	0.51	-0.34	-0.51	0.46	-0.24	0.96	0.27
10:45:00	-0.39	0.51	-0.07	-0.35	0.48	-0.21	0.83	0.15
11:00:00	-0.42	0.44	-0.41	-0.35	0.48	-0.23	0.84	0.12
11:15:00	-0.3	0.56	0.02	-0.34	0.49	-0.23	0.83	0.12
11:30:00	-0.46	0.88	-0.4	-0.37	0.58	-0.24	0.95	0.13
11:45:00	-0.33	0.84	-0.24	-0.38	0.65	-0.22	1.03	0.16
12:00:00	-0.28	0.87	-0.33	-0.36	0.72	-0.27	1.08	0.09
12:15:00	--	0.74	0.07	-0.34	0.78	-0.18	1.12	0.17
12:30:00	-0.43	1.28	0.06	-0.38	0.92	-0.17	1.30	0.21
12:45:00	-0.37	0.92	0.21	-0.35	0.93	-0.05	1.28	0.31
13:00:00	-0.27	1.08	-0.16	-0.34	0.98	-0.03	1.32	0.31
13:15:00	-0.23	0.86	0.21	-0.33	0.98	0.08	1.30	0.40
13:30:00	--	1.77	0.05	-0.33	1.18	0.07	1.51	0.40
13:45:00	-0.38	0.99	0.45	-0.31	1.12	0.15	1.44	0.46
14:00:00	-0.36	1.29	--	-0.31	1.20	0.14	1.51	0.45
14:15:00	-0.38	1.7	0.31	-0.34	1.32	0.26	1.66	0.59
14:30:00	-4	1.39	0.02	-1.28	1.43	0.21	2.71	1.49
14:45:00	--	1.11	0.27	-1.28	1.30	0.26	2.58	1.54
15:00:00	0.43	1.43	1.85	-1.08	1.38	0.61	2.46	1.69
15:15:00	-0.27	1.11	0.64	-1.06	1.35	0.62	2.40	1.67
15:30:00	-0.16	1.25	0.98	-1.00	1.26	0.75	2.26	1.75
15:45:00	-0.18	1.43	0.74	-0.05	1.27	0.90	1.31	0.94
16:00:00	-0.04	0.69	0.48	-0.04	1.18	0.94	1.23	0.98
16:15:00	0.07	1.3	0.37	-0.12	1.16	0.64	1.27	0.76
16:30:00	0.51	1.52	0.02	0.04	1.24	0.52	1.20	0.48
16:45:00	1.08	1.34	0.37	0.29	1.26	0.40	0.97	0.11
17:00:00	0.39	1.81	-0.04	0.40	1.33	0.24	0.93	-0.16
17:15:00	0.33	1.87	0.19	0.48	1.57	0.18	1.09	-0.29
17:30:00	0.16	1.56	--	0.49	1.62	0.14	1.13	-0.36
17:45:00	0.2	1.7	0.06	0.43	1.66	0.15	1.22	-0.29
18:00:00	0.05	1.18	0.28	0.23	1.62	0.12	1.40	-0.10

Wednesday, December 15, 2021

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Carroll Street	Ambient	3rd Street	Carroll Street	3rd St - Ambient	Carroll St - Ambient
7:00:00	0.03	1.1	0.07	0.23	1.10	0.07	0.87	-0.16
7:15:00	0	1.53	-0.1	0.19	1.16	-0.01	0.97	-0.20
7:30:00	--	1.3	0.05	0.17	1.23	0.01	1.05	-0.17
7:45:00	0.04	1.07	0.09	0.09	1.28	0.03	1.19	-0.06
8:00:00	-0.25	0.67	0.18	-0.05	1.13	0.06	1.18	0.10
8:15:00	0.04	1.65	--	-0.04	1.24	0.05	1.29	0.10
8:30:00	-0.03	0.66	0.11	-0.05	1.07	0.11	1.12	0.16
8:45:00	0.24	0.63	-0.19	0.01	0.94	0.05	0.93	0.04
9:00:00	0.07	0.94	-0.14	0.01	0.91	-0.01	0.90	-0.02
9:15:00	2.53	1.29	-0.12	0.57	1.03	-0.08	0.46	-0.66
9:30:00	--	1.53	0.18	0.70	1.01	-0.03	0.31	-0.73
9:45:00	0.31	1.25	0.21	0.79	1.13	-0.01	0.34	-0.80
10:00:00	-0.09	1.51	0.58	0.71	1.30	0.14	0.60	-0.56
10:15:00	-0.18	1.21	0.41	0.64	1.36	0.25	0.72	-0.39
10:30:00	0.32	1.56	0.33	0.09	1.41	0.34	1.32	0.25
10:45:00	0.21	1.53	0.17	0.11	1.41	0.34	1.30	0.23
11:00:00	0.35	1.5	0.24	0.12	1.46	0.35	1.34	0.22
11:15:00	0.56	2.16	0.29	0.25	1.59	0.29	1.34	0.04
11:30:00	0.41	1.63	0.27	0.37	1.68	0.26	1.31	-0.11
11:45:00	0.25	1.53	0.38	0.36	1.67	0.27	1.31	-0.09
12:00:00	0.26	1.23	0.18	0.37	1.61	0.27	1.24	-0.09
12:15:00	0.19	1.41	0.21	0.33	1.59	0.27	1.26	-0.07
12:30:00	--	1.29	0.32	0.28	1.42	0.27	1.14	-0.01
12:45:00	0.17	1.41	0.04	0.22	1.37	0.23	1.16	0.01
13:00:00	0.16	1.24	0.21	0.20	1.32	0.19	1.12	0.00
13:15:00	0.15	1.34	0.3	0.17	1.34	0.22	1.17	0.05
13:30:00	0.2	1.45	0.39	0.17	1.35	0.25	1.18	0.08
13:45:00	0.21	1.58	0.31	0.18	1.40	0.25	1.23	0.07
14:00:00	0.41	2.13	0.38	0.23	1.55	0.32	1.32	0.09
14:15:00	0.36	1.37	0	0.27	1.57	0.28	1.31	0.01
14:30:00	0.34	1.52	-0.04	0.30	1.61	0.21	1.31	-0.10
14:45:00	0.44	1.44	--	0.35	1.61	0.16	1.26	-0.19
15:00:00	0.35	1.6	-0.32	0.38	1.61	0.01	1.23	-0.38
15:15:00	0.33	1.77	--	0.36	1.54	-0.12	1.18	-0.48
15:30:00	0.34	3.91	-0.06	0.36	2.05	-0.14	1.69	-0.50
15:45:00	0.33	3.86	0.59	0.36	2.52	0.07	2.16	-0.29
16:00:00	0.45	2.58	0.24	0.36	2.74	0.11	2.38	-0.25
16:15:00	1.14	2.5	0.05	0.52	2.92	0.21	2.41	-0.31
16:30:00	1.19	1.59	--	0.69	2.89	0.21	2.20	-0.49
16:45:00	1.15	2.46	0.38	0.85	2.60	0.32	1.75	-0.54
17:00:00	1.07	2.41	0.54	1.00	2.31	0.30	1.31	-0.70
17:15:00	0.84	2.49	0.67	1.08	2.29	0.41	1.21	-0.67
17:30:00	1.02	2.34	0.29	1.05	2.26	0.47	1.20	-0.58
17:45:00	1.1	2.54	0.54	1.04	2.45	0.48	1.41	-0.55
18:00:00	0.78	2.54	0.27	0.96	2.46	0.46	1.50	-0.50

Thursday, December 16, 2021

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Carroll Street	Ambient	3rd Street	Carroll Street	3rd St - Ambient	Carroll St - Ambient
7:00:00	0.28	0.97	0.34	0.65	1.26	0.34	0.61	-0.31
7:15:00	0.25	0.77	0.51	0.51	1.12	0.43	0.62	-0.08
7:30:00	0.61	0.99	0.26	0.48	1.03	0.37	0.55	-0.11
7:45:00	0.78	0.66	-0.1	0.46	0.89	0.25	0.43	-0.21
8:00:00	0.73	0.67	0.13	0.53	0.81	0.23	0.28	-0.30
8:15:00	0.97	1.04	0.24	0.67	0.83	0.21	0.16	-0.46
8:30:00	1.21	0.87	0.33	0.86	0.85	0.17	-0.01	-0.69
8:45:00	0.85	0.91	0.28	0.91	0.83	0.18	-0.08	-0.73
9:00:00	0.95	1.1	-0.27	0.94	0.92	0.14	-0.02	-0.80
9:15:00	0.82	0.58	0.25	0.96	0.90	0.17	-0.06	-0.79
9:30:00	0.81	0.54	0.57	0.93	0.80	0.23	-0.13	-0.70
9:45:00	1.01	0.8	0.63	0.89	0.79	0.29	-0.10	-0.60
10:00:00	0.93	0.48	0.69	0.90	0.70	0.37	-0.20	-0.53
10:15:00	1.37	0.5	0.71	0.99	0.58	0.57	-0.41	-0.42
10:30:00	1.44	0.49	0.77	1.11	0.56	0.67	-0.55	-0.44
10:45:00	1.23	0.35	1.09	1.20	0.52	0.78	-0.67	-0.42
11:00:00	0.6	0.53	0.93	1.11	0.47	0.84	-0.64	-0.28
11:15:00	0.41	0.34	0.89	1.01	0.44	0.88	-0.57	-0.13
11:30:00	0.24	0.47	1.03	0.78	0.44	0.94	-0.35	0.16
11:45:00	0.36	0.73	0.62	0.57	0.48	0.91	-0.08	0.34
12:00:00	0.48	0.68	0.66	0.42	0.55	0.83	0.13	0.41
12:15:00	--	0.72	0.58	0.37	0.59	0.76	0.22	0.38
12:30:00	5.59	1.19	1.1	1.67	0.76	0.80	-0.91	-0.87
12:45:00	0.74	0.89	1.09	1.79	0.84	0.81	-0.95	-0.98
13:00:00	2.2	0.96	0.77	2.25	0.89	0.84	-1.36	-1.41
13:15:00	--	0.74	1.22	2.84	0.90	0.95	-1.94	-1.89
13:30:00	0.66	0.76	1.01	2.30	0.91	1.04	-1.39	-1.26
13:45:00	0.54	1.18	0.88	1.04	0.91	0.99	-0.13	-0.04
14:00:00	-3.91	1.43	1.28	-0.13	1.01	1.03	1.14	1.16
14:15:00	1.17	1.22	1.12	-0.39	1.07	1.10	1.45	1.49
14:30:00	5.36	2.51	0.79	0.76	1.42	1.02	0.66	0.25
14:45:00	0.82	1.72	0.87	0.80	1.61	0.99	0.82	0.19
15:00:00	0.75	3.14	0.94	0.84	2.00	1.00	1.17	0.16
15:15:00	0.83	3.39	0.96	1.79	2.40	0.94	0.61	-0.85
15:30:00	0.95	2.76	1.13	1.74	2.70	0.94	0.96	-0.80
15:45:00	1.01	2.89	0.96	0.87	2.78	0.97	1.91	0.10
16:00:00	0.93	2.71	1.01	0.89	2.98	1.00	2.08	0.11
16:15:00	1.19	2.63	0.7	0.98	2.88	0.95	1.89	-0.03
16:30:00	1.17	2.53	1.02	1.05	2.70	0.96	1.65	-0.09
16:45:00	--	2.95	1.04	1.08	2.74	0.95	1.67	-0.13
17:00:00	-3.8	2.75	0.94	-0.13	2.71	0.94	2.84	1.07
17:15:00	0.76	2.98	1.01	-0.17	2.77	0.94	2.94	1.11
17:30:00	0.35	2.37	0.95	-0.38	2.72	0.99	3.10	1.37
17:45:00	0.45	2.61	0.81	-0.56	2.73	0.95	3.29	1.51
18:00:00	0.48	2.9	0.83	-0.35	2.72	0.91	3.07	1.26

Friday, December 17, 2021

Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
	Ambient	3rd Street	Carroll Street	Ambient	3rd Street	Carroll Street	3rd St - Ambient	Carroll St - Ambient
7:00:00	0.76	1.68	1.29	-0.34	1.65	1.39	2.00	1.73
7:15:00	0.46	1.57	1.24	0.56	1.64	1.32	1.08	0.76
7:30:00	0.57	1.45	0.91	0.60	1.60	1.23	1.00	0.63
7:45:00	0.43	1.32	1.08	0.53	1.52	1.21	1.00	0.68
8:00:00	0.56	1.24	1.15	0.56	1.45	1.13	0.90	0.58
8:15:00	0.35	1.33	1.01	0.47	1.38	1.08	0.91	0.60
8:30:00	0.21	1.02	0.99	0.42	1.27	1.03	0.85	0.60
8:45:00	--	1.19	0.84	0.39	1.22	1.01	0.83	0.63
9:00:00	0.34	1.05	0.88	0.37	1.17	0.97	0.80	0.61
9:15:00	0.33	1.35	0.93	0.31	1.19	0.93	0.88	0.62
9:30:00	0.5	1.31	0.74	0.35	1.18	0.88	0.84	0.53
9:45:00	-1.84	1.23	0.8	-0.17	1.23	0.84	1.39	1.01
10:00:00	0.59	1.12	1.05	-0.02	1.21	0.88	1.23	0.90
10:15:00	0.94	1.35	1.22	0.10	1.27	0.95	1.17	0.84
10:30:00	0.37	1.32	0.83	0.11	1.27	0.93	1.15	0.82
10:45:00	0.66	1.29	1.19	0.14	1.26	1.02	1.12	0.87
11:00:00	0.26	1.53	1.05	0.56	1.32	1.07	0.76	0.50
11:15:00	0.33	1.65	0.85	0.51	1.43	1.03	0.92	0.52
11:30:00	--	1.69	0.94	0.41	1.50	0.97	1.09	0.57
11:45:00	0.51	1.77	0.59	0.44	1.59	0.92	1.15	0.48
12:00:00	0.35	1.81	0.9	0.36	1.69	0.87	1.33	0.50
12:15:00	0.61	1.8	1.42	0.45	1.74	0.94	1.29	0.49
12:30:00	0.4	1.4	0.48	0.47	1.69	0.87	1.23	0.40
12:45:00	0.59	1.67	1.24	0.49	1.69	0.93	1.20	0.43
13:00:00	-3.99	1.42	0.72	-0.41	1.62	0.95	2.03	1.36
13:15:00	-3.95	1.79	1.39	-1.27	1.62	1.05	2.88	2.32
13:30:00	-4.01	1.74	0.98	-2.19	1.60	0.96	3.80	3.15
13:45:00	0.43	1.65	1.24	-2.19	1.65	1.11	3.84	3.30
14:00:00	-3.97	1.75	1.43	-3.10	1.67	1.15	4.77	4.25
14:15:00	0.27	1.56	1.17	-2.25	1.70	1.24	3.94	3.49
14:30:00	0.2	1.76	1.21	-1.42	1.69	1.21	3.11	2.62
14:45:00	0.2	1.73	0.86	-0.57	1.69	1.18	2.26	1.76
15:00:00	--	1.55	1.21	-0.83	1.67	1.18	2.50	2.00
15:15:00	0.33	1.57	1.12	0.25	1.63	1.11	1.38	0.86
15:30:00	0.37	1.59	1.02	0.28	1.64	1.08	1.37	0.81
15:45:00	0.43	2.05	0.92	0.33	1.70	1.03	1.37	0.69
16:00:00	0.32	1.67	0.91	0.36	1.69	1.04	1.32	0.67
16:15:00	0.29	1.42	1.06	0.35	1.66	1.01	1.31	0.66
16:30:00	0.23	1.47	0.92	0.33	1.64	0.97	1.31	0.64
16:45:00	0.54	1.38	1.04	0.36	1.60	0.97	1.24	0.61
17:00:00	0.65	1.55	0.9	0.41	1.50	0.97	1.09	0.56
17:15:00	0.38	1.37	1.14	0.42	1.44	1.01	1.02	0.59
17:30:00	0.59	1.41	1.04	0.48	1.44	1.01	0.96	0.53
17:45:00	0.56	1.53	1.23	0.54	1.45	1.07	0.90	0.53
18:00:00	0.11	1.56	1.14	0.46	1.48	1.09	1.03	0.63