

**GOWANUS CANAL SUPERFUND SITE  
RTA1 REMEDIAL CONSTRUCTION  
Water Quality Monitoring Weekly Data Summary**

**PERIOD: May 6, 2024 – May 10, 2024**

**Date of Report: May 20, 2024**

## **Report Contents**

- Scope of Monitoring
- Report of Exceedances
- Turbidity Buoy Data
- Dissolved Oxygen Monitoring Data
- Summary of Visual Observations

*Prepared by*

**B&B Engineers & Geologists**   
of new york, p.c.

*an affiliate of Geosyntec Consultants*

1255 Roberts Blvd, Suite 200  
Kennesaw, GA 30144  
Project Number JR0289A

## **1. SCOPE OF MONITORING**

### **1.1 Initial Buoy Locations**

In accordance with the Water Quality Monitoring Plan for In-waterway Construction Activities (WQMP) three turbidity buoys were initially deployed to monitor turbidity related to dredging activities. One turbidity buoy was deployed just south of the 3<sup>rd</sup> Street Bridge outside of the air curtain and traditional turbidity curtain and was referred to as the 3<sup>rd</sup> Street Sentinel Buoy. A second turbidity buoy was deployed just south of Carroll St Bridge to monitor dredging activities north of Carroll Street Bridge and was referred to as the Carroll Street Sentinel Buoy. The third turbidity buoy was deployed in the Fourth Street Turning Basin (TB4) in order to monitor background turbidity unaffected by in-water construction activities and was referred to as the Ambient Buoy.

Each turbidity buoy was initially equipped with a YSI EXO3 water quality meter with optical turbidity sensor. The buoys were field calibrated and programmed such that readings were collected every 15 minutes. After each measurement, the turbidity data were transmitted to a File Transfer Portal (FTP) site via telemetry.

### **1.2 Summary of Monitoring Adjustments during Construction**

- On January 22, 2021, prior to dredging north of the Union Street Bridge, a fourth turbidity buoy was deployed just south of the Union Street Bridge and was referred to as the Union Street Sentinel Buoy. This fourth turbidity buoy was removed prior to the start of pipe pile installation.
- On Wednesday, September 22, 2021, the Carroll Street Sentinel Buoy was relocated to the west side of the canal where Degraw Street intersects the canal to monitor cofferdam removal activities conducted in the vicinity of the Flushing Tunnel. This buoy was renamed the Degraw Street Sentinel Buoy during cofferdam removal activities.
- On October 14, 2021, the Degraw Street Sentinel Buoy was removed from the canal for servicing. On October 20, 2021, the Degraw Street Sentinel Buoy was redeployed to its position south of the Carroll Street Bridge and was renamed to the Carroll Street Sentinel Buoy.
- On November 15, 2021, the Carroll Street Sentinel Buoy was moved to the Union Street Bridge and renamed the Union Street Sentinel Buoy. On December 3, 2021, the Union Street Buoy was removed from the canal for servicing and re-deployed at 3<sup>rd</sup> Street Bridge in preparation for the resumption of ISS operations. On December 8, 2021, a sentinel buoy was re-deployed just south of the Carroll Street Bridge.
- Since December 8, 2021, the sentinel buoy deployed at the northern-most portion of the canal has alternated positioning between the Union Street Bridge and Carroll Street Bridge locations based on the in-canal construction activities being conducted at any given time.

- On January 9, 2023, the Carroll Street Sentinel Buoy was moved to the Third Street Bridge location and renamed the Third Street Sentinel Buoy. Additionally, the former Third Street Sentinel Buoy was removed from the canal for servicing.
- On February 6, 2023, the newly serviced Third Street Sentinel Buoy was reinstalled at Third Street Bridge, and the former Carroll Street Sentinel Buoy was reinstalled at Carroll Street Bridge.
- The Ambient Buoy was removed from service on Friday, February 17, 2023, due to a faulty communications system. Following investigation into the cause of the fault and the appropriate repairs made, the Ambient Buoy was returned to service on Thursday, April 13, 2023. Due to similar issues, the Ambient Buoy was removed from service again on Monday, April 24, 2023, before being redeployed on Friday, May 12, 2023, and again removed from service on Monday, May 15, 2023, before being redeployed on Monday, June 12, 2023.
- On Thursday April 13, 2023, the Carroll Street Sentinel Buoy was assessed to be within 100ft of in-canal construction activities being conducted at Carroll Street Bridge, and consequently was repositioned to the North Third Street Sentinel Buoy location.
- Data from the Third Street Sentinel Buoy was not reported from Thursday June 1, 2023 to June 2, 2023 due to a power failure and/or faulty communications system preventing transmission of readings. The Third Street Sentinel Buoy was returned to service with data collection resuming on June 5, 2023.
- On Wednesday, July 26, 2023, a fourth monitoring buoy was deployed just north of the Union Street Bridge to monitor dissolved oxygen (DO) in RTA1.
- On Tuesday, September 19, 2023, the fourth monitoring buoy (originally deployed north of the Union Street Bridge to monitor DO) was moved to just south of the Carroll Street Bridge due to ongoing in-waterway construction activities within 100 feet. In addition to dissolved oxygen, this served as an additional sentinel buoy and was referred to as the South Carroll Street Bridge Sentinel Buoy.
- On Thursday, November 2, 2023, the monitoring buoy deployed just south of the Third Street Bridge was removed from the canal to conduct maintenance and necessary repairs.
- On Monday, November 13, 2023, the monitoring buoy most recently deployed south of the Carroll Street Bridge was moved to just south of the Union Street Bridge due to ongoing in-waterway construction activities within 100 feet. In addition to dissolved oxygen, this served as an additional sentinel buoy and was referred to as the South Union Street Bridge Sentinel Buoy.
- On Tuesday, December 19, 2023, the monitoring buoy most recently deployed south of the Union Street Bridge was moved back to just south of the Carroll Street Bridge (referred to as the South Carroll Street Bridge Sentinel Buoy) due to ongoing in-waterway construction activities within 100 feet of Union Street Bridge.


- On Monday, February 12, 2024, the monitoring buoy most recently deployed south of the Carroll Street Bridge was moved to just south of the Third Street Bridge (referred to as the South Third Street Bridge Sentinel Buoy) due to ongoing in-waterway construction activities progressing south of the Carroll Street Bridge and into the south pool.
- On Wednesday, March 27, 2024, the monitoring buoy deployed south of the Third Street Bridge was moved to just north of the Third Street Bridge (referred to as the North Third Street Bridge Sentinel Buoy) due to ongoing in-waterway construction activities on the south side of the Third Street Bridge.
- During the week of April 29, 2024 all three of the monitoring buoys were removed from the water. There was not active dredging, capping, or ISS activity on the water during the reporting period, so this time was used to deploy four newly purchased buoys. The buoys were placed as follows: just north of the Third Street Bridge (referred to as the North Third Street Bridge Sentinel Buoy or NTS Buoy), twenty meters south of the Union Street Bridge (referred to as the Union Street Sentinel Buoy or USB Buoy), east end of Turning Basin Four (referred as the Ambient Buoy), and adjacent to the bulkhead of Turning Basin One (referred to as Turning Basin One Sentinel Buoy or TB1 Buoy).

### **1.3 Current Reporting Period Scope of Monitoring**

During the week of May 6, 2024 four turbidity buoys were displayed consisting of the North Third Street Buoy just north of the Third Street Bridge, the Union Street Sentinel Buoy twenty meters south of the Union Street Bridge on the east side of the canal, the Ambient Buoy at the east end of Turning Basin Four, and the Turning Basin One Buoy adjacent to the bulkhead at the western edge of Turning Basin One.

All readings from buoys were transmitted via telemetry at 15-minute intervals. The instrument used to collect turbidity and DO from the buoys is an In-Situ VuLink (telemetry) and AquaTroll500 (sonde), equipped with optical sensors capable of reading turbidity levels with an accuracy of  $\pm 0.5$  NTU and DO levels with an accuracy of  $\pm 0.1$  mg/L.

Visual observations of turbidity and sheen are summarized in Section 5.



#### Legend

-  Ambient Buoy
-  Sentinel Buoy
-  RTA Boundary

300 150 0 300  
Feet

#### Turbidity Buoy Locations

Gowanus Canal, Brooklyn, NY

B&B Engineers & Geologists  
of new york, p.c.

*an affiliate of Geosyntec Consultants*

Brooklyn, NY

May 2023

Figure

1

## 2. REPORT OF EXCEEDANCES

Exceedances of the quantitative trigger criterion were observed on Monday, May 6, 2024 from 2:15 PM to 3:45 PM at the Unions St Sentinel Buoy, Tuesday, May 7, 2024 from 2:15 PM to 6:00 PM at the Union St Sentinel Buoy, Tuesday, May 7, 2024 from 4:30 PM to 4:45 PM at the Turning Basin 1 Sentinel Buoy, and from 7:00 AM to 6:00 PM on Wednesday, May 8, 2024 at the Union St Sentinel Buoy.

- **Trigger criterion** – Any of the following:
  - The rolling average of the relevant sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
  - Either an oil sheen or a turbidity plume is visually observed at the relevant sentinel buoy and in-waterway construction activities are readily identified as the source.
- **Action criterion** – Any of the following:
  - The rolling average of the turbidity measurements of the sentinel buoy outside of RTA1 over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
  - Either an oil sheen or a turbidity plume is visually observed outside of RTA1 and any deployed engineering controls and in-waterway construction activities are readily identified as the source.

An outlier is defined as a reading that is outside the range of 50 to 200 percent of the average of the three previous readings. In addition, to be considered an outlier, the subsequent reading must return to a range of 75 to 133 percent of the average of the three readings preceding the outlier.

### 2.1 Response to Criteria Exceedances

The trigger level criterion serves to provide early notification to the contractor of construction activities that may lead to an exceedance of the action level criterion. In the event of an exceedance to the trigger criterion, the contractor will not be stopped, and the contractor will be directed to investigate the source of the exceedance and evaluate Best Management Practices (BMPs). In the event of an exceedance to the action level criterion, in-waterway construction activities may be slowed or temporarily suspended as necessary while the contractor investigates the source of the exceedance and appropriate mitigation and corrective measures are determined. A more detailed description of responses to exceedances of the trigger and action level criteria is provided in Section 4.2 of the WQMP.



### 3. TURBIDITY BUOY DATA

The following section provides turbidity data for the sentinel and ambient turbidity buoys from 7 AM to 6 PM from May 6 – May 10, 2024. Exceedances of the quantitative trigger criterion were observed on Monday, May 6, 2024 from 2:15 PM to 3:45 PM at the Unions St Sentinel Buoy, Tuesday, May 7, 2024 from 2:15 PM to 6:00 PM at the Union St Sentinel Buoy, Tuesday, May 7, 2024 from 4:30 PM to 4:45 PM at the Turning Basin 1 Sentinel Buoy, and from 7:00 AM to 6:00 PM on Wednesday, May 8, 2024 at the Union St Sentinel Buoy. Exceedance of the trigger criterion on May 6 and May 7, 2024 at the Union Street Sentinel Buoy was a result of suspended sediments due to construction activities north of the Union St Bridge. The consistently elevated readings at the the Unions Street Sentinel Buoy on Wednesday May 8, 2024 were of an unknown cause.


**Table 1** below provides a summary of the turbidity data for the reporting period.

Date	Average Rolling Average Difference (NTU)			Maximum Rolling Average Difference (NTU)		
	TB1 - Ambient	USB - Ambient	3SB - Ambient	TB1 - Ambient	USB - Ambient	3SB - Ambient
Monday, May 13, 2024	-2.58	-10.76	--	7.95	1.82	0.00
Tuesday, May 14, 2024	14.76	-0.02	-0.76	14.76	3.30	0.00
Wednesday, May 15, 2024	0.00	1.29	0.00	12.87	6.86	0.00
Thursday, May 16, 2024	0.00	19.11	0.00	9.15	31.02	0.00
Friday, May 17, 2024	0.00	-11.21	0.00	-1.56	-5.12	0.00

**Table 1.** Daily average and maximum differences between the rolling average turbidity readings from RTA1 sentinel buoys and the ambient buoy between 7 AM and 6 PM.

#### 3.1 Monday, May 6, 2024


**Figure 3.** Hourly rolling average turbidity readings on Monday, May 6, 2024, from 7 AM to 6 PM.



**Note:** Exceedances to the Trigger Criterion were observed on Monday of the reporting period from 2:15 PM to 3:45 PM at the Union St Sentinel Buoy.

### 3.2 Tuesday, May 7, 2024

**Figure 3.** Hourly rolling average turbidity readings on Tuesday, May 7, 2024, from 7 AM to 6 PM.




**Note:** Exceedances to the Trigger Criterion were observed on Tuesday of the reporting period from 12:15 PM to 6:00 PM at the Union St Sentinel Buoy and from 4:30 PM to 4:45 PM at the Turning Basin 1 Sentinel Buoy. One turbidity reading above 20 NTU were detected and removed at the Turning Basin 1 Sentinel Buoy.

### 3.3 Wednesday, May 8, 2024

**Figure 4.** Hourly rolling average turbidity readings on Wednesday, May 8, 2024, from 7 AM to 6 PM.






**Note:** Exceedances to the Trigger Criterion were observed on Wednesday of the reporting period from 7:00AM to 6:00PM at the Union St Sentinel Buoy.

### 3.4 Thursday, May 9, 2024


**Figure 5.** Hourly rolling average turbidity readings on Thursday, May 9, 2024, from 7 AM to 6 PM.



**Note:** No exceedances or outlier observations above 20 NTU were recorded.

### 3.5 Friday, May 10, 2024

**Figure 6.** Hourly rolling average turbidity readings on Friday, May 10, 2024, from 7 AM to 6 PM.




**Note:** No exceedances or outlier observations above 20 NTU were recorded.



#### 4. SUMMARY OF VISUAL OBSERVATIONS

Visual indications of elevated turbidity were periodically observed during the reporting period. Sheens were observed above background levels on the canal during the reporting period.

Photographs depicting conditions relevant to these events are shown below.











**Figure 7.** Elevated turbidity surrounding construction activities north of the Union St Bridge on Monday May 6, 2024.






**Figure 8.** Elevated turbidity surrounding construction activities north of the Union St Bridge on Tuesday May 7, 2024.





**Figure 9.** Elevated turbidity south of the Third St Bridge on Tuesday May 7, 2024.





**Figure 10.** Elevated turbidity and sheens present south of the Third St Bridge on Monday May 6, 2024.



# **APPENDIX A**

## **Turbidity Data Tables**

# Monday, May 6, 2024

Time	Turbidity (NTU)				Rolling Average Turbidity (NTU)				Difference (NTU)		
	Ambient	TB1	USB	3SB	Ambient	TB1	USB	3SB	TB1 - Ambient	USB - Ambient	3SB - Ambient
7:00:00	16.01	18.31	0.00	--	16.01	18.31	0.00	--	2.30	-16.01	--
7:15:00	17.84	15.92	0.49	--	16.92	17.11	0.25	--	0.19	-16.68	--
7:30:00	15.53	8.73	0.83	--	16.46	14.32	0.44	--	-2.14	-16.02	--
7:45:00	16.94	19.03	0.78	--	16.58	15.50	0.53	--	-1.08	-16.05	--
8:00:00	16.49	11.81	0.00	--	16.56	14.76	0.42	--	-1.80	-16.14	--
8:15:00	18.39	6.50	0.00	--	17.04	12.40	0.42	--	-4.64	-16.62	--
8:30:00	16.76	9.85	0.30	--	16.82	11.19	0.38	--	-5.63	-16.44	--
8:45:00	16.88	5.76	--	--	17.09	10.59	0.27	--	-6.50	-16.82	--
9:00:00	18.63	7.70	0.00	--	17.43	8.33	0.07	--	-9.10	-17.36	--
9:15:00	23.30	2.71	2.16	--	18.79	6.51	0.61	--	-12.29	-18.18	--
9:30:00	22.48	39.79	2.31	--	19.61	13.16	1.19	--	-6.45	-18.42	--
9:45:00	22.26	10.18	2.62	--	20.71	13.23	1.77	--	-7.48	-18.94	--
10:00:00	17.92	12.73	2.55	--	20.92	14.62	1.93	--	-6.29	-18.99	--
10:15:00	14.10	12.90	0.15	--	20.01	15.66	1.96	--	-4.35	-18.05	--
10:30:00	18.64	6.71	0.00	--	19.08	16.46	1.53	--	-2.62	-17.55	--
10:45:00	18.82	9.22	0.36	--	18.35	10.35	1.14	--	-8.00	-17.21	--
11:00:00	19.54	8.53	0.04	--	17.80	10.02	0.62	--	-7.79	-17.18	--
11:15:00	10.82	9.59	2.24	--	16.38	9.39	0.56	--	-6.99	-15.83	--
11:30:00	18.39	13.37	1.64	--	17.24	9.49	0.86	--	-7.76	-16.39	--
11:45:00	18.62	10.15	1.73	--	17.24	10.17	1.20	--	-7.06	-16.03	--
12:00:00	20.01	13.53	1.21	--	17.48	11.04	1.37	--	-6.44	-16.10	--
12:15:00	19.22	6.27	0.00	--	17.41	10.58	1.37	--	-6.83	-16.05	--
12:30:00	21.51	0.00	1.95	--	19.55	8.67	1.31	--	-10.88	-18.24	--
12:45:00	22.19	5.66	1.82	--	20.31	7.12	1.34	--	-13.18	-18.97	--
13:00:00	20.88	7.52	2.01	--	20.76	6.60	1.40	--	-14.16	-19.36	--
13:15:00	23.64	7.85	0.00	--	21.49	5.46	1.16	--	-16.02	-20.33	--
13:30:00	--	2.26	0.98	--	22.06	4.66	1.35	--	-17.39	-20.70	--
13:45:00	3.37	1.22	1.53	--	17.52	4.90	1.27	--	-12.62	-16.25	--
14:00:00	0.00	9.94	--	--	11.97	5.76	1.13	--	-6.21	-10.84	--
14:15:00	0.21	--	0.69	--	6.80	5.32	0.80	--	-1.49	-6.00	--
14:30:00	0.40	4.64	2.36	--	0.99	4.51	1.39	--	3.52	0.40	--
14:45:00	--	7.29	1.67	--	0.99	5.77	1.56	--	4.78	0.57	--
15:00:00	0.00	8.53	2.26	--	0.15	7.60	1.74	--	7.45	1.59	--
15:15:00	0.00	3.80	2.76	--	0.15	6.06	1.95	--	5.91	1.79	--
15:30:00	0.55	--	0.90	--	0.24	6.06	1.99	--	5.82	1.75	--
15:45:00	0.06	7.94	1.55	--	0.15	6.89	1.83	--	6.74	1.67	--
16:00:00	0.46	7.62	0.91	--	0.21	6.97	1.68	--	6.76	1.46	--
16:15:00	--	7.04	1.07	--	0.27	6.60	1.44	--	6.33	1.17	--
16:30:00	0.00	10.26	1.79	--	0.27	8.22	1.24	--	7.95	0.98	--
16:45:00	0.18	1.61	2.23	--	0.17	6.90	1.51	--	6.72	1.34	--
17:00:00	0.42	7.04	2.24	--	0.26	6.72	1.65	--	6.45	1.39	--
17:15:00	0.23	7.06	2.81	--	0.21	6.60	2.03	--	6.40	1.82	--
17:30:00	0.00	9.31	0.18	--	0.16	7.06	1.85	--	6.89	1.69	--
17:45:00	0.98	7.19	0.28	--	0.36	6.44	1.55	--	6.08	1.19	--
18:00:00	0.65	6.53	0.04	--	0.46	7.43	1.11	--	6.97	0.66	--

Tuesday, May 7, 2024

Time	Turbidity (NTU)				Rolling Average Turbidity (NTU)				Difference (NTU)		
	Ambient	TB1	USB	3SB	Ambient	TB1	USB	3SB	TB1 - Ambient	USB - Ambient	3SB - Ambient
7:00:00	0.79	2.53	0.00	--	0.96	2.19	1.48	0.00	1.23	0.52	-0.96
7:15:00	0.82	1.79	0.90	--	0.94	2.18	1.28	0.00	1.24	0.34	-0.94
7:30:00	0.69	5.90	1.53	--	0.76	2.89	1.21	0.00	2.13	0.44	-0.76
7:45:00	0.70	5.55	--	--	0.76	3.57	1.06	0.00	2.81	0.30	-0.76
8:00:00	1.13	3.64	0.62	--	0.83	3.88	0.76	--	3.06	-0.06	--
8:15:00	2.99	--	4.14	--	1.27	4.22	1.80	--	2.95	0.53	--
8:30:00	1.45	3.61	2.90	--	1.39	4.67	2.30	--	3.28	0.90	--
8:45:00	2.14	18.46	3.25	--	1.68	7.81	2.73	--	6.13	1.04	--
9:00:00	3.01	19.66	3.40	--	2.14	11.34	2.86	--	9.20	0.72	--
9:15:00	2.27	19.71	5.91	--	2.37	15.36	3.92	--	12.98	1.55	--
9:30:00	2.02	21.02	6.75	--	2.18	16.49	4.44	--	14.31	2.26	--
9:45:00	2.36	6.76	6.41	--	2.36	17.12	5.14	--	14.76	2.78	--
10:00:00	2.32	6.49	6.01	--	2.40	14.73	5.70	--	12.33	3.30	--
10:15:00	1.83	5.76	1.49	--	2.16	11.95	5.31	--	9.79	3.15	--
10:30:00	2.38	8.16	6.56	0.00	2.18	9.64	5.44	0.00	7.46	3.26	-2.18
10:45:00	2.39	10.49	2.25	0.00	2.26	7.53	4.54	0.00	5.28	2.29	-2.26
11:00:00	3.10	9.86	2.10	0.00	2.41	8.15	3.68	0.00	5.75	1.28	-2.41
11:15:00	--	5.27	3.24	--	2.43	7.91	3.13	0.00	5.48	0.70	-2.43
11:30:00	2.79	9.36	4.37	--	2.67	8.63	3.70	0.00	5.96	1.04	-2.67
11:45:00	2.89	4.08	4.66	--	2.79	7.81	3.32	0.00	5.02	0.53	-2.79
12:00:00	2.41	9.55	4.13	--	2.80	7.62	3.70	0.00	4.83	0.90	-2.80
12:15:00	3.03	9.67	1.37	--	2.78	7.59	3.55	--	4.81	0.77	--
12:30:00	3.96	9.70	4.04	--	3.02	8.47	3.71	--	5.46	0.70	--
12:45:00	4.96	5.34	3.77	--	3.45	7.67	3.59	--	4.22	0.14	--
13:00:00	3.36	3.59	3.61	--	3.55	7.57	3.39	--	4.02	-0.16	--
13:15:00	4.84	11.80	0.86	--	4.03	8.02	2.73	--	3.99	-1.30	--
13:30:00	4.96	14.14	3.37	--	4.42	8.91	3.13	--	4.50	-1.29	--
13:45:00	6.97	13.22	2.65	--	5.02	9.62	2.85	--	4.60	-2.17	--
14:00:00	3.74	5.17	--	--	4.77	9.58	2.62	--	4.81	-2.15	--
14:15:00	5.30	4.83	0.56	--	5.16	9.83	1.86	--	4.67	-3.30	--
14:30:00	5.92	3.54	2.81	--	5.38	8.18	2.35	--	2.80	-3.03	--
14:45:00	5.07	2.17	3.40	--	5.40	5.79	2.35	--	0.39	-3.05	--
15:00:00	2.46	6.00	3.25	--	4.50	4.34	2.50	--	-0.16	-2.00	--
15:15:00	5.55	6.24	3.18	--	4.86	4.56	2.64	--	-0.30	-2.22	--
15:30:00	4.86	2.98	3.20	--	4.77	4.19	3.17	--	-0.59	-1.61	--
15:45:00	4.85	5.65	2.68	--	4.56	4.61	3.14	--	0.05	-1.42	--
16:00:00	1.78	3.62	2.86	--	3.90	4.90	3.04	--	1.00	-0.86	--
16:15:00	3.73	4.22	2.70	--	4.15	4.54	2.92	--	0.39	-1.23	--
16:30:00	4.60	1.60	1.93	--	3.96	3.61	2.67	--	-0.35	-1.29	--
16:45:00	1.21	0.84	1.03	--	3.23	3.19	2.24	--	-0.05	-0.99	--
17:00:00	0.83	4.90	0.94	0.00	2.43	3.04	1.89	0.00	0.61	-0.54	-2.43
17:15:00	0.78	--	0.00	0.00	2.23	2.89	1.32	0.00	0.66	-0.91	-2.23
17:30:00	0.69	1.54	0.96	0.00	1.62	2.22	0.97	0.00	0.60	-0.65	-1.62
17:45:00	1.14	1.88	1.48	--	0.93	2.29	0.89	0.00	1.36	-0.04	-0.93
18:00:00	0.89	3.07	1.26	--	0.87	2.85	0.93	0.00	1.98	0.06	-0.87

Wednesday, May 8, 2024

Time	Turbidity (NTU)				Rolling Average Turbidity (NTU)				Difference (NTU)		
	Ambient	TB1	USB	SSB	Ambient	TB1	USB	SSB	TB1 - Ambient	USB - Ambient	SSB - Ambient
7:00:00	1.95	--	0.07	--	1.99	0.00	2.92	0.00	-1.99	1.52	-1.99
7:15:00	2.47	--	0.34	--	1.52	0.00	2.34	0.00	-1.52	0.82	-1.52
7:30:00	0.80	--	1.08	--	1.44	0.00	1.99	0.00	-1.44	0.54	-1.44
7:45:00	1.82	--	0.58	0.00	1.77	0.00	1.15	0.00	-1.77	-0.62	-1.77
8:00:00	2.39	--	0.00	0.00	1.89	--	0.41	0.00	--	-1.47	-1.89
8:15:00	1.79	--	1.87	0.00	1.86	--	0.77	0.00	--	-1.08	-1.86
8:30:00	1.03	5.23	1.66	--	1.57	5.23	1.04	0.00	3.66	-0.53	-1.57
8:45:00	0.57	3.00	1.96	--	1.52	4.11	1.22	0.00	2.59	-0.31	-1.52
9:00:00	1.27	1.63	0.29	--	1.41	3.29	1.16	0.00	1.87	-0.26	-1.41
9:15:00	1.12	1.67	3.76	--	1.16	2.88	1.91	0.00	1.72	0.75	-1.16
9:30:00	2.08	30.72	3.51	--	1.22	8.45	2.24	--	7.23	1.02	--
9:45:00	3.31	--	3.57	--	1.67	9.25	2.62	--	7.58	0.95	--
10:00:00	4.31	8.79	3.24	--	2.42	10.70	2.87	--	8.28	0.45	--
10:15:00	3.65	11.73	4.23	2.53	2.90	13.23	3.66	2.53	10.33	0.77	-0.37
10:30:00	2.87	13.20	7.58	3.60	3.25	16.11	4.43	3.06	12.87	1.18	-0.18
10:45:00	3.95	7.73	9.94	5.26	3.62	10.36	5.71	3.80	6.74	2.09	0.18
11:00:00	1.80	2.07	7.84	8.55	3.32	8.70	6.57	4.98	5.39	3.25	1.67
11:15:00	3.55	3.05	9.22	9.09	3.16	7.56	7.76	5.81	4.39	4.60	2.64
11:30:00	1.17	6.84	6.76	6.80	2.67	6.58	8.27	6.66	3.91	5.60	3.99
11:45:00	0.38	3.09	11.39	3.80	2.17	4.56	9.03	6.70	2.39	6.86	4.53
12:00:00	2.74	0.71	5.77	1.56	1.93	3.15	8.20	5.96	1.23	6.27	4.04
12:15:00	2.77	0.43	8.18	1.26	2.12	2.82	8.26	4.50	0.70	6.14	2.38
12:30:00	3.23	1.27	7.29	0.81	2.06	2.47	7.88	2.85	0.41	5.82	0.79
12:45:00	1.39	0.01	7.85	2.44	2.10	1.10	8.10	1.97	-1.00	5.99	-0.13
13:00:00	3.51	--	9.80	7.40	2.73	0.60	7.78	2.69	-2.13	5.05	-0.03
13:15:00	1.11	0.00	11.64	4.27	2.40	0.43	8.95	3.24	-1.98	6.55	0.83
13:30:00	4.39	0.00	5.46	5.42	2.73	0.32	8.41	4.07	-2.41	5.68	1.34
13:45:00	3.10	0.00	6.68	1.43	2.70	0.00	8.29	4.19	-2.70	5.58	1.49
14:00:00	2.51	--	4.91	3.29	2.93	0.00	7.70	4.36	-2.93	4.77	1.44
14:15:00	7.37	--	5.61	2.04	3.70	0.00	6.86	3.29	-3.70	3.16	-0.41
14:30:00	5.34	--	8.20	0.03	4.54	0.00	6.17	2.44	-4.54	1.63	-2.10
14:45:00	5.71	--	5.71	2.67	4.81	0.00	6.22	1.89	-4.81	1.42	-2.91
15:00:00	4.22	--	4.23	3.61	5.03	--	5.73	2.33	--	0.70	-2.70
15:15:00	5.29	0.00	7.09	--	5.59	0.00	6.17	2.09	-5.59	0.58	-3.50
15:30:00	7.64	0.00	4.57	1.59	5.64	0.00	5.96	1.98	-5.64	0.32	-3.66
15:45:00	12.49	0.27	5.15	3.65	7.07	0.09	5.35	2.88	-6.98	-1.72	-4.19
16:00:00	9.09	--	10.20	5.33	7.75	0.09	6.25	3.55	-7.65	-1.50	-4.20
16:15:00	6.96	0.00	2.29	4.94	8.29	0.07	5.86	3.88	-8.22	-2.43	-4.41
16:30:00	4.20	--	1.64	6.69	8.07	0.09	4.77	4.44	-7.98	-3.30	-3.63
16:45:00	4.28	0.00	3.51	5.10	7.40	0.09	4.56	5.14	-7.31	-2.84	-2.26
17:00:00	6.08	0.00	--	6.67	6.12	0.00	4.41	5.75	-6.12	-1.71	-0.37
17:15:00	5.29	0.00	2.47	8.94	5.36	0.00	2.48	6.47	-5.36	-2.88	1.11
17:30:00	5.11	--	1.95	6.84	4.99	0.00	2.40	6.85	-4.99	-2.59	1.86
17:45:00	8.32	--	0.56	6.53	5.81	0.00	2.12	6.82	-5.81	-3.69	1.00
18:00:00	7.29	--	0.00	6.36	6.42	0.00	1.25	7.07	-6.42	-5.17	0.65

Thursday, May 9, 2024

Time	Turbidity (NTU)				Rolling Average Turbidity (NTU)				Difference (NTU)		
	Ambient	TB1	USB	3SB	Ambient	TB1	USB	3SB	TB1 - Ambient	USB - Ambient	3SB - Ambient
7:00:00	8.89	5.07	13.50	2.29	7.30	2.27	5.82	1.67	-5.03	-1.48	-5.63
7:15:00	6.93	3.58	9.75	2.62	6.95	2.98	7.24	2.19	-3.96	0.30	-4.75
7:30:00	6.94	4.01	15.01	1.13	6.67	3.57	9.47	1.68	-3.11	2.80	-5.00
7:45:00	8.83	1.90	14.30	1.67	6.93	3.95	11.34	1.54	-2.98	4.41	-5.38
8:00:00	4.53	3.10	13.74	5.09	7.22	3.53	13.26	2.56	-3.69	6.04	-4.66
8:15:00	7.94	5.16	19.26	3.79	7.04	3.55	14.41	2.86	-3.49	7.38	-4.17
8:30:00	5.38	6.56	21.14	2.04	6.73	4.15	16.69	2.74	-2.58	9.96	-3.98
8:45:00	8.43	9.53	24.60	1.80	7.02	5.25	18.61	2.88	-1.77	11.58	-4.15
9:00:00	4.72	7.81	27.27	2.48	6.20	6.43	21.20	3.04	0.23	15.00	-3.16
9:15:00	7.60	5.39	23.76	0.83	6.82	6.89	23.21	2.19	0.07	16.39	-4.63
9:30:00	6.13	1.53	25.30	1.79	6.45	6.16	24.41	1.79	-0.29	17.96	-4.66
9:45:00	8.09	4.50	24.84	4.10	6.99	5.75	25.16	2.20	-1.24	18.16	-4.79
10:00:00	5.38	3.67	22.76	3.10	6.38	4.58	24.79	2.46	-1.81	18.40	-3.92
10:15:00	7.16	3.18	21.50	4.29	6.87	3.65	23.63	2.82	-3.22	16.76	-4.05
10:30:00	5.48	4.18	18.77	3.19	6.45	3.41	22.63	3.29	-3.04	16.19	-3.15
10:45:00	6.30	2.96	20.39	4.77	6.48	3.70	21.65	3.89	-2.78	15.17	-2.59
11:00:00	2.72	3.02	21.75	3.46	5.41	3.40	21.03	3.76	-2.01	15.63	-1.65
11:15:00	6.52	8.42	16.64	3.25	5.64	4.35	19.81	3.79	-1.29	14.17	-1.84
11:30:00	6.18	4.66	19.94	3.30	5.44	4.65	19.50	3.59	-0.79	14.06	-1.84
11:45:00	4.69	2.37	21.26	3.52	5.28	4.28	20.00	3.66	-1.00	14.72	-1.62
12:00:00	1.69	3.13	24.79	2.58	4.36	4.32	20.88	3.22	-0.04	16.52	-1.14
12:15:00	5.08	3.53	25.24	3.11	4.83	4.42	21.58	3.15	-0.41	16.74	-1.68
12:30:00	6.55	3.56	26.45	3.20	4.84	3.45	23.54	3.14	-1.39	18.70	-1.70
12:45:00	5.22	2.57	26.34	2.55	4.65	3.03	24.82	2.99	-1.62	20.17	-1.65
13:00:00	2.73	3.65	25.30	4.74	4.25	3.29	25.63	3.24	-0.97	21.37	-1.02
13:15:00	4.23	38.94	24.91	5.29	4.76	10.45	25.65	3.78	5.69	20.89	-0.98
13:30:00	7.11	5.68	27.41	4.56	5.17	10.88	26.08	4.07	5.71	20.91	-1.10
13:45:00	7.62	20.76	27.17	13.53	5.38	14.32	26.23	6.13	8.94	20.85	0.75
14:00:00	4.95	3.35	32.20	7.95	5.33	14.48	27.40	7.21	9.15	22.07	1.89
14:15:00	4.72	5.32	32.37	3.40	5.72	14.81	28.81	6.95	9.09	23.09	1.22
14:30:00	2.40	--	34.43	4.34	5.36	8.78	30.71	6.76	3.42	25.36	1.40
14:45:00	5.13	0.00	33.66	4.47	4.96	7.36	31.97	6.74	2.40	27.01	1.78
15:00:00	5.80	0.00	31.07	2.64	4.60	2.17	32.75	4.56	-2.43	28.15	-0.04
15:15:00	--	0.00	31.99	3.82	4.51	1.33	32.70	3.73	-3.18	28.19	-0.78
15:30:00	4.46	--	31.98	2.44	4.45	0.00	32.63	3.54	-4.45	28.18	-0.90
15:45:00	4.70	--	29.42	2.22	5.02	0.00	31.62	3.12	-5.02	26.60	-1.90
16:00:00	4.73	--	36.48	4.05	4.92	0.00	32.19	3.04	-4.92	27.26	-1.89
16:15:00	1.07	--	35.99	7.86	3.74	0.00	33.17	4.08	-3.74	29.43	0.34
16:30:00	4.73	--	34.90	10.67	3.94	--	33.75	5.45	--	29.81	1.51
16:45:00	6.45	--	35.19	12.70	4.34	--	34.40	7.50	--	30.06	3.16
17:00:00	5.22	--	34.74	14.11	4.44	--	35.46	9.88	--	31.02	5.44
17:15:00	5.54	--	34.21	12.16	4.60	--	35.00	11.50	--	30.40	6.90
17:30:00	3.50	--	31.95	9.05	5.09	--	34.20	11.74	--	29.11	6.65
17:45:00	7.79	--	30.40	7.41	5.70	--	33.30	11.09	--	27.59	5.39
18:00:00	6.99	--	32.65	11.15	5.81	--	32.79	10.78	--	26.98	4.97

## Friday, May 10, 2024

Time	Turbidity (NTU)				Rolling Average Turbidity (NTU)				Difference (NTU)		
	Ambient	TB1	USB	SSB	Ambient	TB1	USB	SSB	TB1 - Ambient	USB - Ambient	SSB - Ambient
7:00:00	13.98	--	2.14	--	10.14	0.00	3.89	0.00	-10.14	-6.25	-10.14
7:15:00	9.18	--	1.21	--	11.56	0.00	2.70	0.00	-11.56	-8.86	-11.56
7:30:00	10.24	--	1.39	--	10.15	0.00	1.94	0.00	-10.15	-8.21	-10.15
7:45:00	13.23	0.00	1.33	--	10.99	0.00	1.70	0.00	-10.99	-9.29	-10.99
8:00:00	9.94	0.00	1.85	--	11.31	0.00	1.58	--	-11.31	-9.73	--
8:15:00	8.84	0.00	1.98	--	10.29	0.00	1.55	--	-10.29	-8.73	--
8:30:00	11.81	--	1.67	--	10.81	0.00	1.65	--	-10.81	-9.17	--
8:45:00	9.03	--	1.67	--	10.57	0.00	1.70	--	-10.57	-8.87	--
9:00:00	8.82	--	1.71	--	9.69	0.00	1.78	--	-9.69	-7.91	--
9:15:00	13.26	--	1.45	--	10.35	0.00	1.70	--	-10.35	-8.66	--
9:30:00	12.85	--	2.78	--	11.15	--	1.86	--	--	-9.30	--
9:45:00	13.14	--	1.67	--	11.42	--	1.86	--	--	-9.56	--
10:00:00	12.42	--	3.90	--	12.10	--	2.30	--	--	-9.80	--
10:15:00	3.77	--	3.32	--	11.09	--	2.62	--	--	-8.46	--
10:30:00	8.93	--	4.03	--	10.22	--	3.14	--	--	-7.08	--
10:45:00	14.68	--	3.09	--	10.59	--	3.20	--	--	-7.38	--
11:00:00	9.92	--	5.04	--	9.95	--	3.88	--	--	-6.07	--
11:15:00	8.19	0.00	4.40	--	9.10	0.00	3.98	--	-9.10	-5.12	--
11:30:00	9.99	16.28	4.53	--	10.34	8.14	4.22	--	-2.20	-6.13	--
11:45:00	13.06	12.56	3.62	--	11.17	9.61	4.14	--	-1.56	-7.03	--
12:00:00	14.57	0.00	3.04	--	11.15	7.21	4.13	--	-3.94	-7.02	--
12:15:00	9.83	0.00	1.83	--	11.13	5.77	3.48	--	-5.36	-7.64	--
12:30:00	15.17	0.00	1.32	--	12.52	5.77	2.87	--	-6.76	-9.66	--
12:45:00	10.68	--	0.83	--	12.66	3.14	2.13	--	-9.52	-10.53	--
13:00:00	16.44	--	1.83	--	13.34	0.00	1.77	--	-13.34	-11.57	--
13:15:00	14.71	--	1.20	--	13.36	0.00	1.40	--	-13.36	-11.96	--
13:30:00	10.61	--	2.52	--	13.52	0.00	1.54	--	-13.52	-11.98	--
13:45:00	18.77	--	2.28	--	14.24	--	1.73	--	--	-12.51	--
14:00:00	13.82	--	2.17	--	14.87	--	2.00	--	--	-12.87	--
14:15:00	18.10	--	1.47	--	15.20	--	1.93	--	--	-13.27	--
14:30:00	4.72	--	1.67	--	13.20	--	2.02	--	--	-11.18	--
14:45:00	14.27	--	1.82	--	13.94	--	1.88	--	--	-12.05	--
15:00:00	16.21	--	1.62	--	13.42	--	1.75	--	--	-11.67	--
15:15:00	19.78	0.00	1.20	--	14.62	0.00	1.56	--	-14.62	-13.06	--
15:30:00	8.76	0.00	0.98	--	12.75	0.00	1.46	--	-12.75	-11.29	--
15:45:00	11.73	--	1.02	--	14.15	0.00	1.33	--	-14.15	-12.82	--
16:00:00	18.48	0.00	1.56	--	14.99	0.00	1.28	--	-14.99	-13.71	--
16:15:00	25.00	0.00	1.11	--	16.75	0.00	1.18	--	-16.75	-15.57	--
16:30:00	16.31	0.00	1.39	--	16.05	0.00	1.21	--	-16.05	-14.84	--
16:45:00	22.92	--	0.61	--	18.89	0.00	1.14	--	-18.89	-17.75	--
17:00:00	16.31	--	0.65	--	19.80	0.00	1.06	--	-19.80	-18.74	--
17:15:00	23.74	--	0.94	--	20.86	0.00	0.94	--	-20.86	-19.92	--
17:30:00	20.88	--	0.85	--	20.03	0.00	0.89	--	-20.03	-19.14	--
17:45:00	25.19	--	0.60	--	21.81	--	0.73	--	--	-21.07	--
18:00:00	21.47	--	0.36	--	21.52	--	0.68	--	--	-20.84	--