

**GOWANUS CANAL SUPERFUND SITE
RTA2 REMEDIAL CONSTRUCTION
Water Quality Monitoring Weekly Data Summary**

PERIOD: July 29, 2024 – August 2, 2024

Date of Report: August 6, 2024

Report Contents

- Scope of Monitoring
- Report of Exceedances
- Turbidity Buoy Data
- Dissolved Oxygen Monitoring Data
- Summary of Visual Observations

Prepared by

B&B Engineers & Geologists 
of new york, p.c.

an affiliate of Geosyntec Consultants

1255 Roberts Blvd, Suite 200
Kennesaw, GA 30144
Project Number JR0289B

1. SCOPE OF MONITORING

1.1 Buoy Locations

In accordance with the Water Quality Monitoring Plan for In-waterway Construction Activities (WQMP) two turbidity buoys were deployed to monitor turbidity related to bulkhead probing and large debris removal activities. A turbidity buoy was deployed in the Fourth Street Turning Basin (TB4) to monitor background turbidity unaffected by in-water construction activities and was referred to as the Ambient Buoy. A turbidity buoy was deployed north of 9th Street Bridge, along the west bulkhead. These buoys (Figure 1) are in use to monitor the limited RTA2 construction activities. Additional buoys will be added when intrusive dredging begins in the waterway.

All readings from buoys were transmitted via telemetry at 15-minute intervals. The instrument used to collect turbidity and DO from the buoys is an In-Situ VuLink (telemetry) and AquaTroll500 (sonde), equipped with optical sensors capable of reading turbidity levels with an accuracy of +/-0.5 NTU and DO levels with an accuracy of +/-0.1 mg/L.

1.2 Current Reporting Period Scope of Monitoring

During the week of July 29, 2024, two turbidity buoys were deployed consisting of a Sentinel Buoy (9SB) approximately 10 meters north of the 9th Street Bridge on the west side, and an Ambient Buoy (Ambient) in the middle of Turning Basin Four.

All readings from buoys were transmitted via telemetry at 15-minute intervals. The instrument used to collect turbidity and DO from the buoys is an In-Situ VuLink (telemetry) and AquaTroll500 (sonde), equipped with optical sensors capable of reading turbidity levels with an accuracy of +/-0.5 NTU and DO levels with an accuracy of +/-0.1 mg/L.

Visual observations of ambient buoy, turbidity and sheen are summarized in Section 5. Visual observations of turbidity and sheen are summarized in Section 5. No maintenance was performed during this monitoring period.

1.3 Meteorological Conditions

The weather conditions onsite were as follows:

Table 1- Summary of Weather Conditions for reporting period.

Meteorological Parameters	07/29/2024	7/30/2024	07/31/2024	08/01/2024	08/02/2024
<i>Wind Direction (from)</i>	S	S	SW	SW	SSW
<i>Wind Speed (mph)</i>	6.1	8.2	7.7	4.7	5.2
<i>Temperature (°F)</i>	76.8	77.6	80.2	83.1	81.5
<i>Humidity (%)</i>	77.8	82.4	77.8	68.2	79.9
<i>Barometric Pressure (inHg)</i>	29.87	29.87	29.778	29.83	29.76
<i>Precipitation (Inch)</i>	0.15	0.03	0.11	0.075	0.94


1.4 Tidal Conditions

Table 2 - Tidal data from the Battery (National Oceanic and Atmospheric Administration [NOAA] Station 8518750) was reviewed and is summarized as follows:

High/Low Tide Prediction Data Listing			
Station Name: The Battery, NY Action: Daily Product: Tide Predictions Start Date & Time: 2024/7/29 12:00 AM End Date & Time: 2024/8/2 11:59 PM	Source: NOAA/NOS/CO-OPS Prediction Type: Harmonic Datum: MLLW Height Units: Feet Time Zone: LST/LDT		

Date	Day	Time	Hgt	Time	Hgt	Time	Hgt	Time	Hgt
2024/07/29	Mon	03:21 AM	4.49 H	09:45 AM	0.41 L	3:56 PM	5.35 H	10:48 PM	0.65 L
2024/07/30	Tue	04:25 AM	4.30 H	10:46 AM	0.52 L	4:58 PM	5.29 H	11:47 PM	0.54 L
2024/07/31	Wed	05:32 AM	4.25 H	11:43 AM	0.58 L	6:01 PM	5.31 H		
2024/08/01	Thu	12:42 AM	0.41 L	06:35 AM	4.33 H	12:37 PM	0.60 L	6:56 PM	5.38 H
2024/08/02	Fri	01:33 AM	0.29 L	07:28 AM	4.47 H	1:28 PM	0.59 L	7:44 PM	5.44 H

Figure 2- Tidal Chart for reporting period.



Note: The interval is High/Low, the solid blue line depicts a curve fit between the high and low values and approximates the segments between.
 Disclaimer: These data are based upon the latest information available as of the date of your request, and may differ from the published tide tables.

2. REPORT OF EXCEEDANCES

No exceedances of the trigger or action criteria occurred during the reporting period due to construction activities. Turbidity and floatables were observed throughout the reporting period unrelated to construction activities.

Trigger criterion – Any of the following:

- The rolling average of the relevant sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements

by 20 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or

- Either an oil sheen or a turbidity plume is visually observed at the relevant sentinel buoy and in-waterway construction activities are readily identified as the source.
- **Action criterion** – Any of the following:
 - The rolling average of the turbidity measurements of the sentinel buoy outside of RTA2 over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
 - Either an oil sheen or a turbidity plume is visually observed outside of RTA2, and any deployed engineering controls and in-waterway construction activities are readily identified as the source.

An outlier is defined as a reading that is outside the range of 50 to 200 percent of the average of the three previous readings. In addition, to be considered an outlier, the subsequent reading must return to a range of 75 to 133 percent of the average of the three readings preceding the outlier.

2.1 Response to Criteria Exceedances


The trigger level criterion serves to provide early notification to the contractor of construction activities that may lead to an exceedance of the action level criterion. In the event of an exceedance to the trigger criterion, the contractor will not be stopped, and the contractor will be directed to investigate the source of the exceedance and evaluate Best Management Practices (BMPs). In the event of an exceedance to the action level criterion, in-waterway construction activities may be slowed or temporarily suspended as necessary while the contractor investigates the source of the exceedance and appropriate mitigation, and corrective measures are determined. A more detailed description of responses to exceedances of the trigger and action level criteria is provided in Section 4.2 of the WQMP.

3. TURBIDITY BUOY DATA

Elevated turbidity measured throughout RTA2 during the reporting period was unrelated to construction activities.


3.1 Monday, July 29, 2024

Figure 3. Hourly rolling average turbidity readings from 7 AM to 3:30 PM.




3.1 Tuesday, July 30, 2024

Figure 4. Hourly rolling average turbidity readings from 7 AM to 3:30 PM.




3.1 Wednesday July 31, 2024

Figure 5. Hourly rolling average turbidity readings from 7 AM to 3:30 PM.




3.1 Thursday, August 1, 2024

Figure 6. Hourly rolling average turbidity readings from 7 AM to 3:30 PM.



3.1 Friday, August 2, 2024

Figure 7. Hourly rolling average turbidity readings from 7 AM to 3:30 PM.



Note: No construction activities took place on the water Friday, August 2, 2024, thus elevated turbidity measured throughout RTA2 was unrelated to construction activities.

4. DISSOLVED OXYGEN MONITORING DATA

Dissolved oxygen measured at the monitoring buoys throughout the reporting period is provided in Appendix B and summarized below:

- Ambient
 - Average 2.96 (+/-0.1) mg/L
 - Min = 0.0 (+/-0.1) mg/L on multiple days
 - Max = 17.56 (+/-0.1) mg/L on Friday August 2, 2024
- 9th Street Bridge (N 9SB)
 - Average = 1.98 (+/-0.1) mg/L
 - Min = 0.0 (+/-0.1) mg/L on multiple days
 - Max = 8.44 (+/-0.1) mg/L on Friday, July 29, 2024

5. SUMMARY OF VISUAL OBSERVATIONS

Visual indications of elevated turbidity unrelated to construction activities were observed throughout the reporting period. Sheens in areas of RTA2 were minimal to moderate. Turbid water was noted south of 3rd Street Bridge during and after work activities throughout the week. During work activities, a turbidity curtain was in place approximately 15 meters north of 3rd Street Bridge and approximately 10 meters south of 9th Street Bridge.



Figure 8 – July 29, 2024. General Conditions in Canal north of 9th Street Bridge prior to work activities at 6:52AM.




Figure 8 – August 1, 2024. General Conditions in Canal north of 9th Street Bridge prior to work activities at 6:52AM. Moderate sheens noted prior to work activities.

APPENDIX A
Turbidity Data Tables

Table 3

Monday July 29, 2024

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)
		Ambient	9SB	Ambient	9SB	9SB - Ambient
7/29/2024	7:00:00 AM	7.12	4.36	7.12	4.36	-2.76
7/29/2024	7:15:00 AM	5.01	3.41	6.07	3.88	-2.19
7/29/2024	7:30:00 AM	5.92	3.60	6.02	3.79	-2.23
7/29/2024	7:45:00 AM	19.51	3.13	9.39	3.63	-5.77
7/29/2024	8:00:00 AM	14.49	92.41	10.41	21.38	10.97
7/29/2024	8:15:00 AM	13.71	7.81	11.73	22.07	10.34
7/29/2024	8:30:00 AM	9.53	6.28	12.63	22.65	10.02
7/29/2024	8:45:00 AM	10.99	8.10	13.65	23.55	9.90
7/29/2024	9:00:00 AM	9.51	10.70	11.64	25.06	13.42
7/29/2024	9:15:00 AM	6.72	9.68	10.09	8.52	-1.58
7/29/2024	9:30:00 AM	7.00	7.96	8.75	8.55	-0.20
7/29/2024	9:45:00 AM	9.23	11.68	8.69	9.63	0.94
7/29/2024	10:00:00 AM	10.20	10.90	8.53	10.19	1.66
7/29/2024	10:15:00 AM	8.49	12.85	8.33	10.62	2.29
7/29/2024	10:30:00 AM	10.86	9.32	9.15	10.54	1.39
7/29/2024	10:45:00 AM	10.17	9.56	9.79	10.86	1.07
7/29/2024	11:00:00 AM	9.98	8.92	9.94	10.31	0.37
7/29/2024	11:15:00 AM	9.27	6.10	9.75	9.35	-0.40
7/29/2024	11:30:00 AM	8.87	5.25	9.83	7.83	-2.00
7/29/2024	11:45:00 AM	10.96	6.28	9.85	7.22	-2.63
7/29/2024	12:00:00 PM	10.42	5.68	9.90	6.44	-3.46
7/29/2024	12:15:00 PM	13.33	7.39	10.57	6.14	-4.43
7/29/2024	12:30:00 PM	11.87	6.20	11.09	6.16	-4.93
7/29/2024	12:45:00 PM	12.60	5.64	11.83	6.24	-5.60
7/29/2024	1:00:00 PM	15.96	5.83	12.84	6.15	-6.69
7/29/2024	1:15:00 PM	17.12	9.69	14.18	6.95	-7.23
7/29/2024	1:30:00 PM	13.22	6.79	14.15	6.83	-7.32
7/29/2024	1:45:00 PM	12.13	4.24	14.21	6.44	-7.77
7/29/2024	2:00:00 PM	10.23	7.46	13.73	6.80	-6.93
7/29/2024	2:15:00 PM	10.41	5.06	12.62	6.65	-5.98
7/29/2024	2:30:00 PM	8.84	3.68	10.96	5.45	-5.52
7/29/2024	2:45:00 PM	9.65	3.10	10.25	4.71	-5.54
7/29/2024	3:00:00 PM	9.62	4.61	9.75	4.78	-4.97
7/29/2024	3:15:00 PM	10.84	4.04	9.87	4.10	-5.77
7/29/2024	3:30:00 PM	10.16	3.55	9.82	3.80	-6.02

Table 4

Tuesday July 30, 2024

	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)
Date		Ambient	9SB	Ambient	9SB	9SB - Ambient
7/30/2024	7:00:00	14.06	4.01	13.63	4.56	-9.07
7/30/2024	7:15:00	13.50	5.77	13.49	4.82	-8.67
7/30/2024	7:30:00	15.85	4.14	14.16	4.48	-9.67
7/30/2024	7:45:00	15.29	4.88	14.49	4.63	-9.86
7/30/2024	8:00:00	15.76	4.47	14.89	4.66	-10.24
7/30/2024	8:15:00	14.61	4.93	15.00	4.84	-10.16
7/30/2024	8:30:00	15.96	5.02	15.49	4.69	-10.80
7/30/2024	8:45:00	15.83	4.82	15.49	4.83	-10.66
7/30/2024	9:00:00	16.27	5.77	15.68	5.00	-10.68
7/30/2024	9:15:00	13.76	7.53	15.29	5.62	-9.67
7/30/2024	9:30:00	13.30	7.15	15.02	6.06	-8.96
7/30/2024	9:45:00	14.03	6.22	14.64	6.30	-8.34
7/30/2024	10:00:00	15.20	6.42	14.51	6.62	-7.89
7/30/2024	10:15:00	15.64	5.62	14.39	6.59	-7.80
7/30/2024	10:30:00	15.58	7.20	14.75	6.52	-8.23
7/30/2024	10:45:00	15.50	5.43	15.19	6.18	-9.01
7/30/2024	11:00:00	15.46	6.00	15.48	6.13	-9.34
7/30/2024	11:15:00	15.28	5.63	15.49	5.97	-9.52
7/30/2024	11:30:00	15.81	7.01	15.53	6.25	-9.27
7/30/2024	11:45:00	15.42	5.66	15.49	5.95	-9.55
7/30/2024	12:00:00	14.88	5.41	15.37	5.94	-9.43
7/30/2024	12:15:00	16.21	5.40	15.52	5.82	-9.70
7/30/2024	12:30:00	16.13	4.97	15.69	5.69	-10.00
7/30/2024	12:45:00	16.29	5.28	15.79	5.35	-10.44
7/30/2024	13:00:00	15.07	5.68	15.72	5.35	-10.37
7/30/2024	13:15:00	15.87	6.06	15.91	5.48	-10.43
7/30/2024	13:30:00	16.16	7.16	15.90	5.83	-10.07
7/30/2024	13:45:00	16.73	7.66	16.02	6.37	-9.65
7/30/2024	14:00:00	16.22	9.06	16.01	7.13	-8.88
7/30/2024	14:15:00	17.58	11.89	16.51	8.37	-8.14
7/30/2024	14:30:00	17.92	11.35	16.92	9.43	-7.50
7/30/2024	14:45:00	18.95	9.56	17.48	9.90	-7.58
7/30/2024	15:00:00	17.62	6.33	17.66	9.64	-8.02
7/30/2024	15:15:00	18.26	4.58	18.07	8.74	-9.32
7/30/2024	15:30:00	--	--	18.19	7.96	-10.23

Table 5

Wednesday, July 31, 2024

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)
		Ambient	9SB	Ambient	9SB	9SB - Ambient
7/31/2024	7:00:00	19.10	6.57	20.01	6.78	-13.23
7/31/2024	7:15:00	18.43	6.57	19.85	6.40	-13.45
7/31/2024	7:30:00	19.80	6.28	19.91	6.30	-13.60
7/31/2024	7:45:00	18.70	6.12	19.62	6.21	-13.40
7/31/2024	8:00:00	18.75	4.25	18.96	5.96	-13.00
7/31/2024	8:15:00	18.52	5.28	18.84	5.70	-13.14
7/31/2024	8:30:00	18.94	7.90	18.94	5.97	-12.98
7/31/2024	8:45:00	18.74	7.79	18.73	6.27	-12.46
7/31/2024	9:00:00	18.75	5.88	18.74	6.22	-12.52
7/31/2024	9:15:00	18.42	6.59	18.67	6.69	-11.98
7/31/2024	9:30:00	18.86	6.10	18.74	6.85	-11.89
7/31/2024	9:45:00	19.99	7.72	18.95	6.82	-12.14
7/31/2024	10:00:00	18.78	10.23	18.96	7.30	-11.66
7/31/2024	10:15:00	20.66	16.74	19.34	9.48	-9.87
7/31/2024	10:30:00	19.16	13.10	19.49	10.78	-8.71
7/31/2024	10:45:00	18.86	--	19.49	11.95	-7.54
7/31/2024	11:00:00	24.84	12.37	20.46	13.11	-7.35
7/31/2024	11:15:00	19.59	19.81	20.62	15.50	-5.12
7/31/2024	11:30:00	20.81	36.06	20.65	20.33	-0.32
7/31/2024	11:45:00	20.67	26.86	20.95	23.77	2.82
7/31/2024	12:00:00	20.37	17.61	21.26	22.54	1.28
7/31/2024	12:15:00	17.87	29.16	19.86	25.90	6.04
7/31/2024	12:30:00	19.05	15.10	19.75	24.96	5.20
7/31/2024	12:45:00	46.24	--	24.84	22.18	-2.66
7/31/2024	13:00:00	39.23	13.76	28.55	18.91	-9.64
7/31/2024	13:15:00	26.59	32.60	29.80	22.66	-7.14
7/31/2024	13:30:00	23.61	13.16	30.95	18.65	-12.29
7/31/2024	13:45:00	22.00	10.81	31.54	17.58	-13.95
7/31/2024	14:00:00	20.26	10.78	26.34	16.22	-10.12
7/31/2024	14:15:00	20.58	17.69	22.61	17.01	-5.60
7/31/2024	14:30:00	22.18	15.74	21.73	13.64	-8.09
7/31/2024	14:45:00	25.61	13.01	22.13	13.61	-8.52
7/31/2024	15:00:00	31.21	12.08	23.97	13.86	-10.11
7/31/2024	15:15:00	58.38	11.38	31.59	13.98	-17.61
7/31/2024	15:30:00	59.14	17.18	39.30	13.88	-25.43

Table 6

Thursday, August 1, 2024

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)
		Ambient	9SB	Ambient	9SB	9SB - Ambient
8/1/2024	7:00:00	23.26	12.28	25.21	12.44	-12.77
8/1/2024	7:15:00	28.61	11.97	25.53	12.57	-12.96
8/1/2024	7:30:00	28.43	10.14	26.16	12.38	-13.79
8/1/2024	7:45:00	28.10	11.12	26.77	11.91	-14.86
8/1/2024	8:00:00	36.77	11.85	29.04	11.47	-17.56
8/1/2024	8:15:00	27.32	10.01	29.85	11.02	-18.83
8/1/2024	8:30:00	30.45	16.77	30.22	11.98	-18.24
8/1/2024	8:45:00	28.93	13.73	30.31	12.70	-17.62
8/1/2024	9:00:00	28.81	13.30	30.46	13.13	-17.32
8/1/2024	9:15:00	28.97	10.53	28.90	12.87	-16.03
8/1/2024	9:30:00	30.10	19.93	29.45	14.85	-14.60
8/1/2024	9:45:00	31.01	27.02	29.56	16.90	-12.66
8/1/2024	10:00:00	28.37	20.13	29.45	18.18	-11.27
8/1/2024	10:15:00	31.39	24.04	29.97	20.33	-9.64
8/1/2024	10:30:00	30.35	23.89	30.24	23.00	-7.24
8/1/2024	10:45:00	33.02	24.83	30.83	23.98	-6.84
8/1/2024	11:00:00	32.33	23.08	31.09	23.20	-7.90
8/1/2024	11:15:00	33.56	25.59	32.13	24.29	-7.84
8/1/2024	11:30:00	32.23	22.45	32.30	23.97	-8.33
8/1/2024	11:45:00	30.47	26.13	32.32	24.42	-7.91
8/1/2024	12:00:00	38.58	20.19	33.44	23.49	-9.95
8/1/2024	12:15:00	38.14	25.05	34.60	23.88	-10.72
8/1/2024	12:30:00	37.30	26.32	35.35	24.03	-11.32
8/1/2024	12:45:00	32.15	23.95	35.33	24.33	-11.00
8/1/2024	13:00:00	37.95	23.44	36.83	23.79	-13.04
8/1/2024	13:15:00	39.33	21.30	36.98	24.01	-12.96
8/1/2024	13:30:00	40.30	20.69	37.41	23.14	-14.27
8/1/2024	13:45:00	34.02	22.67	36.75	22.41	-14.34
8/1/2024	14:00:00	38.97	20.11	38.12	21.64	-16.47
8/1/2024	14:15:00	39.19	16.46	38.36	20.25	-18.12
8/1/2024	14:30:00	34.82	19.95	37.46	19.98	-17.48
8/1/2024	14:45:00	37.94	17.70	36.99	19.38	-17.61
8/1/2024	15:00:00	37.51	19.82	37.69	18.81	-18.88
8/1/2024	15:15:00	40.06	20.33	37.91	18.85	-19.05
8/1/2024	15:30:00	37.06	17.42	37.48	19.04	-18.44

Table 7

Friday, August 2, 2024

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)
		Ambient	9SB	Ambient	9SB	9SB - Ambient
8/2/2024	7:00:00	17.67	19.42	18.38	9.79	-8.59
8/2/2024	7:15:00	17.98	21.41	18.47	12.81	-5.66
8/2/2024	7:30:00	18.68	28.65	18.59	17.04	-1.55
8/2/2024	7:45:00	18.06	23.22	18.47	19.99	1.52
8/2/2024	8:00:00	20.55	22.08	18.59	22.96	4.37
8/2/2024	8:15:00	17.27	28.08	18.51	24.69	6.18
8/2/2024	8:30:00	18.67	36.40	18.65	27.69	9.04
8/2/2024	8:45:00	18.92	29.54	18.70	27.86	9.17
8/2/2024	9:00:00	18.82	39.30	18.85	31.08	12.23
8/2/2024	9:15:00	37.78	25.57	22.29	31.78	9.48
8/2/2024	9:30:00	18.92	15.95	22.62	29.35	6.73
8/2/2024	9:45:00	29.60	26.25	24.81	27.32	2.51
8/2/2024	10:00:00	37.01	33.01	28.43	28.02	-0.41
8/2/2024	10:15:00	32.86	21.29	31.24	24.41	-6.82
8/2/2024	10:30:00	34.64	23.52	30.61	24.00	-6.60
8/2/2024	10:45:00	31.81	31.21	33.18	27.05	-6.13
8/2/2024	11:00:00	27.41	29.28	32.75	27.66	-5.08
8/2/2024	11:15:00	35.40	22.82	32.42	25.62	-6.80
8/2/2024	11:30:00	24.10	38.40	30.67	29.05	-1.62
8/2/2024	11:45:00	26.10	46.49	28.96	33.64	4.68
8/2/2024	12:00:00	27.63	43.80	28.13	36.16	8.03
8/2/2024	12:15:00	24.63	38.12	27.57	37.93	10.35
8/2/2024	12:30:00	27.13	49.28	25.92	43.22	17.30
8/2/2024	12:45:00	21.11	45.81	25.32	44.70	19.38
8/2/2024	13:00:00	19.71	99.52	24.04	55.31	31.27
8/2/2024	13:15:00	21.56	53.55	22.83	57.26	34.43
8/2/2024	13:30:00	22.17	38.17	22.33	57.27	34.93
8/2/2024	13:45:00	27.00	63.93	22.31	60.20	37.89
8/2/2024	14:00:00	51.78	0.00	28.44	51.04	22.59
8/2/2024	14:15:00	54.55	0.00	35.41	31.13	-4.28
8/2/2024	14:30:00	52.65	0.00	41.63	20.42	-21.21
8/2/2024	14:45:00	33.28	0.00	43.85	12.79	-31.06
8/2/2024	15:00:00	21.04	0.00	42.66	0.00	-42.66
8/2/2024	15:15:00	20.18	0.00	36.34	0.00	-36.34
8/2/2024	15:30:00	39.64	0.00	33.36	0.00	-33.36

APPENDIX B
Dissolved Oxygen Data

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/28/24	11:00 PM	4.98	5.37
7/28/24	11:15 PM	5.94	5.10
7/28/24	11:30 PM	5.10	5.22
7/28/24	11:45 PM	5.66	5.03
7/29/24	12:00 AM	4.55	4.91
7/29/24	12:15 AM	4.56	4.64
7/29/24	12:30 AM	4.20	4.53
7/29/24	12:45 AM	4.11	4.53
7/29/24	1:00 AM	5.08	4.46
7/29/24	1:15 AM	5.62	4.96
7/29/24	1:30 AM	5.21	5.63
7/29/24	1:45 AM	4.48	5.53
7/29/24	2:00 AM	5.28	5.29
7/29/24	2:15 AM	3.82	4.96
7/29/24	2:30 AM	3.87	5.49
7/29/24	2:45 AM	5.80	5.05
7/29/24	3:00 AM	4.40	5.21
7/29/24	3:15 AM	3.35	4.98
7/29/24	3:30 AM	3.44	5.20
7/29/24	3:45 AM	3.02	5.16
7/29/24	4:00 AM	3.40	5.11
7/29/24	4:15 AM	3.50	5.05
7/29/24	4:30 AM	3.36	6.23
7/29/24	4:45 AM	4.06	5.70
7/29/24	5:00 AM	4.03	5.13
7/29/24	5:15 AM	3.93	4.88
7/29/24	5:30 AM	4.19	4.44
7/29/24	5:45 AM	3.61	4.26
7/29/24	6:00 AM	3.62	4.20
7/29/24	6:15 AM	4.80	3.65
7/29/24	6:30 AM	4.59	3.40
7/29/24	6:45 AM	4.44	3.38
7/29/24	7:00 AM	3.85	3.40
7/29/24	7:15 AM	3.82	3.36
7/29/24	7:30 AM	3.89	3.21
7/29/24	7:45 AM	3.56	3.10
7/29/24	8:00 AM	3.61	2.93
7/29/24	8:15 AM	3.44	2.80
7/29/24	8:30 AM	3.00	2.84
7/29/24	8:45 AM	2.90	2.99
7/29/24	9:00 AM	2.92	2.90
7/29/24	9:15 AM	3.29	2.99
7/29/24	9:30 AM	2.69	3.19
7/29/24	9:45 AM	3.03	2.93

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/29/24	10:00 AM	3.23	2.86
7/29/24	10:15 AM	3.46	2.88
7/29/24	10:30 AM	3.68	2.97
7/29/24	10:45 AM	4.15	3.18
7/29/24	11:00 AM	4.09	3.35
7/29/24	11:15 AM	4.41	3.35
7/29/24	11:30 AM	4.69	3.32
7/29/24	11:45 AM	4.45	3.53
7/29/24	12:00 PM	5.09	3.64
7/29/24	12:15 PM	4.57	3.61
7/29/24	12:30 PM	5.03	3.63
7/29/24	12:45 PM	4.63	3.77
7/29/24	1:00 PM	3.64	3.82
7/29/24	1:15 PM	3.75	4.13
7/29/24	1:30 PM	4.46	4.40
7/29/24	1:45 PM	4.28	4.76
7/29/24	2:00 PM	3.92	5.26
7/29/24	2:15 PM	3.92	4.94
7/29/24	2:30 PM	3.52	5.87
7/29/24	2:45 PM	3.95	5.70
7/29/24	3:00 PM	3.44	6.09
7/29/24	3:15 PM	4.34	6.22
7/29/24	3:30 PM	4.25	6.80
7/29/24	3:45 PM	4.52	7.17
7/29/24	4:00 PM	4.50	7.74
7/29/24	4:15 PM	4.05	8.41
7/29/24	4:30 PM	4.22	8.44
7/29/24	4:45 PM	4.66	8.27
7/29/24	5:00 PM	4.90	8.27
7/29/24	5:15 PM	5.08	8.00
7/29/24	5:30 PM	6.44	7.40
7/29/24	5:45 PM	5.92	7.35
7/29/24	6:00 PM	5.80	7.70
7/29/24	6:15 PM	5.53	7.36
7/29/24	6:30 PM	5.56	6.94
7/29/24	6:45 PM	6.71	6.50
7/29/24	7:00 PM	6.97	5.89
7/29/24	7:15 PM	6.84	5.33
7/29/24	7:30 PM	6.69	5.37
7/29/24	7:45 PM	7.00	6.19
7/29/24	8:00 PM	6.58	4.80
7/29/24	8:15 PM	6.53	5.11
7/29/24	8:30 PM	6.22	4.10
7/29/24	8:45 PM	5.71	4.15

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/29/24	9:00 PM	6.23	3.80
7/29/24	9:15 PM	5.47	3.61
7/29/24	9:30 PM	5.21	3.51
7/29/24	9:45 PM	5.15	3.39
7/29/24	10:00 PM	4.64	3.83
7/29/24	10:15 PM	4.73	3.66
7/29/24	10:30 PM	4.75	3.72
7/29/24	10:45 PM	4.42	3.47
7/29/24	11:00 PM	4.29	3.29
7/29/24	11:15 PM	4.62	3.46
7/29/24	11:30 PM	4.13	3.14
7/29/24	11:45 PM	4.43	3.19
7/30/24	12:00 AM	4.06	2.96
7/30/24	12:15 AM	4.00	3.26
7/30/24	12:30 AM	4.17	3.21
7/30/24	12:45 AM	4.20	3.14
7/30/24	1:00 AM	2.69	2.82
7/30/24	1:15 AM	2.42	2.60
7/30/24	1:30 AM	1.96	2.71
7/30/24	1:45 AM	1.39	2.84
7/30/24	2:00 AM	2.05	2.47
7/30/24	2:15 AM	2.51	2.93
7/30/24	2:30 AM	2.55	2.62
7/30/24	2:45 AM	2.06	2.76
7/30/24	3:00 AM	2.03	2.94
7/30/24	3:15 AM	1.82	2.99
7/30/24	3:30 AM	2.21	2.99
7/30/24	3:45 AM	1.77	2.97
7/30/24	4:00 AM	1.71	2.60
7/30/24	4:15 AM	1.37	2.81
7/30/24	4:30 AM	1.28	2.54
7/30/24	4:45 AM	1.36	2.67
7/30/24	5:00 AM	1.67	2.70
7/30/24	5:15 AM	1.08	2.63
7/30/24	5:30 AM	0.51	2.43
7/30/24	5:45 AM	0.84	2.27
7/30/24	6:00 AM	1.15	2.33
7/30/24	6:15 AM	1.37	1.92
7/30/24	6:30 AM	1.80	2.13
7/30/24	6:45 AM	1.59	2.20
7/30/24	7:00 AM	1.83	2.24
7/30/24	7:15 AM	1.26	2.14
7/30/24	7:30 AM	2.10	2.24
7/30/24	7:45 AM	1.80	1.96

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/30/24	8:00 AM	2.06	1.90
7/30/24	8:15 AM	1.70	2.03
7/30/24	8:30 AM	1.89	2.12
7/30/24	8:45 AM	1.45	2.11
7/30/24	9:00 AM	1.26	2.16
7/30/24	9:15 AM	2.44	2.27
7/30/24	9:30 AM	2.42	2.62
7/30/24	9:45 AM	2.68	2.55
7/30/24	10:00 AM	2.45	2.82
7/30/24	10:15 AM	2.35	2.83
7/30/24	10:30 AM	2.51	2.96
7/30/24	10:45 AM	2.44	2.58
7/30/24	11:00 AM	2.63	2.13
7/30/24	11:15 AM	2.72	2.70
7/30/24	11:30 AM	2.93	2.42
7/30/24	11:45 AM	2.94	2.60
7/30/24	12:00 PM	2.92	2.97
7/30/24	12:15 PM	3.01	2.67
7/30/24	12:30 PM	3.23	2.64
7/30/24	12:45 PM	3.25	2.75
7/30/24	1:00 PM	3.31	2.75
7/30/24	1:15 PM	3.29	2.37
7/30/24	1:30 PM	3.60	2.54
7/30/24	1:45 PM	3.64	2.26
7/30/24	2:00 PM	3.69	2.72
7/30/24	2:15 PM	3.90	2.97
7/30/24	2:30 PM	3.96	3.63
7/30/24	2:45 PM	4.09	3.57
7/30/24	3:00 PM	4.09	3.69
7/30/24	3:15 PM	4.22	3.86
7/30/24	3:30 PM	4.07	3.74
7/30/24	3:45 PM	3.94	3.72
7/30/24	4:00 PM	4.10	3.72
7/30/24	4:15 PM	4.46	3.64
7/30/24	4:30 PM	4.49	3.82
7/30/24	4:45 PM	4.38	3.80
7/30/24	5:00 PM	4.65	3.91
7/30/24	5:15 PM	4.57	4.00
7/30/24	5:30 PM	4.05	4.12
7/30/24	5:45 PM	4.66	3.94
7/30/24	6:00 PM	4.48	3.80
7/30/24	6:15 PM	4.65	3.76
7/30/24	6:30 PM	4.44	3.44
7/30/24	6:45 PM	4.37	3.41

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/30/24	7:00 PM	4.27	3.21
7/30/24	7:15 PM	4.26	3.16
7/30/24	7:30 PM	4.34	3.09
7/30/24	7:45 PM	4.28	2.88
7/30/24	8:00 PM	4.23	2.56
7/30/24	8:15 PM	3.89	2.43
7/30/24	8:30 PM	3.86	2.09
7/30/24	8:45 PM	3.76	2.46
7/30/24	9:00 PM	3.62	2.09
7/30/24	9:15 PM	3.62	2.06
7/30/24	9:30 PM	3.54	1.82
7/30/24	9:45 PM	3.18	1.85
7/30/24	10:00 PM	3.09	1.46
7/30/24	10:15 PM	3.04	0.88
7/30/24	10:30 PM	3.09	0.42
7/30/24	10:45 PM	2.88	0.34
7/30/24	11:00 PM	2.86	0.35
7/30/24	11:15 PM	2.83	0.41
7/30/24	11:30 PM	2.64	0.24
7/30/24	11:45 PM	2.50	0.39
7/31/24	12:00 AM	2.32	0.36
7/31/24	12:15 AM	2.03	0.40
7/31/24	12:30 AM	2.06	0.60
7/31/24	12:45 AM	2.31	0.80
7/31/24	1:00 AM	2.49	0.62
7/31/24	1:15 AM	2.26	0.73
7/31/24	1:30 AM	2.22	0.84
7/31/24	1:45 AM	2.13	0.82
7/31/24	2:00 AM	2.05	0.90
7/31/24	2:15 AM	1.98	0.99
7/31/24	2:30 AM	2.00	0.88
7/31/24	2:45 AM	1.86	1.03
7/31/24	3:00 AM	1.87	1.14
7/31/24	3:15 AM	1.82	0.98
7/31/24	3:30 AM	1.68	0.96
7/31/24	3:45 AM	1.77	1.36
7/31/24	4:00 AM	1.61	1.21
7/31/24	4:15 AM	1.72	1.34
7/31/24	4:30 AM	1.64	1.03
7/31/24	4:45 AM	1.60	1.48
7/31/24	5:00 AM	1.68	1.32
7/31/24	5:15 AM	1.58	0.98
7/31/24	5:30 AM	1.54	0.90
7/31/24	5:45 AM	1.44	0.91

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/31/24	6:00 AM	1.07	
7/31/24	6:15 AM	1.29	
7/31/24	6:30 AM	1.13	
7/31/24	6:45 AM	1.21	
7/31/24	7:00 AM	1.29	
7/31/24	7:15 AM	0.77	
7/31/24	7:30 AM	1.13	
7/31/24	7:45 AM	1.09	
7/31/24	8:00 AM	1.17	
7/31/24	8:15 AM	1.11	
7/31/24	8:30 AM	1.05	
7/31/24	8:45 AM	0.90	
7/31/24	9:00 AM	1.05	
7/31/24	9:15 AM	0.90	
7/31/24	9:30 AM	1.07	
7/31/24	9:45 AM	1.14	
7/31/24	10:00 AM	0.68	
7/31/24	10:15 AM	1.22	
7/31/24	10:30 AM	1.54	
7/31/24	10:45 AM	1.62	
7/31/24	11:00 AM	1.45	
7/31/24	11:15 AM	1.25	
7/31/24	11:30 AM	1.64	
7/31/24	11:45 AM	2.03	
7/31/24	12:00 PM	2.06	
7/31/24	12:15 PM	2.08	
7/31/24	12:30 PM	2.26	
7/31/24	12:45 PM	2.19	
7/31/24	1:00 PM	1.78	
7/31/24	1:15 PM	2.38	
7/31/24	1:30 PM	2.52	
7/31/24	1:45 PM	2.25	
7/31/24	2:00 PM	2.89	1.82
7/31/24	2:15 PM	3.03	1.85
7/31/24	2:30 PM	2.79	1.46
7/31/24	2:45 PM	2.77	0.88
7/31/24	3:00 PM	1.67	0.42
7/31/24	3:15 PM	1.26	0.34
7/31/24	3:30 PM	0.01	0.35
7/31/24	3:45 PM	0.00	0.41
7/31/24	4:00 PM	0.11	0.24
7/31/24	4:15 PM	0.95	0.39
7/31/24	4:30 PM	1.11	0.36
7/31/24	4:45 PM	1.44	0.40

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
7/31/24	5:00 PM	1.21	0.60
7/31/24	5:15 PM	1.71	0.80
7/31/24	5:30 PM	2.20	0.62
7/31/24	5:45 PM	1.23	0.73
7/31/24	6:00 PM	1.46	0.84
7/31/24	6:15 PM	0.39	0.82
7/31/24	6:30 PM	2.07	0.90
7/31/24	6:45 PM	2.61	0.99
7/31/24	7:00 PM	2.32	0.88
7/31/24	7:15 PM	2.40	1.03
7/31/24	7:30 PM	2.64	1.14
7/31/24	7:45 PM	2.76	0.98
7/31/24	8:00 PM	2.83	0.96
7/31/24	8:15 PM	1.36	1.36
7/31/24	8:30 PM	2.47	1.21
7/31/24	8:45 PM	3.10	1.34
7/31/24	9:00 PM	2.65	1.03
7/31/24	9:15 PM	2.32	1.48
7/31/24	9:30 PM	3.14	1.32
7/31/24	9:45 PM	2.95	0.98
7/31/24	10:00 PM	2.87	0.90
7/31/24	10:15 PM	0.98	0.91
7/31/24	10:30 PM	1.61	0.82
7/31/24	10:45 PM	1.69	0.86
7/31/24	11:00 PM	2.13	0.64
7/31/24	11:15 PM	2.21	0.47
7/31/24	11:30 PM	2.19	0.99
7/31/24	11:45 PM	2.22	0.91
8/1/24	12:00 AM	2.06	1.05
8/1/24	12:15 AM	1.95	1.12
8/1/24	12:30 AM	1.53	0.77
8/1/24	12:45 AM	1.73	0.83
8/1/24	1:00 AM	1.99	0.88
8/1/24	1:15 AM	1.83	0.96
8/1/24	1:30 AM	1.66	0.83
8/1/24	1:45 AM	1.79	0.91
8/1/24	2:00 AM	1.93	0.82
8/1/24	2:15 AM	1.83	0.74
8/1/24	2:30 AM	1.77	0.77
8/1/24	2:45 AM	2.17	0.75
8/1/24	3:00 AM	1.83	1.29
8/1/24	3:15 AM	1.12	0.27
8/1/24	3:30 AM	0.78	0.32
8/1/24	3:45 AM	0.00	0.34

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/1/24	4:00 AM	0.80	1.01
8/1/24	4:15 AM	0.09	0.71
8/1/24	4:30 AM	0.00	1.25
8/1/24	4:45 AM	0.00	1.45
8/1/24	5:00 AM	0.09	1.25
8/1/24	5:15 AM	0.00	0.99
8/1/24	5:30 AM	0.00	1.12
8/1/24	5:45 AM	0.09	1.40
8/1/24	6:00 AM	1.22	1.35
8/1/24	6:15 AM	0.42	1.40
8/1/24	6:30 AM	0.61	1.47
8/1/24	6:45 AM	0.82	1.48
8/1/24	7:00 AM	0.60	1.86
8/1/24	7:15 AM	0.55	1.78
8/1/24	7:30 AM	0.00	2.01
8/1/24	7:45 AM	0.11	1.99
8/1/24	8:00 AM	0.00	2.14
8/1/24	8:15 AM	0.28	2.32
8/1/24	8:30 AM	0.40	2.40
8/1/24	8:45 AM	0.33	2.14
8/1/24	9:00 AM	0.22	1.82
8/1/24	9:15 AM	0.47	1.80
8/1/24	9:30 AM	0.32	2.12
8/1/24	9:45 AM	0.91	1.85
8/1/24	10:00 AM	0.98	1.83
8/1/24	10:15 AM	1.27	1.91
8/1/24	10:30 AM	2.27	2.09
8/1/24	10:45 AM	1.74	1.12
8/1/24	11:00 AM	2.02	0.93
8/1/24	11:15 AM	2.76	0.94
8/1/24	11:30 AM	2.61	1.59
8/1/24	11:45 AM	2.29	1.18
8/1/24	12:00 PM	2.34	1.13
8/1/24	12:15 PM	3.18	1.06
8/1/24	12:30 PM	3.18	0.72
8/1/24	12:45 PM	3.56	0.35
8/1/24	1:00 PM	3.22	0.30
8/1/24	1:15 PM	4.20	0.09
8/1/24	1:30 PM	4.91	0.14
8/1/24	1:45 PM	4.44	0.06
8/1/24	2:00 PM	3.43	0.10
8/1/24	2:15 PM	3.42	0.02
8/1/24	2:30 PM	4.05	0.00
8/1/24	2:45 PM	5.64	0.01

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/1/24	3:00 PM	7.22	0.08
8/1/24	3:15 PM	7.78	0.00
8/1/24	3:30 PM	7.91	0.00
8/1/24	3:45 PM	8.51	0.00
8/1/24	4:00 PM	7.49	0.00
8/1/24	4:15 PM	9.27	0.00
8/1/24	4:30 PM	8.84	0.00
8/1/24	4:45 PM	7.62	0.00
8/1/24	5:00 PM	7.74	0.00
8/1/24	5:15 PM	9.44	0.00
8/1/24	5:30 PM	9.21	0.00
8/1/24	5:45 PM	8.63	0.00
8/1/24	6:00 PM	10.54	0.00
8/1/24	6:15 PM	10.65	0.00
8/1/24	6:30 PM	10.94	0.00
8/1/24	6:45 PM	6.28	0.04
8/1/24	7:00 PM	6.82	0.00
8/1/24	7:15 PM	8.29	0.11
8/1/24	7:30 PM	8.53	0.10
8/1/24	7:45 PM	5.85	0.04
8/1/24	8:00 PM	4.98	0.10
8/1/24	8:15 PM	6.17	0.09
8/1/24	8:30 PM	4.65	0.16
8/1/24	8:45 PM	5.51	0.22
8/1/24	9:00 PM	6.58	0.46
8/1/24	9:15 PM	7.98	0.40
8/1/24	9:30 PM	8.05	0.14
8/1/24	9:45 PM	6.40	0.45
8/1/24	10:00 PM	5.40	0.31
8/1/24	10:15 PM	4.24	0.31
8/1/24	10:30 PM	3.34	0.27
8/1/24	10:45 PM	4.94	0.31
8/1/24	11:00 PM	4.64	0.30
8/1/24	11:15 PM	5.15	0.48
8/1/24	11:30 PM	1.82	0.55
8/1/24	11:45 PM	2.55	0.42
8/2/24	12:00 AM	3.03	0.71
8/2/24	12:15 AM	1.01	0.83
8/2/24	12:30 AM	1.54	1.06
8/2/24	12:45 AM	1.17	1.20
8/2/24	1:00 AM	1.92	1.12
8/2/24	1:15 AM	2.34	1.11
8/2/24	1:30 AM	1.62	0.75
8/2/24	1:45 AM	0.91	0.69

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/2/24	2:00 AM	1.23	0.25
8/2/24	2:15 AM	1.59	0.20
8/2/24	2:30 AM	2.37	0.09
8/2/24	2:45 AM	2.25	0.12
8/2/24	3:00 AM	1.69	0.13
8/2/24	3:15 AM	1.67	0.19
8/2/24	3:30 AM	1.89	0.14
8/2/24	3:45 AM	1.56	0.19
8/2/24	4:00 AM	1.77	0.25
8/2/24	4:15 AM	1.07	0.11
8/2/24	4:30 AM	1.17	0.14
8/2/24	4:45 AM	0.08	0.37
8/2/24	5:00 AM	0.17	0.22
8/2/24	5:15 AM	0.14	0.31
8/2/24	5:30 AM	0.00	0.15
8/2/24	5:45 AM	0.00	0.19
8/2/24	6:00 AM	0.00	0.31
8/2/24	6:15 AM	0.00	0.81
8/2/24	6:30 AM	1.11	0.61
8/2/24	6:45 AM	1.82	0.89
8/2/24	7:00 AM	1.65	0.79
8/2/24	7:15 AM	0.96	0.93
8/2/24	7:30 AM	0.82	1.17
8/2/24	7:45 AM	2.04	1.92
8/2/24	8:00 AM	2.03	2.36
8/2/24	8:15 AM	1.23	2.27
8/2/24	8:30 AM	0.62	2.11
8/2/24	8:45 AM	0.44	2.05
8/2/24	9:00 AM	0.05	3.15
8/2/24	9:15 AM	0.52	2.66
8/2/24	9:30 AM	1.36	3.08
8/2/24	9:45 AM	1.62	3.33
8/2/24	10:00 AM	2.86	3.12
8/2/24	10:15 AM	3.09	3.43
8/2/24	10:30 AM	5.69	3.25
8/2/24	10:45 AM	4.69	3.31
8/2/24	11:00 AM	4.52	3.63
8/2/24	11:15 AM	5.59	4.05
8/2/24	11:30 AM	6.45	3.82
8/2/24	11:45 AM	6.58	4.12
8/2/24	12:00 PM	4.66	3.70
8/2/24	12:15 PM	10.65	3.43
8/2/24	12:30 PM	8.17	3.01
8/2/24	12:45 PM	9.17	2.28

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/2/24	1:00 PM	9.29	2.57
8/2/24	1:15 PM	12.96	2.59
8/2/24	1:30 PM	11.84	1.49
8/2/24	1:45 PM	15.48	1.04
8/2/24	2:00 PM	13.13	1.16
8/2/24	2:15 PM	16.47	1.14
8/2/24	2:30 PM	16.27	0.86
8/2/24	2:45 PM	16.30	0.37
8/2/24	3:00 PM	17.54	0.23
8/2/24	3:15 PM	17.07	0.22
8/2/24	3:30 PM	17.49	0.05
8/2/24	3:45 PM	16.78	0.06
8/2/24	4:00 PM	17.17	0.06
8/2/24	4:15 PM	16.85	0.04
8/2/24	4:30 PM	17.25	0.00
8/2/24	4:45 PM	15.95	0.00
8/2/24	5:00 PM	15.66	0.00
8/2/24	5:15 PM	16.05	0.00
8/2/24	5:30 PM	16.33	0.00
8/2/24	5:45 PM	15.39	0.00
8/2/24	6:00 PM	15.63	0.00
8/2/24	6:15 PM	14.78	0.00
8/2/24	6:30 PM	14.06	0.00
8/2/24	6:45 PM	13.31	0.00
8/2/24	7:00 PM	12.43	0.00
8/2/24	7:15 PM	11.05	0.03
8/2/24	7:30 PM	4.56	0.00
8/2/24	7:45 PM	3.22	0.00
8/2/24	8:00 PM	2.53	0.00
8/2/24	8:15 PM	2.15	0.00
8/2/24	8:30 PM	2.25	0.00
8/2/24	8:45 PM	2.03	0.00
8/2/24	9:00 PM	2.27	0.00
8/2/24	9:15 PM	1.88	0.92
8/2/24	9:30 PM	1.56	0.43
8/2/24	9:45 PM	0.75	0.29
8/2/24	10:00 PM	1.17	0.70
8/2/24	10:15 PM	0.95	1.09
8/2/24	10:30 PM	0.54	0.47
8/2/24	10:45 PM	0.68	0.65
8/2/24	11:00 PM	0.66	0.92
8/2/24	11:15 PM	0.47	0.56
8/2/24	11:30 PM	0.29	0.55
8/2/24	11:45 PM	0.24	0.91

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/3/24	12:00 AM	0.20	0.90
8/3/24	12:15 AM	0.35	1.01
8/3/24	12:30 AM	0.08	1.16
8/3/24	12:45 AM	0.40	0.92
8/3/24	1:00 AM	0.61	1.10
8/3/24	1:15 AM	0.10	1.01
8/3/24	1:30 AM	0.04	0.77
8/3/24	1:45 AM	0.02	1.14
8/3/24	2:00 AM	0.00	0.97
8/3/24	2:15 AM	0.00	0.87
8/3/24	2:30 AM	0.00	0.79
8/3/24	2:45 AM	0.00	0.97
8/3/24	3:00 AM	0.00	0.86
8/3/24	3:15 AM	0.00	0.70
8/3/24	3:30 AM	0.00	0.78
8/3/24	3:45 AM	0.00	0.95
8/3/24	4:00 AM	0.00	0.79
8/3/24	4:15 AM	0.00	1.63
8/3/24	4:30 AM	0.00	1.52
8/3/24	4:45 AM	0.00	1.47
8/3/24	5:00 AM	0.00	1.74
8/3/24	5:15 AM	0.00	2.10
8/3/24	5:30 AM	0.00	2.11
8/3/24	5:45 AM	0.00	3.39
8/3/24	6:00 AM	0.00	4.18
8/3/24	6:15 AM	0.00	3.79
8/3/24	6:30 AM	0.00	4.71
8/3/24	6:45 AM	0.00	5.38
8/3/24	7:00 AM	0.00	5.02
8/3/24	7:15 AM	0.00	4.83
8/3/24	7:30 AM	0.00	4.56
8/3/24	7:45 AM	0.00	4.67
8/3/24	8:00 AM	0.00	4.72
8/3/24	8:15 AM	0.00	4.65
8/3/24	8:30 AM	0.00	5.06
8/3/24	8:45 AM	0.02	6.81
8/3/24	9:00 AM	0.01	7.15
8/3/24	9:15 AM	0.05	7.10
8/3/24	9:30 AM	0.16	6.87
8/3/24	9:45 AM	0.15	6.88
8/3/24	10:00 AM	0.31	6.79
8/3/24	10:15 AM	0.28	6.52
8/3/24	10:30 AM	0.26	6.62
8/3/24	10:45 AM	0.78	6.74

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/3/24	11:00 AM	0.69	6.78
8/3/24	11:15 AM	0.94	5.50
8/3/24	11:30 AM	1.87	5.34
8/3/24	11:45 AM	2.19	3.95
8/3/24	12:00 PM	2.09	3.64
8/3/24	12:15 PM	2.64	3.68
8/3/24	12:30 PM	2.55	3.37
8/3/24	12:45 PM	2.25	3.68
8/3/24	1:00 PM	3.78	3.30
8/3/24	1:15 PM	3.42	3.12
8/3/24	1:30 PM	4.45	3.02
8/3/24	1:45 PM	4.81	2.99
8/3/24	2:00 PM	4.31	2.71
8/3/24	2:15 PM	4.94	1.54
8/3/24	2:30 PM	5.89	2.34
8/3/24	2:45 PM	5.49	2.03
8/3/24	3:00 PM	5.80	1.39
8/3/24	3:15 PM	7.45	1.52
8/3/24	3:30 PM	8.84	1.32
8/3/24	3:45 PM	8.32	0.85
8/3/24	4:00 PM	6.36	0.82
8/3/24	4:15 PM	6.91	0.60
8/3/24	4:30 PM	5.79	0.49
8/3/24	4:45 PM	5.00	0.23
8/3/24	5:00 PM	6.02	0.10
8/3/24	5:15 PM	7.74	0.00
8/3/24	5:30 PM	4.78	0.00
8/3/24	5:45 PM	7.05	0.00
8/3/24	6:00 PM	7.08	0.00
8/3/24	6:15 PM	7.69	0.00
8/3/24	6:30 PM	8.10	0.00
8/3/24	6:45 PM	5.09	0.00
8/3/24	7:00 PM	5.34	0.00
8/3/24	7:15 PM	5.35	0.00
8/3/24	7:30 PM	5.07	0.00
8/3/24	7:45 PM	0.02	0.00
8/3/24	8:00 PM	0.06	0.00
8/3/24	8:15 PM	0.01	0.00
8/3/24	8:30 PM	0.00	0.00
8/3/24	8:45 PM	0.00	0.00
8/3/24	9:00 PM	0.00	0.00
8/3/24	9:15 PM	0.00	0.00
8/3/24	9:30 PM	0.00	0.00
8/3/24	9:45 PM	0.00	0.00

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/3/24	10:00 PM	0.00	0.00
8/3/24	10:15 PM	0.00	0.00
8/3/24	10:30 PM	0.00	0.00
8/3/24	10:45 PM	0.00	0.00
8/3/24	11:00 PM	0.00	0.00
8/3/24	11:15 PM	0.00	0.00
8/3/24	11:30 PM	0.00	0.00
8/3/24	11:45 PM	0.00	0.00
8/4/24	12:00 AM	0.00	0.00
8/4/24	12:15 AM	0.00	0.00
8/4/24	12:30 AM	0.00	0.00
8/4/24	12:45 AM	0.00	0.00
8/4/24	1:00 AM	0.00	0.00
8/4/24	1:15 AM	0.00	0.00
8/4/24	1:30 AM	0.00	0.00
8/4/24	1:45 AM	0.00	0.06
8/4/24	2:00 AM	0.00	0.05
8/4/24	2:15 AM	0.00	0.04
8/4/24	2:30 AM	0.00	0.16
8/4/24	2:45 AM	0.00	0.24
8/4/24	3:00 AM	0.00	0.23
8/4/24	3:15 AM	0.00	0.13
8/4/24	3:30 AM	0.00	0.07
8/4/24	3:45 AM	0.00	0.00
8/4/24	4:00 AM	0.06	0.16
8/4/24	4:15 AM	0.00	0.00
8/4/24	4:30 AM	0.00	0.04
8/4/24	4:45 AM	0.00	0.17
8/4/24	5:00 AM	0.00	0.00
8/4/24	5:15 AM	0.22	0.58
8/4/24	5:30 AM	0.20	0.69
8/4/24	5:45 AM	0.00	0.92
8/4/24	6:00 AM	0.00	1.63
8/4/24	6:15 AM	0.00	1.17
8/4/24	6:30 AM	0.00	0.75
8/4/24	6:45 AM	0.00	2.34
8/4/24	7:00 AM	0.00	2.07
8/4/24	7:15 AM	0.00	2.77
8/4/24	7:30 AM	0.00	2.83
8/4/24	7:45 AM	0.00	1.30
8/4/24	8:00 AM	0.00	2.86
8/4/24	8:15 AM	0.00	4.82
8/4/24	8:30 AM	0.00	5.27

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/4/24	8:45 AM	0.00	5.14
8/4/24	9:00 AM	0.00	5.66
8/4/24	9:15 AM	0.00	5.29
8/4/24	9:30 AM	0.00	5.31
8/4/24	9:45 AM	0.00	5.04
8/4/24	10:00 AM	0.00	5.40
8/4/24	10:15 AM	0.00	5.44
8/4/24	10:30 AM	0.00	5.16
8/4/24	10:45 AM	0.00	4.94
8/4/24	11:00 AM	0.00	3.22
8/4/24	11:15 AM	0.00	4.36
8/4/24	11:30 AM	0.00	2.34
8/4/24	11:45 AM	0.00	2.91
8/4/24	12:00 PM	0.00	1.46
8/4/24	12:15 PM	0.00	0.93
8/4/24	12:30 PM	0.00	0.40
8/4/24	12:45 PM	0.00	0.47
8/4/24	1:00 PM	0.00	0.00
8/4/24	1:15 PM	0.00	0.00
8/4/24	1:30 PM	0.00	0.00
8/4/24	1:45 PM	0.00	0.00
8/4/24	2:00 PM	0.00	0.00
8/4/24	2:15 PM	0.00	0.00
8/4/24	2:30 PM	0.00	0.00
8/4/24	2:45 PM	0.01	0.00
8/4/24	3:00 PM	0.00	0.00
8/4/24	3:15 PM	1.78	0.00
8/4/24	3:30 PM	0.00	0.00
8/4/24	3:45 PM	0.00	0.00
8/4/24	4:00 PM	0.00	0.00
8/4/24	4:15 PM	0.06	0.00
8/4/24	4:30 PM	0.51	0.00
8/4/24	4:45 PM	0.00	0.00
8/4/24	5:00 PM	0.10	0.00
8/4/24	5:15 PM	2.73	0.00
8/4/24	5:30 PM	2.00	0.00
8/4/24	5:45 PM	0.00	0.00
8/4/24	6:00 PM	4.76	0.00
8/4/24	6:15 PM	2.55	0.00
8/4/24	6:30 PM	0.11	0.00
8/4/24	6:45 PM	0.00	0.00
8/4/24	7:00 PM	0.00	0.00
8/4/24	7:15 PM	0.02	0.00
8/4/24	7:30 PM	0.00	0.00

Note: Data has not been validated

Table 8

July 29 - August 4, 2024

Date	Time	DO (mg/L)	
		Ambient	N 9SB
8/4/24	7:45 PM	0.01	0.00
8/4/24	8:00 PM	0.63	0.00
8/4/24	8:15 PM	0.69	0.00
8/4/24	8:30 PM	0.00	0.00
8/4/24	8:45 PM	0.18	0.00
8/4/24	9:00 PM	0.00	0.00
8/4/24	9:15 PM	0.14	0.00
8/4/24	9:30 PM	0.00	0.00
8/4/24	9:45 PM	0.00	0.00

Note: Data has not been validated