

**GOWANUS CANAL SUPERFUND SITE
RTA2 REMEDIAL CONSTRUCTION
Water Quality Monitoring Weekly Data Summary**

PERIOD: September 22, 2025 – September 26, 2025

Date of Report: September 30, 2025

Report Contents

- Scope of Monitoring
- Report of Exceedances
- Turbidity Buoy Data
- Summary of Visual Observations

Prepared by

B&B Engineers & Geologists 
of new york, p.c.

an affiliate of Geosyntec Consultants

1255 Roberts Blvd, Suite 200
Kennesaw, GA 30144
Project Number JR0289B

1. SCOPE OF MONITORING

1.1 Buoy Locations

In accordance with the Water Quality Monitoring Plan for In-waterway Construction Activities (WQMP) issued March 27, 2024, buoys equipped with multi-parameter water quality sondes, were deployed to monitor turbidity related to RTA2 construction activities. Buoys were deployed in the Fourth Street Turning Basin (TB4) to monitor background turbidity unaffected by in-water construction activities and at the North Carroll Street Bridge, which is referred to as the ambient buoy. A sentinel buoy was deployed north of 3rd Street Bridge (3SB), along the west bulkhead. A sentinel buoy was deployed north of 9th Street Bridge (9SB), along the west bulkhead. These buoys (Figure 1) are in use to monitor the RTA2 pre-construction activities.

All readings from buoys were transmitted via telemetry at 15-minute intervals. The instrument used to collect turbidity from the buoys is an In-Situ VuLink (telemetry) and AquaTroll500 (sonde), equipped with optical sensors capable of reading turbidity levels with an accuracy of +/- 0.5 NTU.

1.2 Summary of Monitoring Adjustments during Construction

- August 9, 2024, after the conclusion of RTA1 WQMP, two additional buoys were added to the RTA2 WQMP, for a total of three sentinel buoys. The ambient buoy was moved to approximately ten meters north of Carroll Street Bridge, on the west side of the canal (ambient). A sentinel buoy was placed approximately twenty meters north of 3rd Street Bridge on the west side (3SB). A sentinel buoy was placed in Fourth Street Turning Basin (TB4). The 9th Street Bridge sentinel buoy (9SB) was not moved.
- To reduce instrument downtime, the 9th Street Bridge sentinel buoy (9SB) was relocated to the northeast side of the 9th Street Bridge on August 19, 2024. After two days of data collection, elevated turbidity readings were observed both during and outside of work hours. Consequently, on August 21, 2024, the buoy was moved again, this time to the northeast corner of Hamilton Street Bridge.
- Turbidity readings at the Hamilton Street Bridge location exceeded 100 NTU both during and outside working hours. However, these readings were not representative of the actual turbidity within the RTA2 work area. Due to commercial traffic, a safe location for the sonde and buoy could not be found south of the 9th Street Bridge. Consequently, the sonde and buoy were relocated to the west side, 5 meters north of the 9th Street Bridge on August 27, 2024, at 08:15.
- Turbidity readings at 9SB were noted to be erratic and exceed 100 NTU both during and outside working hours. The buoy was moved approximately 20 meters north of 9th Street Bridge on September 9, 2024.
- On September 16, 2024, the 9SB was deselected from construction monitoring, as there are no construction activities in the main canal or in the vicinity of 9th Street Bridge. The

buoy will remain in the water to collect background data as it is believed this area has naturally high NTU readings. A spot check zero calibration was performed on the sonde on September 18, 2024, to confirm the sensors were reading properly during this background monitoring period.


- On November 7, 2024, the ambient sonde and buoy was moved to the center of Carroll Street Bridge to reduce instrument downtime due to poor cell signal. This area was found to have a 100% cellular signal.
- On November 18, 2024, the sentinel buoy in TB4 was deselected from construction monitoring due to instrument errors. The buoy will remain out of service until maintenance and field observations can be made.
- On November 25, 2024, the 9SB sonde and buoy were placed back into the water quality monitoring program.
- On December 18, 2024, the 9SB sonde and buoy were relocated south of 9th Street Bridge along the eastern bulkhead, to avoid construction vessel traffic and shallow waters which had been resulting in false elevated readings, particularly during low tide events.
- On February 12, 2025, after observing a pause in data transmission, the ambient sonde and buoy were moved to get a better signal in the area. It was moved to approximately 150 feet north of Carroll Street Bridge, to the center of the canal. On February 14, 2025, with data transmission issues not resolving, the ambient sonde and buoy were moved to approximately 200 feet south of Union Street Bridge, in the center of the canal where stronger signal strength has been observed. A test upload was performed; however, data did not upload. Further troubleshooting will be required.
- On February 18, 2025, the ambient sonde buoy was removed from service due to consistent instrumentation and telemetry issues. The buoy will remain out of service until repairs are made.
- On February 25, 2025, the Ambient sonde and buoy was reinstated and positioned 200 feet south of Union Street Bridge. Elevated readings were recorded, prompting a calibration check to verify the turbidity sensor's functionality. The sensor was confirmed to be operating normally.
- On February 25, 2025, the 9SB sonde was taken out of service due to instrumentation and telemetry failure. No data was recorded from 13:45 onward. The sonde will remain out of service until repairs are completed.
- On February 28, 2025, the Ambient buoy was moved another 200 feet south to the middle of Carrol Street bridge, to deeper water conditions.
- On March 17, 2025, a rental sonde unit was deployed at the sentinel buoy in TB4 while repairs to the original sonde are ongoing.

- On March 25, 2025, the sonde for the 9SB was redeployed into service. It was placed Northeast of the 9th Street Bridge. Readings have remained consistent and stable since deployment.
- On March 25, 2025, the 3SB was removed from service due to instrumentation and telemetry issues. The buoy will remain out of service until a rental sonde arrives while the other is sent out for repairs and maintenance.
- On March 28, 2025, the TB4 buoy was adjusted approximately 10 feet to deeper water conditions.
- On April 3, 2025, a repaired sonde was deployed at the north of 3SB location in lieu of a rental sonde as mentioned in the monitoring adjustment on March 25, 2025.
- On April 17, 2025, a repaired sonde replaced the rental unit housed by the sentinel buoy in TB4.
- On April 21, 2025, the 9SB was moved 25 feet North to avoid being near an outfall and to prevent erroneously high readings.
- On April 24, 2025, a secondary anchor was added to the 9SB to prevent drift.
- On April 25, 2025, investigation and cleaning is ongoing at the TB4 buoy.
- On April 28, 2025, the Ambient sonde and buoy were moved 80 feet north and cleaning maintenance was performed. The readings stabilized following the movement and subsequent cleaning.
- On May 19, 2025, the 9SB sonde was removed from service due to telemetry failure. The sonde will be returned to service once a new antenna is installed onto the buoy it is housed in.
- On May 27, 2025, the 9SB sonde was re-deployed into service following completion of repairs to telemetry.
- On July 10, 2025, the TB4 sonde was relocated from the northside to the southside of the turbidity curtain in turning basin 4. It had been previously relocated to the north side of the turbidity curtain for easier access during scheduled maintenance.
- On July 29, 2025, the TB4 sonde was relocated to its previous location in turning basin 4 at the north side of the turbidity curtain. This was to allow for easier maintenance of the sonde and to prevent interaction with the turbidity curtain.
- On September 8, 2025, the 9SB sonde was taken out of service after sustaining damage to its buoy casing. The sonde will be returned to service once repairs are complete or the buoy is replaced.

- On September 10, 2025, the 3SB sonde was relocated 20 feet South of its original location North of the 3rd Street Bridge to facilitate easier maintenance and prevent interference with the turbidity curtain.



X:\03_GIS\APR\Canal_Wide\



1.3 Current Reporting Period Scope of Monitoring

During the week of September 22, 2025, a maximum of three buoys equipped with multi-parameter water quality sondes were deployed as described in Section 1.2. The Ambient buoy is deployed in the center of the canal, 80 feet north of Carrol Street bridge, the north third street sentinel buoy just north of the Third Street Bridge, and the turning basin four sentinel buoy approximately 200 feet into the Fourth Street Basin.

All readings from buoys were transmitted via telemetry at 15-minute intervals. The instrument used to collect turbidity and DO from the buoys is an In-Situ VuLink (telemetry) and AquaTroll500 (sonde), equipped with optical sensors capable of reading turbidity levels with an accuracy of ± 0.5 NTU and DO levels with an accuracy of ± 0.1 mg/L.

Elevated readings were recorded in the Ambient buoy on September 23 and September 24, 2025, and for most of the day at the 3rd Street sentinel buoy on September 26, 2025. The readings were determined to be erroneous due to biofouling, stagnant water and invertebrate populations on the buoy's housing and the sonde sensors. Due to construction activities during this monitoring period access to buoys was restricted and routine maintenance of all sondes could not be completed. As a result, these erroneous readings have been excluded from this week's monitoring report.

On the morning of September 8, 2025, the sentinel buoy housing the 9SB sonde was damaged, resulting in the removal of the 9SB sonde from service. Until a replacement buoy is deployed alongside the sonde, no data can be collected. Consequently, 9SB data was not available for inclusion in this week's monitoring report.

Visual observations of turbidity and sheen are summarized in Section 4.

1.4 Meteorological Conditions

The weather conditions onsite were as follows:

Meteorological Parameters	9/22/2025	9/23/2025	9/24/2025	9/25/2025	9/26/2025
<i>Wind Direction (from)</i>	S	SSW	SSE	S	W
<i>Wind Speed (mph)</i>	4.7	6.4	4.4	6.9	3.7
<i>Temperature (°F)</i>	64.6	72.6	72.9	73.3	74.0
<i>Humidity (%)</i>	77.1	79.9	87.0	94.2	73.1
<i>Barometric Pressure (inHg)</i>	30.02	29.91	29.92	29.75	29.73
<i>Precipitation (Inch)</i>	0	0	0.169	0.142	0

Table 1 - Summary of Weather Conditions for reporting period.

1.5 Tidal Conditions

Tidal data from the Battery (National Oceanic and Atmospheric Administration [NOAA] Station 8518750) was reviewed and is summarized as follows:

Date	Time (LST/LDT)	Predicted (ft)	Preliminary (ft)	High/Low
Monday, September 22, 2025	3:14 AM	-2.64	-2.01	L
Monday, September 22, 2025	9:14 AM	2.68	3.15	H
Monday, September 22, 2025	3:33 PM	-2.4	-2.04	L
Monday, September 22, 2025	9:26 PM	2.37	2.81	H
Tuesday, September 23, 2025	3:51 AM	-2.51	-2.02	L
Tuesday, September 23, 2025	9:50 AM	2.65	3.19	H
Tuesday, September 23, 2025	4:13 PM	-2.33	-1.75	L
Tuesday, September 23, 2025	10:03 PM	2.13	2.51	H
Wednesday, September 24, 2025	4:24 AM	-2.33	-1.85	L
Wednesday, September 24, 2025	10:27 AM	2.54	3.1	H
Wednesday, September 24, 2025	4:51 PM	-2.18	-1.74	L
Wednesday, September 24, 2025	10:42 PM	1.84	2.57	H
Thursday, September 25, 2025	4:55 AM	-2.09	-1.3	L
Thursday, September 25, 2025	11:03 AM	2.38	3.29	H
Thursday, September 25, 2025	5:28 PM	-1.97	-1.25	L
Thursday, September 25, 2025	11:22 PM	1.55	1.85	H
Friday, September 26, 2025	5:23 AM	-1.83	-1.65	L
Friday, September 26, 2025	11:42 AM	2.18	2.65	H
Friday, September 26, 2025	6:06 PM	-1.73	-1.44	L

Table 2 - NOAA Preliminary observations and predictions.




Figure 2 - Tidal Chart for reporting period.

2. REPORT OF EXCEEDANCES

No exceedances to the trigger or action levels occurred during the monitoring period.

Trigger criterion – Any of the following:

- The rolling average of the relevant sentinel buoy turbidity measurements over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 20 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
- Either an oil sheen or a turbidity plume is visually observed at the relevant sentinel buoy and in-waterway construction activities are readily identified as the source.

• **Action criterion** – Any of the following:

- The rolling average of the turbidity measurements of the sentinel buoy outside of RTA2 over a one-hour period exceeds the rolling average of the ambient buoy turbidity measurements by 40 NTU excluding any eliminated outlier measurements and in-waterway construction activities cannot be immediately excluded as the source following consultation with EPA; or
- Either an oil sheen or a turbidity plume is visually observed outside of RTA2, and any deployed engineering controls and in-waterway construction activities are readily identified as the source.

An outlier is defined as a reading that is outside the range of 50 to 200 percent of the average of the three previous readings. In addition, to be considered an outlier, the subsequent reading must return to a range of 75 to 133 percent of the average of the three readings preceding the outlier.

2.1 Response to Criteria Exceedances

The trigger level criterion serves to provide early notification to the contractor of construction activities that may lead to an exceedance of the action level criterion. In the event of an exceedance to the trigger criterion, the contractor will not be stopped, and the contractor will be directed to investigate the source of the exceedance and evaluate Best Management Practices (BMPs). In the event of an exceedance to the action level criterion, in-waterway construction activities may be slowed or temporarily suspended as necessary while the contractor investigates the source of the exceedance and appropriate mitigation, and corrective measures are determined. A more detailed description of responses to exceedances of the trigger and action level criteria is provided in Section 4.2 of the WQMP.

3. TURBIDITY BUOY DATA

No exceedances to the trigger or action levels occurred during the monitoring period. Erroneous readings at the Ambient sonde were completely excluded on September 23 and on September 24, 2025. As a result, trigger and action criterion were set to conservative limits of 20 and 40 NTU on September 23 and September 24, 2025. Erroneous readings recorded by Ambient were likely the result of heavy buildup on the Ambient sonde and invertebrate populations.

The TB4 sonde recorded elevated readings on September 22, 2025 (07:00–07:45). The readings were likely affected by invertebrate populations and stagnant water conditions influencing the turbidity sensor.

Elevated readings were recorded for most of the day at the 3rd Street sonde on September 26, 2025 (07:00 – 14:00). These readings were not attributed to in-water construction activities and may be associated with an accumulation of invertebrate populations on the sonde.

3.1 September 22, 2025




Figure 3. Hourly rolling average turbidity readings from 07:00 to 17:30. Elevated readings recorded by the TB4 sonde were unrelated to in-water construction activities.

3.2 September 23, 2025




Figure 4. Hourly rolling average turbidity readings from 07:00 to 17:30. Ambient sonde's erratic readings were not linked to in-water construction activities and were entirely excluded.

3.3 September 24, 2025




Figure 5. Hourly rolling average turbidity readings from 07:00 to 17:30. Ambient sonde's erratic readings were not linked to in-water construction activities and were partially excluded.

3.4 September 25, 2025




Figure 6. Hourly rolling average turbidity readings from 07:00 to 17:30.

3.5 September 26, 2025




Figure 7. Hourly rolling average turbidity readings from 07:00 to 15:30. Elevated readings recorded at the 3rd Street sonde were unrelated to construction activities.

4. SUMMARY OF VISUAL OBSERVATIONS

Throughout most of the reporting period, sheens in the RTA2 areas ranged from minimal to moderate.




Figure 8 – September 22, 2025. Conditions observed south of 3rd Street Bridge during midday.




Figure 9 – September 22, 2025. Midday conditions near Turning Basin 7 and the main canal north of 9th Street Bridge.



Figure 10 – September 24, 2025. Midday conditions near turning basin 6 and the main canal.



Figure 11 – September 24, 2025. Midday conditions noted from Hamilton Street Bridge to 9th Street Bridge.




Figure 12 – September 26, 2025. Mid-day observations of general conditions in the canal south of the 3rd Street Bridge.

APPENDIX A

Turbidity Data Tables

Table 3

Monday, September 22, 2025

Date	Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
		Ambient	N3SB	TB4	Ambient	N3SB	TB4	N3SB - Ambient	TB4 - Ambient
9/22/2025	7:00:00	3.11	8.45	44.90	3.91	12.94	45.80	9.03	41.89
9/22/2025	7:15:00	2.79	7.62	11.95	3.69	11.61	39.03	7.92	35.34
9/22/2025	7:30:00	2.15	10.22	15.12	2.85	11.33	32.86	8.49	30.01
9/22/2025	7:45:00	1.91	10.70	15.29	2.64	10.76	26.73	8.12	24.09
9/22/2025	8:00:00	2.60	4.41	15.59	2.51	8.28	20.57	5.77	18.06
9/22/2025	8:15:00	2.97	3.50	11.36	2.49	7.29	13.86	4.80	11.38
9/22/2025	8:30:00	13.31	2.66	14.91	4.59	6.30	14.45	1.71	9.86
9/22/2025	8:45:00	5.89	3.24	14.43	5.34	4.90	14.32	-0.43	8.98
9/22/2025	9:00:00	6.31	--	14.54	6.22	3.45	14.17	-2.76	7.95
9/22/2025	9:15:00	8.28	3.41	13.25	7.35	3.20	13.70	-4.15	6.34
9/22/2025	9:30:00	11.54	5.34	12.32	9.07	3.66	13.89	-5.40	4.82
9/22/2025	9:45:00	6.24	2.72	15.92	7.65	3.68	14.09	-3.98	6.44
9/22/2025	10:00:00	6.99	3.66	15.04	7.87	3.78	14.21	-4.09	6.34
9/22/2025	10:15:00	6.81	6.92	17.38	7.97	4.41	14.78	-3.56	6.81
9/22/2025	10:30:00	5.78	4.11	14.06	7.47	4.55	14.94	-2.92	7.47
9/22/2025	10:45:00	24.38	4.83	17.96	10.04	4.45	16.07	-5.59	6.03
9/22/2025	11:00:00	29.45	4.47	17.20	14.68	4.80	16.33	-9.88	1.65
9/22/2025	11:15:00	19.19	5.76	17.14	17.12	5.22	16.75	-11.90	-0.37
9/22/2025	11:30:00	18.71	5.48	17.39	19.50	4.93	16.75	-14.57	-2.75
9/22/2025	11:45:00	8.99	5.61	15.12	20.14	5.23	16.96	-14.91	-3.18
9/22/2025	12:00:00	5.75	8.27	18.11	16.42	5.92	16.99	-10.50	0.58
9/22/2025	12:15:00	4.33	7.29	17.66	11.39	6.48	17.08	-4.91	5.69
9/22/2025	12:30:00	4.01	10.60	18.10	8.36	7.45	17.28	-0.91	8.92
9/22/2025	12:45:00	4.38	8.10	13.67	5.49	7.97	16.53	2.48	11.04
9/22/2025	13:00:00	9.53	8.05	19.12	5.60	8.46	17.33	2.86	11.73
9/22/2025	13:15:00	9.84	8.08	17.90	6.42	8.42	17.29	2.01	10.87
9/22/2025	13:30:00	7.50	7.65	18.89	7.05	8.50	17.54	1.44	10.48
9/22/2025	13:45:00	7.75	6.02	19.15	7.80	7.58	17.75	-0.22	9.95
9/22/2025	14:00:00	6.04	7.15	19.78	8.13	7.39	18.97	-0.74	10.83
9/22/2025	14:15:00	3.62	6.74	19.21	6.95	7.13	18.98	0.18	12.03
9/22/2025	14:30:00	4.49	7.11	19.58	5.88	6.93	19.32	1.05	13.44
9/22/2025	14:45:00	3.90	5.99	22.69	5.16	6.60	20.08	1.44	14.92
9/22/2025	15:00:00	4.02	7.72	19.20	4.42	6.94	20.09	2.53	15.68
9/22/2025	15:15:00	18.06	5.76	25.25	6.82	6.67	21.19	-0.15	14.37
9/22/2025	15:30:00	19.99	8.45	26.10	10.09	7.01	22.57	-3.09	12.47
9/22/2025	15:45:00	17.97	6.51	26.10	12.79	6.89	23.87	-5.90	11.08
9/22/2025	16:00:00	19.40	4.96	20.04	15.89	6.68	23.34	-9.21	7.45
9/22/2025	16:15:00	2.84	4.68	28.04	15.65	6.07	25.10	-9.58	9.45
9/22/2025	16:30:00	2.94	4.73	28.64	12.63	5.87	25.78	-6.76	13.15
9/22/2025	16:45:00	2.04	--	31.27	9.04	5.22	26.82	-3.82	17.78
9/22/2025	17:00:00	2.04	5.64	34.22	5.85	5.00	28.44	-0.85	22.59
9/22/2025	17:15:00	42.81	5.00	36.72	10.53	5.01	31.78	-5.52	21.24
9/22/2025	17:30:00	24.72	6.72	38.90	14.91	5.52	33.95	-9.39	19.04

Table 4

Tuesday, September 23, 2025

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)	
		N3SB	TB4	N3SB	TB4	N3SB - Ambient	TB4 - Ambient
9/23/25	7:00:00	4.69	13.73	4.48	12.05	-57.26	-49.70
9/23/25	7:15:00	4.83	14.33	4.57	12.50	-64.09	-56.16
9/23/25	7:30:00	7.50	14.75	5.16	12.52	-83.91	-76.55
9/23/25	7:45:00	5.45	17.09	5.35	13.25	-88.62	-80.72
9/23/25	8:00:00	5.35	15.75	5.56	15.13	-66.89	-57.32
9/23/25	8:15:00	7.70	5.24	6.17	13.43	-40.30	-33.03
9/23/25	8:30:00	2.70	15.30	5.74	13.63	-22.18	-14.29
9/23/25	8:45:00	2.47	20.08	4.73	14.69	-80.29	-70.33
9/23/25	9:00:00	2.17	14.41	4.08	14.16	-140.72	-130.64
9/23/25	9:15:00	--	19.46	3.76	14.90	-188.42	-177.28
9/23/25	9:30:00	2.80	15.85	2.53	17.02	-259.42	-244.94
9/23/25	9:45:00	2.55	15.01	2.50	16.96	-259.72	-245.26
9/23/25	10:00:00	2.27	21.53	2.45	17.25	-182.29	-167.48
9/23/25	10:15:00	2.87	15.63	2.62	17.50	-117.53	-102.65
9/23/25	10:30:00	2.67	6.74	2.63	14.95	-70.28	-57.96
9/23/25	10:45:00	3.10	14.36	2.69	14.66	-0.53	11.44
9/23/25	11:00:00	2.56	8.97	2.69	13.45	-80.14	-69.39
9/23/25	11:15:00	4.96	18.80	3.23	12.90	-158.45	-148.78
9/23/25	11:30:00	2.45	7.14	3.15	11.20	-236.68	-228.62
9/23/25	11:45:00	2.14	17.15	3.04	13.28	-315.12	-304.88
9/23/25	12:00:00	2.85	16.49	2.99	13.71	-315.33	-304.62
9/23/25	12:15:00	2.83	14.67	3.05	14.85	-235.11	-223.31
9/23/25	12:30:00	4.99	15.73	3.05	14.23	-156.30	-145.11
9/23/25	12:45:00	6.41	14.96	3.84	15.80	-77.33	-65.37
9/23/25	13:00:00	2.79	14.62	3.97	15.29	1.03	12.35
9/23/25	13:15:00	2.85	11.24	3.97	14.24	-71.21	-60.94
9/23/25	13:30:00	7.36	15.46	4.88	14.40	-148.79	-139.27
9/23/25	13:45:00	4.52	5.20	4.79	12.29	-223.15	-215.64
9/23/25	14:00:00	5.74	17.99	4.65	12.90	-295.12	-286.87
9/23/25	14:15:00	3.06	18.59	4.71	13.70	-295.25	-286.26
9/23/25	14:30:00	5.33	8.87	5.20	13.22	-222.35	-214.34
9/23/25	14:45:00	7.34	13.08	5.20	12.75	-144.04	-136.49
9/23/25	15:00:00	4.99	12.33	5.29	14.17	-69.60	-60.72
9/23/25	15:15:00	4.32	6.65	5.01	11.90	1.71	8.61
9/23/25	15:30:00	7.22	6.39	5.84	9.46	-7.16	-3.54
9/23/25	15:45:00	4.43	5.28	5.66	8.75	-21.42	-18.33
9/23/25	16:00:00	4.67	9.10	5.13	7.95	-32.22	-29.39
9/23/25	16:15:00	4.19	10.63	4.97	7.61	-45.43	-42.79
9/23/25	16:30:00	8.81	12.02	5.87	8.68	-44.49	-41.68
9/23/25	16:45:00	4.11	16.78	5.24	10.76	-35.04	-29.52
9/23/25	17:00:00	3.93	10.22	5.14	11.75	-20.77	-14.16
9/23/25	17:15:00	3.61	13.49	4.93	12.63	-10.48	-2.79
9/23/25	17:30:00	5.15	--	5.12	13.13	2.76	10.76

Table 5

Wednesday, September 24, 2025

Date	Time	Turbidity (NTU)		Rolling Average Turbidity (NTU)		Difference (NTU)	
		N3SB	TB4	N3SB	TB4	N3SB - Ambient	TB4 - Ambient
9/24/2025	7:15:00	3.15	8.27	3.10	9.51	-284.41	-278.00
9/24/2025	7:30:00	3.58	15.24	3.26	11.42	-287.08	-278.92
9/24/2025	7:45:00	2.93	13.14	3.18	11.85	-287.26	-278.59
9/24/2025	8:00:00	3.13	7.15	3.17	10.91	-285.27	-277.53
9/24/2025	8:15:00	3.41	7.62	3.24	10.29	-233.03	-225.98
9/24/2025	8:30:00	3.10	7.02	3.23	10.04	-170.83	-164.02
9/24/2025	8:45:00	3.92	7.44	3.30	8.47	-111.92	-106.74
9/24/2025	9:00:00	3.12	--	3.34	7.31	-54.03	-50.06
9/24/2025	9:15:00	4.03	6.88	3.51	7.24	-18.26	-14.54
9/24/2025	9:30:00	3.78	7.10	3.59	7.11	-25.34	-21.82
9/24/2025	9:45:00	3.60	7.82	3.69	7.31	-34.60	-30.98
9/24/2025	10:00:00	4.22	8.04	3.75	7.46	-43.17	-39.46
9/24/2025	10:15:00	4.09	8.12	3.94	7.59	-53.04	-49.40
9/24/2025	10:30:00	5.12	7.10	4.16	7.64	-32.80	-29.33
9/24/2025	10:45:00	3.75	10.75	4.16	8.37	-25.84	-21.63
9/24/2025	11:00:00	3.81	7.69	4.20	8.34	-16.54	-12.40
9/24/2025	11:15:00	4.33	7.89	4.22	8.31	-8.07	-3.98
9/24/2025	11:30:00	4.05	7.46	4.21	8.18	-65.98	-62.01
9/24/2025	11:45:00	4.68	7.50	4.12	8.26	-134.95	-130.82
9/24/2025	12:00:00	4.74	7.76	4.32	7.66	-203.72	-200.38
9/24/2025	12:15:00	4.28	9.17	4.41	7.96	-273.08	-269.54
9/24/2025	12:30:00	4.29	10.15	4.41	8.41	-342.35	-338.35
9/24/2025	12:45:00	4.84	9.24	4.56	8.76	-274.29	-270.09
9/24/2025	13:00:00	4.85	8.57	4.60	8.98	-205.26	-200.88
9/24/2025	13:15:00	5.61	8.89	4.77	9.20	-136.13	-131.70
9/24/2025	13:30:00	4.20	15.47	4.76	10.46	-66.67	-60.96
9/24/2025	13:45:00	4.71	12.03	4.84	10.84	-4.30	1.70
9/24/2025	14:00:00	6.30	10.38	5.13	11.07	-9.27	-3.33
9/24/2025	14:15:00	5.59	10.99	5.28	11.55	-16.17	-9.90
9/24/2025	14:30:00	5.22	10.61	5.20	11.90	-22.72	-16.02
9/24/2025	14:45:00	5.92	13.95	5.55	11.59	-22.72	-16.67
9/24/2025	15:00:00	6.22	13.19	5.85	11.82	-15.35	-9.38
9/24/2025	15:15:00	5.23	12.84	5.64	12.32	-10.44	-3.76
9/24/2025	15:30:00	5.54	12.87	5.63	12.69	-3.47	3.60
9/24/2025	15:45:00	5.41	12.21	5.66	13.01	2.68	10.03
9/24/2025	16:00:00	5.67	11.32	5.61	12.49	-13.57	-6.70
9/24/2025	16:15:00	8.35	12.28	6.04	12.31	-27.83	-21.57
9/24/2025	16:30:00	6.73	12.22	6.34	12.18	-44.04	-38.20
9/24/2025	16:45:00	12.27	15.78	7.69	12.76	-58.83	-53.75
9/24/2025	17:00:00	7.46	13.00	8.10	12.92	-58.23	-53.40
9/24/2025	17:15:00	11.60	16.38	9.28	13.93	-40.55	-35.90
9/24/2025	17:30:00	7.43	14.81	9.10	14.44	-25.99	-20.65

Table 6

Thursday, September 25, 2025

Date	Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
		Ambient	N3SB	TB4	Ambient	N3SB	TB4	N3SB - Ambient	TB4 - Ambient
9/25/2025	7:00:00	2.49	15.01	9.06	2.49	15.01	9.06	12.52	6.57
9/25/2025	7:15:00	2.11	15.38	8.06	2.30	15.20	8.56	12.90	6.26
9/25/2025	7:30:00	2.83	11.73	9.20	2.48	14.04	8.77	11.57	6.30
9/25/2025	7:45:00	2.27	13.69	6.99	2.42	13.96	8.33	11.53	5.90
9/25/2025	8:00:00	2.32	14.96	12.24	2.40	14.16	9.11	11.75	6.70
9/25/2025	8:15:00	2.01	13.13	7.81	2.31	13.78	8.86	11.47	6.55
9/25/2025	8:30:00	1.84	13.07	6.28	2.25	13.32	8.50	11.06	6.25
9/25/2025	8:45:00	2.14	13.26	6.17	2.11	13.62	7.90	11.51	5.78
9/25/2025	9:00:00	2.32	14.28	7.24	2.13	13.74	7.95	11.61	5.82
9/25/2025	9:15:00	2.72	10.83	7.08	2.21	12.91	6.92	10.71	4.71
9/25/2025	9:30:00	2.14	13.19	8.46	2.23	12.93	7.05	10.69	4.81
9/25/2025	9:45:00	2.55	12.85	5.18	2.37	12.88	6.82	10.51	4.45
9/25/2025	10:00:00	2.17	12.68	8.74	2.38	12.77	7.34	10.39	4.96
9/25/2025	10:15:00	2.39	14.34	6.05	2.39	12.78	7.10	10.38	4.70
9/25/2025	10:30:00	2.76	12.92	7.93	2.40	13.20	7.27	10.79	4.87
9/25/2025	10:45:00	2.22	13.77	7.71	2.42	13.31	7.12	10.89	4.70
9/25/2025	11:00:00	2.30	12.56	9.51	2.37	13.25	7.99	10.89	5.62
9/25/2025	11:15:00	2.44	13.83	7.31	2.42	13.48	7.70	11.06	5.28
9/25/2025	11:30:00	2.01	13.78	7.95	2.35	13.37	8.08	11.02	5.74
9/25/2025	11:45:00	1.96	11.53	7.71	2.19	13.09	8.04	10.91	5.85
9/25/2025	12:00:00	2.56	13.43	7.14	2.25	13.02	7.92	10.77	5.67
9/25/2025	12:15:00	1.54	11.81	6.53	2.10	12.87	7.33	10.77	5.23
9/25/2025	12:30:00	2.01	13.40	6.50	2.02	12.79	7.17	10.77	5.15
9/25/2025	12:45:00	2.40	14.53	6.92	2.09	12.94	6.96	10.84	4.87
9/25/2025	13:00:00	1.90	14.15	7.19	2.08	13.46	6.86	11.38	4.78
9/25/2025	13:15:00	1.66	16.25	6.16	1.90	14.03	6.66	12.12	4.76
9/25/2025	13:30:00	2.27	14.24	6.26	2.05	14.51	6.61	12.46	4.56
9/25/2025	13:45:00	8.11	14.73	11.19	3.27	14.78	7.54	11.51	4.27
9/25/2025	14:00:00	3.06	14.80	10.25	3.40	14.83	8.21	11.43	4.81
9/25/2025	14:15:00	2.14	16.21	5.47	3.45	15.24	7.86	11.79	4.41
9/25/2025	14:30:00	2.31	17.42	5.38	3.58	15.48	7.71	11.90	4.13
9/25/2025	14:45:00	2.38	15.37	4.45	3.60	15.71	7.35	12.10	3.74
9/25/2025	15:00:00	2.39	15.73	5.65	2.46	15.91	6.24	13.45	3.78
9/25/2025	15:15:00	3.80	15.64	6.22	2.60	16.07	5.43	13.47	2.83
9/25/2025	15:30:00	2.27	14.53	6.32	2.63	15.74	5.60	13.11	2.97
9/25/2025	15:45:00	3.26	15.05	6.10	2.82	15.26	5.75	12.45	2.93
9/25/2025	16:00:00	3.20	13.56	6.02	2.98	14.90	6.06	11.92	3.08
9/25/2025	16:15:00	3.07	16.16	5.08	3.12	14.99	5.95	11.87	2.83
9/25/2025	16:30:00	3.00	17.62	8.82	2.96	15.38	6.47	12.42	3.51
9/25/2025	16:45:00	2.68	16.90	5.84	3.04	15.86	6.37	12.82	3.33
9/25/2025	17:00:00	2.99	17.79	5.29	2.99	16.40	6.21	13.42	3.22
9/25/2025	17:15:00	2.29	16.76	4.12	2.81	17.05	5.83	14.24	3.02
9/25/2025	17:30:00	2.16	16.83	4.93	2.62	17.18	5.80	14.55	3.17

Table 7

Friday, September 26, 2025

Date	Time	Turbidity (NTU)			Rolling Average Turbidity (NTU)			Difference (NTU)	
		Ambient	N3SB	TB4	Ambient	N3SB	TB4	N3SB - Ambient	TB4 - Ambient
9/26/2025	7:00:00	1.87	30.49	4.61	1.87	30.49	4.61	28.62	2.75
9/26/2025	7:15:00	1.85	30.38	4.24	2.12	30.16	4.30	28.04	2.18
9/26/2025	7:30:00	2.01	23.75	5.56	2.14	29.02	4.67	26.88	2.53
9/26/2025	7:45:00	2.17	32.27	4.57	1.99	29.48	4.74	27.49	2.75
9/26/2025	8:00:00	1.99	31.61	4.50	1.98	29.70	4.70	27.72	2.72
9/26/2025	8:15:00	1.98	31.68	5.90	2.00	29.94	4.95	27.94	2.95
9/26/2025	8:30:00	1.97	33.67	5.55	2.02	30.60	5.22	28.57	3.19
9/26/2025	8:45:00	2.89	35.71	5.60	2.20	32.99	5.22	30.79	3.02
9/26/2025	9:00:00	1.93	34.43	6.40	2.15	33.42	5.59	31.27	3.44
9/26/2025	9:15:00	1.79	39.15	5.37	2.11	34.93	5.76	32.82	3.65
9/26/2025	9:30:00	1.84	30.19	5.54	2.08	34.63	5.69	32.55	3.61
9/26/2025	9:45:00	2.04	38.48	6.33	2.10	35.59	5.85	33.49	3.75
9/26/2025	10:00:00	2.57	29.15	6.15	2.03	34.28	5.96	32.25	3.92
9/26/2025	10:15:00	2.25	37.32	7.01	2.10	34.86	6.08	32.76	3.98
9/26/2025	10:30:00	2.21	40.90	8.02	2.18	35.21	6.61	33.02	4.43
9/26/2025	10:45:00	2.26	40.01	7.66	2.26	37.17	7.03	34.91	4.77
9/26/2025	11:00:00	--	40.40	6.30	2.32	37.56	7.03	35.23	4.71
9/26/2025	11:15:00	1.96	35.82	5.02	2.17	38.89	6.80	36.72	4.64
9/26/2025	11:30:00	2.42	32.81	5.64	2.21	37.99	6.53	35.78	4.32
9/26/2025	11:45:00	2.60	39.74	5.16	2.31	37.76	5.96	35.45	3.65
9/26/2025	12:00:00	2.13	42.53	6.72	2.28	38.26	5.77	35.99	3.49
9/26/2025	12:15:00	1.96	26.60	6.53	2.21	35.50	5.81	33.29	3.60
9/26/2025	12:30:00	2.33	33.82	7.25	2.29	35.10	6.26	32.81	3.97
9/26/2025	12:45:00	2.05	28.98	6.67	2.21	34.33	6.47	32.12	4.25
9/26/2025	13:00:00	2.35	51.72	6.87	2.16	36.73	6.81	34.57	4.64
9/26/2025	13:15:00	3.73	34.01	7.78	2.48	35.02	7.02	32.54	4.54
9/26/2025	13:30:00	2.71	28.14	8.51	2.63	35.33	7.42	32.70	4.78
9/26/2025	13:45:00	2.63	5.35	8.41	2.69	29.64	7.65	26.95	4.95
9/26/2025	14:00:00	2.36	6.44	7.06	2.76	25.13	7.73	22.38	4.97
9/26/2025	14:15:00	2.37	4.35	7.63	2.76	15.66	7.88	12.90	5.12
9/26/2025	14:30:00	2.37	4.91	6.96	2.49	9.84	7.71	7.35	5.22
9/26/2025	14:45:00	2.52	7.80	8.73	2.45	5.77	7.76	3.32	5.31
9/26/2025	15:00:00	2.73	4.91	7.80	2.47	5.68	7.64	3.21	5.17
9/26/2025	15:15:00	3.16	4.71	9.85	2.63	5.34	8.20	2.71	5.57
9/26/2025	15:30:00	3.21	7.61	4.02	2.80	5.99	7.47	3.19	4.68